

Table 6.12C Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older With Serious Psychological Distress and/or Illicit Drug or Alcohol Dependence or Abuse in the Past Year: Standard Errors of Numbers in Thousands, 2006 and 2007

Serious Psychological Distress/Illicit Drug or Alcohol Dependence or Abuse ¹	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{2,3}		Mental Health Treatment Only ²		Substance Use Treatment at a Specialty Facility Only ³		Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{2,3}	
	2006	2007	2006	2007	2006	2007	2006	2007
EITHER SPD OR DEPENDENCE/ABUSE^{4,5}	405	423	381	395	89	85	98	107
SPD ⁴	358	378	347	360	55	52	86	93
SPD but not Dependence/Abuse ^{4,5}	312	330	303	324	39	36	49	39
Dependence/Abuse ⁵	250	250	217	221	80	74	85	98
Dependence/Abuse but not SPD ^{4,5}	167	192	140	174	73	65	52	48
Both SPD and Dependence/Abuse ^{4,5}	180	162	159	138	39	33	71	83
NEITHER SPD NOR DEPENDENCE/ABUSE^{4,5}	470	498	458	497	67	74	59	37

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from the original questions not including methamphetamine items added in 2005 and 2006.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

⁴ Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. See Section B.4.4 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.12D Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older With Serious Psychological Distress and/or Illicit Drug or Alcohol Dependence or Abuse in the Past Year: Standard Errors of Percentages, 2006 and 2007

Serious Psychological Distress/Illicit Drug or Alcohol Dependence or Abuse ¹	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{2,3}		Mental Health Treatment Only ²		Substance Use Treatment at a Specialty Facility Only ³		Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{2,3}	
	2006	2007	2006	2007	2006	2007	2006	2007
EITHER SPD OR DEPENDENCE/ABUSE^{4,5}	0.81	0.86	0.78	0.83	0.22	0.21	0.24	0.27
SPD ⁴	1.06	1.11	1.07	1.10	0.22	0.21	0.34	0.38
SPD but not Dependence/Abuse ^{4,5}	1.20	1.26	1.19	1.26	0.20	0.19	0.25	0.20
Dependence/Abuse ⁵	1.01	1.05	0.91	0.98	0.38	0.35	0.41	0.47
Dependence/Abuse but not SPD ^{4,5}	1.02	1.12	0.87	1.06	0.48	0.43	0.34	0.32
Both SPD and Dependence/Abuse ^{4,5}	2.10	2.09	2.11	2.07	0.69	0.60	1.21	1.44
NEITHER SPD NOR DEPENDENCE/ABUSE^{4,5}	0.24	0.26	0.24	0.26	0.04	0.04	0.03	0.02

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from the original questions not including methamphetamine items added in 2005 and 2006.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

⁴ Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. See Section B.4.4 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.12P Received Mental Health Treatment/Counseling and/or Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older With Serious Psychological Distress and/or Illicit Drug or Alcohol Dependence or Abuse in the Past Year:
P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Serious Psychological Distress/Illicit Drug or Alcohol Dependence or Abuse ¹	Mental Health Treatment or Substance Use Treatment at a Specialty Facility ^{2,3}		Mental Health Treatment Only ²		Substance Use Treatment at a Specialty Facility Only ³		Mental Health Treatment and Substance Use Treatment at a Specialty Facility ^{2,3}	
	2006	2007	2006	2007	2006	2007	2006	2007
EITHER SPD OR DEPENDENCE/ABUSE^{4,5}	0.2854		0.2695		0.5310		0.5631	
SPD ⁴	0.6474		0.8348		0.7348		0.5751	
SPD but not Dependence/Abuse ^{4,5}	0.2122		0.1984		0.6513		0.5884	
Dependence/Abuse ⁵	0.7392		0.7453		0.3152		0.3723	
Dependence/Abuse but not SPD ^{4,5}	0.1158		0.0306		0.2461		0.8335	
Both SPD and Dependence/Abuse ^{4,5}	0.1505		0.0331		0.9468		0.2988	
NEITHER SPD NOR DEPENDENCE/ABUSE^{4,5}	0.4939		0.4131		0.9770		0.2251	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from the original questions not including methamphetamine items added in 2005 and 2006.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop drug or alcohol use, or for medical problems associated with drug or alcohol use.

⁴ Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. See Section B.4.4 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

⁵ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.