

**Table 6.16C Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling: Standard Errors of Numbers in Thousands, 2006 and 2007**

Dependence/Abuse	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2006	2007	2006	2007	2006	2007
<b>DEPENDENCE OR ABUSE<sup>3</sup></b>						
Illicit Drugs or Alcohol <sup>4</sup>	444	450	235	240	387	415
Illicit Drugs <sup>4</sup>	214	228	137	135	166	177
Alcohol	407	405	204	210	363	381
<b>DEPENDENCE<sup>3</sup></b>						
Illicit Drugs or Alcohol <sup>4</sup>	323	324	189	197	270	265
Illicit Drugs <sup>4</sup>	181	191	116	115	137	147
Alcohol	282	281	155	167	243	234

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent past year dependence/abuse for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

<sup>3</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>4</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.16D Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling: Standard Errors of Percentages, 2006 and 2007**

Dependence/Abuse	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>			
			Received		Not Received	
	2006	2007	2006	2007	2006	2007
<b>DEPENDENCE OR ABUSE<sup>3</sup></b>						
Illicit Drugs or Alcohol <sup>4</sup>	0.20	0.20	0.75	0.77	0.20	0.20
Illicit Drugs <sup>4</sup>	0.10	0.10	0.47	0.45	0.09	0.09
Alcohol	0.18	0.18	0.66	0.68	0.18	0.18
<b>DEPENDENCE<sup>3</sup></b>						
Illicit Drugs or Alcohol <sup>4</sup>	0.15	0.15	0.63	0.63	0.14	0.13
Illicit Drugs <sup>4</sup>	0.08	0.09	0.40	0.39	0.07	0.08
Alcohol	0.13	0.13	0.53	0.54	0.13	0.12

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent past year dependence/abuse for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

<sup>3</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>4</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.16P Substance Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment/Counseling: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Dependence/Abuse	Total <sup>1</sup>		MENTAL HEALTH TREATMENT/COUNSELING <sup>2</sup>	
			Received	Not Received
	2006	2007	2006	2007
<b>DEPENDENCE OR ABUSE<sup>3</sup></b>				
Illicit Drugs or Alcohol <sup>4</sup>	0.5392		0.9676	0.4005
Illicit Drugs <sup>4</sup>	0.6544		0.8096	0.5910
Alcohol	0.5730		0.9158	0.4732
<b>DEPENDENCE<sup>3</sup></b>				
Illicit Drugs or Alcohol <sup>4</sup>	0.5711		0.6494	0.6005
Illicit Drugs <sup>4</sup>	0.6236		0.7262	0.5729
Alcohol	0.7865		0.6427	0.8837

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent past year dependence/abuse for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

<sup>2</sup> Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

<sup>3</sup> Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>4</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.