

**Table 6.17C Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007**

| Location of Treatment/Counseling <sup>1</sup>   | Total |      | AGE GROUP |      |       |      |             |      |
|---|-------|------|-----------|------|-------|------|-------------|------|
|   |       |      | 18-25     |      | 26-49 |      | 50 or Older |      |
|   | 2006  | 2007 | 2006      | 2007 | 2006  | 2007 | 2006        | 2007 |
| Outpatient Mental Health Clinic or Center   | 205   | 192  | 32        | 30   | 151   | 125  | 132         | 133  |
| Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic | 322   | 329  | 60        | 54   | 203   | 230  | 221         | 237  |
| Doctor's Office - Not Part of a Clinic  | 209   | 218  | 27        | 25   | 118   | 122  | 166         | 177  |
| Outpatient Medical Clinic   | 132   | 138  | 16        | 15   | 77    | 85   | 113         | 112  |
| Partial Day Hospital or Day Treatment Program   | 53    | 88   | 12        | 8    | 23    | 48   | 46          | 75   |
| School or University Setting/Clinic/Center <sup>2</sup>   | 17    | 15   | 15        | 12   | 8     | 10   | *           | *    |
| Some Other Place <sup>3</sup>   | 55    | 72   | 9         | 8    | 26    | 29   | 48          | 65   |

\*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

<sup>1</sup> Respondents could indicate multiple locations; thus, these response categories are not mutually exclusive.

<sup>2</sup> Respondents were permitted to specify other locations for receiving outpatient mental health treatment/counseling. This location is one of the most commonly reported other locations for receiving outpatient treatment/counseling.

<sup>3</sup> Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Treatment/Counseling were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.17D Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2006 and 2007**

| Location of Treatment/Counseling <sup>1</sup>   | Total |      | AGE GROUP |      |       |      |             |      |
|---|-------|------|-----------|------|-------|------|-------------|------|
|   |       |      | 18-25     |      | 26-49 |      | 50 or Older |      |
|   | 2006  | 2007 | 2006      | 2007 | 2006  | 2007 | 2006        | 2007 |
| Outpatient Mental Health Clinic or Center   | 1.25  | 1.16 | 1.52      | 1.50 | 1.71  | 1.45 | 2.35        | 2.23 |
| Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic | 1.50  | 1.50 | 1.84      | 1.80 | 1.88  | 1.74 | 3.01        | 3.17 |
| Doctor's Office - Not Part of a Clinic  | 1.21  | 1.27 | 1.27      | 1.27 | 1.37  | 1.35 | 2.65        | 2.74 |
| Outpatient Medical Clinic   | 0.86  | 0.86 | 0.83      | 0.82 | 0.99  | 1.03 | 2.04        | 1.90 |
| Partial Day Hospital or Day Treatment Program   | 0.35  | 0.57 | 0.64      | 0.47 | 0.31  | 0.60 | 0.87        | 1.31 |
| School or University Setting/Clinic/Center <sup>2</sup>   | 0.12  | 0.10 | 0.81      | 0.63 | 0.11  | 0.13 | *           | *    |
| Some Other Place <sup>3</sup>   | 0.38  | 0.47 | 0.47      | 0.46 | 0.34  | 0.36 | 0.93        | 1.16 |

\*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

<sup>1</sup> Respondents could indicate multiple locations; thus, these response categories are not mutually exclusive.

<sup>2</sup> Respondents were permitted to specify other locations for receiving outpatient mental health treatment/counseling. This location is one of the most commonly reported other locations for receiving outpatient treatment/counseling.

<sup>3</sup> Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Treatment/Counseling were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.17P Location of Outpatient Mental Health Treatment/Counseling among Persons Aged 18 or Older Who Received Outpatient Mental Health Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

| Location of Treatment/Counseling <sup>1</sup>   | Total  |      | AGE GROUP |      |        |      |             |      |
|---|--------|------|-----------|------|--------|------|-------------|------|
|   |        |      | 18-25     |      | 26-49  |      | 50 or Older |      |
|   | 2006   | 2007 | 2006      | 2007 | 2006   | 2007 | 2006        | 2007 |
| Outpatient Mental Health Clinic or Center   | 0.1626 |      | 0.3037    |      | 0.6669 |      | 0.1939      |      |
| Office of a Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor - Not Part of a Clinic | 0.4411 |      | 0.1474    |      | 0.9040 |      | 0.5086      |      |
| Doctor's Office - Not Part of a Clinic  | 0.5478 |      | 0.4387    |      | 0.3383 |      | 0.7778      |      |
| Outpatient Medical Clinic   | 0.3941 |      | 0.9694    |      | 0.2093 |      | 0.9269      |      |
| Partial Day Hospital or Day Treatment Program   | 0.1517 |      | 0.6867    |      | 0.0872 |      | 0.4498      |      |
| School or University Setting/Clinic/Center <sup>2</sup>   | 0.2763 |      | 0.3202    |      | 0.9104 |      | *           |      |
| Some Other Place <sup>3</sup>   | 0.5319 |      | 0.8775    |      | 0.9347 |      | 0.5082      |      |

\*Low precision; no estimate reported.

NOTE: Outpatient Mental Health Treatment/Counseling is defined as having received outpatient care for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

<sup>1</sup> Respondents could indicate multiple locations; thus, these response categories are not mutually exclusive.

<sup>2</sup> Respondents were permitted to specify other locations for receiving outpatient mental health treatment/counseling. This location is one of the most commonly reported other locations for receiving outpatient treatment/counseling.

<sup>3</sup> Respondents with unknown or invalid responses to the other-specify question on Some Other Place Received Outpatient Mental Health Treatment/Counseling were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.