

Table 6.19C Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2006	2007	2006	2007	2006	2007
TOTAL	328	328	253	243	213	226
AGE						
18-25	76	74	52	46	59	65
26-49	232	238	178	185	158	161
50 or Older	216	208	167	154	135	134
GENDER						
Male	211	192	147	154	142	121
Female	254	268	201	192	162	185
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	314	302	244	226	199	206
White	275	282	210	217	172	177
Black or African American	115	103	88	63	68	79
Other or Two or More Races	111	65	*	38	73	54
Hispanic or Latino	106	123	71	83	78	92
EDUCATION						
< High School	129	155	95	125	89	89
High School Graduate	161	170	132	121	91	117
Some College	191	172	146	120	122	120
College Graduate	187	170	128	120	125	116
CURRENT EMPLOYMENT						
Full-Time	246	226	175	162	159	162
Part-Time	110	121	86	87	67	82
Unemployed	68	62	42	45	51	44
Other ³	194	195	150	149	118	116

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.19D Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2006	2007	2006	2007	2006	2007
TOTAL	0.15	0.15	0.82	0.78	0.11	0.11
AGE						
18-25	0.23	0.23	1.17	1.15	0.19	0.21
26-49	0.23	0.24	1.10	1.12	0.18	0.18
50 or Older	0.25	0.23	1.46	1.28	0.18	0.17
GENDER						
Male	0.20	0.18	1.39	1.43	0.15	0.12
Female	0.22	0.23	1.00	0.93	0.17	0.19
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.16	0.16	0.85	0.77	0.12	0.12
White	0.17	0.18	0.83	0.82	0.13	0.13
Black or African American	0.44	0.39	4.06	3.25	0.29	0.33
Other or Two or More Races	0.80	0.48	*	4.07	0.59	0.42
Hispanic or Latino	0.37	0.42	3.15	3.56	0.29	0.34
EDUCATION						
< High School	0.35	0.42	2.30	2.45	0.27	0.28
High School Graduate	0.23	0.24	1.46	1.34	0.15	0.19
Some College	0.34	0.30	1.68	1.49	0.25	0.24
College Graduate	0.31	0.27	1.39	1.28	0.24	0.22
CURRENT EMPLOYMENT						
Full-Time	0.19	0.18	1.14	1.14	0.14	0.15
Part-Time	0.38	0.41	2.05	1.90	0.27	0.33
Unemployed	0.92	0.84	3.77	4.07	0.83	0.71
Other ³	0.31	0.30	1.47	1.29	0.22	0.22

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.19P Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²	
			Received	Not Received
	2006	2007	2006	2007
TOTAL	0.4542		0.3059	0.0793
AGE				
18-25	0.7789		0.5057	0.2026
26-49	0.0656		0.4789	0.0742
50 or Older	0.4216		0.0872	0.7947
GENDER				
Male	0.7135		0.7729	0.6168
Female	0.2170		0.2980	0.0098
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.6218		0.3312	0.1918
White	0.3005		0.7127	0.2280
Black or African American	0.8725		0.4022	0.4433
Other or Two or More Races	0.2223		*	0.9533
Hispanic or Latino	0.3977		0.7209	0.1553
EDUCATION				
< High School	0.1218		0.6283	0.2477
High School Graduate	0.7874		0.2742	0.3248
Some College	0.3644		0.1782	0.7785
College Graduate	0.4283		0.9513	0.3014
CURRENT EMPLOYMENT				
Full-Time	0.8402		0.9651	0.3845
Part-Time	0.3167		0.2637	0.0429
Unemployed	0.7353		0.6695	0.8869
Other ³	0.6121		0.4308	0.4569

*Low precision; no estimate reported.

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.20C (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic or Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2006	2007	2006	2007	2006	2007
TOTAL	328	330	254	246	213	226
GEOGRAPHIC REGION						
Northeast	152	126	104	98	111	83
Midwest	138	127	94	99	90	87
South	208	204	171	141	127	151
West	155	191	128	145	96	116
COUNTY TYPE						
Large Metro	256	258	191	186	162	174
Small Metro	169	195	129	142	100	126
250K – 1 Mil. Pop.	142	153	106	101	87	111
< 250K Pop.	98	116	78	98	56	58
Nonmetro	159	113	107	84	103	74
Urbanized	77	82	50	62	51	46
Less Urbanized	117	72	82	51	67	52
Completely Rural	79	37	*	*	59	29
FAMILY INCOME						
Less Than \$20,000	175	162	132	130	110	90
\$20,000 - \$49,999	196	190	149	136	120	129
\$50,000 - \$74,999	119	158	85	112	84	109
\$75,000 or More	184	167	141	107	113	122
GOVERNMENT ASSISTANCE³						
Yes	158	176	114	141	106	99
No	301	283	227	200	188	199

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.20D (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic or Socioeconomic Characteristics: Standard Errors of Percentages, 2006 and 2007

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2006	2007	2006	2007	2006	2007
TOTAL	0.15	0.15	0.82	0.78	0.11	0.11
GEOGRAPHIC REGION						
Northeast	0.37	0.31	1.71	1.50	0.31	0.24
Midwest	0.28	0.26	1.27	1.37	0.21	0.20
South	0.26	0.25	1.53	1.26	0.18	0.21
West	0.31	0.37	1.96	2.15	0.22	0.25
COUNTY TYPE						
Large Metro	0.21	0.21	1.19	1.20	0.15	0.16
Small Metro	0.25	0.28	1.41	1.38	0.18	0.22
250K – 1 Mil. Pop.	0.33	0.34	1.78	1.65	0.24	0.29
< 250K Pop.	0.44	0.49	2.36	2.39	0.30	0.31
Nonmetro	0.38	0.30	1.72	1.45	0.29	0.23
Urbanized	0.47	0.50	1.99	2.40	0.39	0.35
Less Urbanized	0.55	0.40	2.60	1.85	0.38	0.34
Completely Rural	1.62	0.87	*	*	1.45	0.74
FAMILY INCOME						
Less Than \$20,000	0.40	0.39	1.88	1.67	0.30	0.27
\$20,000 - \$49,999	0.25	0.25	1.49	1.42	0.18	0.20
\$50,000 - \$74,999	0.31	0.37	1.68	1.98	0.25	0.30
\$75,000 or More	0.28	0.24	1.55	1.19	0.21	0.20
GOVERNMENT ASSISTANCE³						
Yes	0.48	0.52	1.84	1.78	0.40	0.39
No	0.15	0.15	0.91	0.83	0.11	0.12

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.20P (REVISED) Unmet Need for Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Receipt of Past Year Mental Health Treatment, and Geographic or Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic/Socioeconomic Characteristic	Total ¹		MENTAL HEALTH TREATMENT/COUNSELING ²			
			Received		Not Received	
	2006	2007	2006	2007	2006	2007
TOTAL	0.4096		0.3336		0.0777	
GEOGRAPHIC REGION						
Northeast	0.3467		0.0750		0.7266	
Midwest	0.8531		0.7698		0.6415	
South	0.5264		0.3873		0.1507	
West	0.0937		0.7315		0.0136	
COUNTY TYPE						
Large Metro	0.1807		0.7774		0.0264	
Small Metro	0.4617		0.7066		0.4047	
250K – 1 Mil. Pop.	0.8440		0.3345		0.3792	
< 250K Pop.	0.3305		0.5408		0.9720	
Nonmetro	0.1098		0.1054		0.3571	
Urbanized	0.9106		0.6774		0.3729	
Less Urbanized	0.1053		0.0078		0.9039	
Completely Rural	0.3316		*		0.4204	
FAMILY INCOME						
Less Than \$20,000	0.8328		0.2887		0.8731	
\$20,000 - \$49,999	0.8530		0.2918		0.1936	
\$50,000 - \$74,999	0.0075		0.0561		0.0766	
\$75,000 or More	0.5816		0.1589		0.3763	
GOVERNMENT ASSISTANCE³						
Yes	0.0933		0.7561		0.2894	
No	0.9576		0.1302		0.1142	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Unmet Need for Mental Health Treatment/Counseling is defined as a perceived need for treatment that was not received. Respondents with unknown unmet need information were excluded.

¹ Estimates in the Total column represent past year unmet need for all persons aged 18 or older, including those with unknown mental health treatment/counseling information.

² Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

³ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.