

Table 6.1C Serious Psychological Distress in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Numbers in Thousands, 2006 and 2007

Age Category	Total		GENDER			
			Male		Female	
	2006	2007	2006	2007	2006	2007
TOTAL	492	485	314	307	367	386
18	46	48	27	33	35	34
19	47	45	34	28	33	36
20	47	45	27	27	38	34
21	45	45	29	27	36	34
22	44	39	27	25	34	30
23	39	41	21	25	32	33
24	38	40	22	29	30	29
25	40	39	26	23	30	32
26-29	150	150	96	97	116	111
30-34	141	142	92	102	107	108
35-39	169	156	93	91	139	122
40-44	175	140	131	93	123	110
45-49	172	150	114	108	126	113
50-54	202	220	110	135	170	168
55-59	184	187	136	95	125	162
60-64	117	133	43	102	109	83
65 or Older	174	182	107	91	128	154

*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. See Section B.4.4 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.1D Serious Psychological Distress in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: Standard Errors of Percentages, 2006 and 2007

Age Category	Total		GENDER			
			Male		Female	
	2006	2007	2006	2007	2006	2007
TOTAL	0.22	0.22	0.29	0.29	0.32	0.34
18	0.89	0.92	1.04	1.23	1.43	1.36
19	0.97	0.89	1.32	1.21	1.47	1.40
20	0.98	0.99	1.22	1.21	1.56	1.49
21	0.89	0.95	1.21	1.21	1.38	1.41
22	0.96	0.95	1.26	1.21	1.50	1.43
23	0.91	0.96	1.04	1.20	1.36	1.43
24	0.86	0.92	1.11	1.34	1.29	1.31
25	0.98	0.95	1.35	1.20	1.40	1.41
26-29	0.81	0.84	1.10	1.10	1.24	1.25
30-34	0.72	0.71	0.94	1.03	1.07	1.05
35-39	0.77	0.70	0.88	0.84	1.20	1.08
40-44	0.73	0.61	1.11	0.85	1.01	0.95
45-49	0.73	0.63	0.99	0.95	1.03	0.90
50-54	0.93	0.97	1.06	1.20	1.50	1.46
55-59	0.99	0.95	1.47	1.07	1.37	1.53
60-64	0.84	0.97	0.67	1.55	1.47	1.16
65 or Older	0.49	0.50	0.70	0.58	0.62	0.74

*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. See Section B.4.4 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.1P Serious Psychological Distress in the Past Year among Persons Aged 18 or Older, by Gender and Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Age Category	Total		GENDER	
			Male	Female
	2006	2007	2006	2007
TOTAL	0.2265		0.2901	0.5120
18	0.3925		0.6604	0.0792
19	0.1490		0.1760	0.3217
20	0.6065		0.9071	0.6432
21	0.6981		0.4553	0.2409
22	0.4920		0.2018	0.8531
23	0.2625		0.2561	0.5680
24	0.1601		0.0129	0.7685
25	0.5552		0.3251	0.0835
26-29	0.2092		0.5593	0.2738
30-34	0.3954		0.3874	0.6773
35-39	0.9309		0.5918	0.8221
40-44	0.0562		0.0888	0.3913
45-49	0.9523		0.7385	0.8853
50-54	0.7109		0.5824	0.8489
55-59	0.4661		0.0285	0.4717
60-64	0.8661		0.0258	0.1141
65 or Older	0.9014		0.6415	0.6191

*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. See Section B.4.4 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.2C Serious Psychological Distress in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	Total		AGE GROUP					
			18-25		26-49		50 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	492	485	116	114	336	322	340	350
GENDER								
Male	314	307	74	73	228	219	200	209
Female	367	386	86	81	246	236	267	282
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	457	451	103	100	311	294	318	323
White	436	430	104	105	297	280	290	304
Black or African American	168	186	45	47	113	111	106	135
American Indian or Alaska Native	72	36	6	9	*	*	*	*
Native Hawaiian or Other Pacific Islander	28	23	*	6	*	*	*	*
Asian	103	85	38	28	81	66	*	39
Two or More Races	98	42	16	14	58	37	*	*
Hispanic or Latino	194	195	48	52	141	133	113	138
EDUCATION								
< High School	265	260	59	57	168	153	184	198
High School Graduate	281	303	73	72	202	190	179	208
Some College	279	247	80	79	185	188	181	132
College Graduate	236	239	43	39	178	156	139	175
CURRENT EMPLOYMENT								
Full-Time	357	332	82	84	291	264	196	198
Part-Time	173	199	71	71	109	110	109	141
Unemployed	104	120	40	39	89	90	*	*
Other ¹	308	322	55	56	167	166	260	269

*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. See Section B.4.4 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.2D Serious Psychological Distress in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics:
Standard Errors of Percentages, 2006 and 2007**

Demographic Characteristic	Total		AGE GROUP					
			18-25		26-49		50 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.22	0.22	0.36	0.35	0.33	0.32	0.39	0.39
GENDER								
Male	0.29	0.29	0.45	0.44	0.46	0.44	0.50	0.51
Female	0.32	0.34	0.53	0.50	0.48	0.47	0.57	0.58
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.24	0.23	0.38	0.37	0.37	0.35	0.39	0.39
White	0.26	0.26	0.40	0.42	0.42	0.40	0.41	0.42
Black or African American	0.59	0.68	0.87	0.84	0.85	0.85	1.18	1.52
American Indian or Alaska Native	4.67	3.07	3.73	4.70	*	*	*	*
Native Hawaiian or Other Pacific Islander	3.29	3.59	*	3.90	*	*	*	*
Asian	1.09	0.88	2.01	1.69	1.53	1.29	*	1.28
Two or More Races	3.72	1.81	3.99	2.72	5.09	3.22	*	*
Hispanic or Latino	0.67	0.66	0.82	0.90	0.87	0.80	1.65	1.91
EDUCATION								
< High School	0.64	0.66	0.82	0.82	1.07	1.01	1.06	1.14
High School Graduate	0.39	0.41	0.57	0.57	0.62	0.64	0.63	0.69
Some College	0.46	0.42	0.57	0.60	0.67	0.65	0.92	0.67
College Graduate	0.38	0.38	0.86	0.76	0.54	0.48	0.55	0.70
CURRENT EMPLOYMENT								
Full-Time	0.27	0.26	0.47	0.47	0.37	0.35	0.56	0.56
Part-Time	0.57	0.63	0.68	0.73	1.00	0.98	1.05	1.31
Unemployed	1.36	1.53	1.44	1.28	2.33	2.47	*	*
Other ¹	0.46	0.48	0.75	0.75	1.03	1.01	0.59	0.59

*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. See Section B.4.4 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.2P Serious Psychological Distress in the Past Year among Persons Aged 18 or Older, by Age Group and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Demographic Characteristic	Total		AGE GROUP					
			18-25		26-49		50 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.2265		0.7068		0.0810		0.9631	
GENDER								
Male	0.2901		0.5607		0.1791		0.8212	
Female	0.5120		0.9819		0.2792		0.8117	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.3071		0.4882		0.1630		0.9097	
White	0.8475		0.1896		0.3928		0.7459	
Black or African American	0.9624		0.5921		0.6301		0.5576	
American Indian or Alaska Native	0.0369		0.8492		*		*	
Native Hawaiian or Other Pacific Islander	0.8025		*		*		*	
Asian	0.3263		0.6345		0.5190		*	
Two or More Races	0.0061		0.9510		0.1059		*	
Hispanic or Latino	0.5509		0.5950		0.3281		0.6911	
EDUCATION								
< High School	0.3588		0.2273		0.6743		0.5613	
High School Graduate	0.5947		0.5784		0.1373		0.4597	
Some College	0.0203		0.5086		0.4482		0.0110	
College Graduate	0.8655		0.7993		0.2306		0.3168	
CURRENT EMPLOYMENT								
Full-Time	0.0879		0.2608		0.0646		0.5712	
Part-Time	0.8480		0.9892		0.4426		0.7261	
Unemployed	0.6750		0.4250		0.4571		*	
Other ¹	0.8781		0.6082		0.5694		0.8794	

*Low precision; no estimate reported.

NOTE: Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. See Section B.4.4 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.