

Table 6.22C Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007

Source of Mental Health Service ¹	Total		AGE GROUP					
			12-13		14-15		16-17	
	2006	2007	2006	2007	2006	2007	2006	2007
SPECIALTY MENTAL HEALTH	74	77	39	42	51	47	47	48
Outpatient	72	72	36	39	48	43	44	44
Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor	65	67	32	34	41	40	41	42
Mental Health Clinic or Center	33	30	14	17	24	17	20	18
Partial Day Hospital or Day Treatment Program	31	28	17	18	16	14	21	16
In-Home Therapist, Counselor, or Family Preservation Worker	37	37	20	20	22	23	22	20
Inpatient or Residential (Overnight or Longer Stay)	38	34	18	18	24	22	22	19
Hospital	33	31	15	17	22	19	19	18
Residential Treatment Center	20	17	9	9	12	11	13	11
Foster Care or Therapeutic Foster Care Home	17	13	10	6	7	9	11	8
EDUCATION²	70	72	39	43	47	42	43	41
School Counselor, School Psychologist or Regular Meetings with a Teacher	62	67	34	41	42	37	38	38
Special Education Services While in a Regular Classroom or Placement in a Special Classroom, Special Program or Special School	43	38	25	23	25	25	25	20
MEDICAL								
Pediatrician or Other Family Doctor	35	35	18	18	20	23	21	21
SPECIALTY MENTAL HEALTH AND EDUCATION OR MEDICAL³	47	48	26	27	30	30	29	27

*Low precision; no estimate reported.

NOTE: Receipt of Mental Health Services for persons aged 12 to 17 is defined as having received treatment or counseling for emotional or behavioral problems not caused by drug or alcohol use.

NOTE: Respondents with unknown Mental Health Service Use in the Past Year were excluded.

¹ Respondents could indicate multiple service sources; thus, these response categories are not mutually exclusive.

² Respondents who did not report their school enrollment status or who reported not being enrolled in school in the past 12 months were not asked about receipt of mental health treatment/counseling from this source.

³ Specialty Mental Health and Education or Medical includes receipt of any specialty mental health services and receipt of services from either Education or Medical sources.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.22D Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Age Group: Standard Errors of Percentages, 2006 and 2007

Source of Mental Health Service ¹	Total		AGE GROUP					
			12-13		14-15		16-17	
	2006	2007	2006	2007	2006	2007	2006	2007
SPECIALTY MENTAL HEALTH	0.30	0.31	0.47	0.50	0.54	0.52	0.49	0.52
Outpatient	0.28	0.29	0.44	0.47	0.51	0.49	0.47	0.49
Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor	0.26	0.27	0.39	0.41	0.44	0.46	0.44	0.46
Mental Health Clinic or Center	0.13	0.12	0.18	0.20	0.26	0.20	0.23	0.21
Partial Day Hospital or Day Treatment Program	0.12	0.11	0.20	0.22	0.18	0.16	0.24	0.19
In-Home Therapist, Counselor, or Family Preservation Worker	0.15	0.15	0.24	0.25	0.24	0.26	0.26	0.23
Inpatient or Residential (Overnight or Longer Stay)	0.15	0.13	0.22	0.22	0.28	0.25	0.26	0.22
Hospital	0.13	0.12	0.18	0.21	0.25	0.23	0.22	0.20
Residential Treatment Center	0.08	0.07	0.12	0.11	0.13	0.13	0.15	0.13
Foster Care or Therapeutic Foster Care Home	0.07	0.05	0.12	0.08	0.08	0.10	0.13	0.09
EDUCATION²	0.28	0.29	0.47	0.51	0.50	0.47	0.49	0.45
School Counselor, School Psychologist or Regular Meetings with a Teacher	0.25	0.27	0.41	0.47	0.45	0.42	0.43	0.43
Special Education Services While in a Regular Classroom or Placement in a Special Classroom, Special Program or Special School	0.17	0.15	0.31	0.28	0.27	0.29	0.29	0.24
MEDICAL								
Pediatrician or Other Family Doctor	0.14	0.14	0.23	0.23	0.23	0.27	0.24	0.24
SPECIALTY MENTAL HEALTH AND EDUCATION OR MEDICAL³	0.19	0.19	0.32	0.33	0.32	0.35	0.33	0.31

*Low precision; no estimate reported.

NOTE: Receipt of Mental Health Services for persons aged 12 to 17 is defined as having received treatment or counseling for emotional or behavioral problems not caused by drug or alcohol use.

NOTE: Respondents with unknown Mental Health Service Use in the Past Year were excluded.

¹ Respondents could indicate multiple service sources; thus, these response categories are not mutually exclusive.

² Respondents who did not report their school enrollment status or who reported not being enrolled in school in the past 12 months were not asked about receipt of mental health treatment/counseling from this source.

³ Specialty Mental Health and Education or Medical includes receipt of any specialty mental health services and receipt of services from either Education or Medical sources.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.22P Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Age Group: P Values from Tests of Differences of Percentages, 2007 Versus 2006

Source of Mental Health Service ¹	Total		AGE GROUP					
			12-13		14-15		16-17	
	2006	2007	2006	2007	2006	2007	2006	2007
SPECIALTY MENTAL HEALTH	0.1326		0.4977		0.3989		0.2711	
Outpatient	0.1862		0.4698		0.3669		0.4776	
Private Therapist, Psychologist, Psychiatrist, Social Worker, or Counselor	0.6389		0.5529		0.7843		0.9850	
Mental Health Clinic or Center	0.8908		0.2617		0.5845		0.6074	
Partial Day Hospital or Day Treatment Program	0.2077		0.7394		0.2086		0.1804	
In-Home Therapist, Counselor, or Family Preservation Worker	0.8546		0.8833		0.5576		0.4308	
Inpatient or Residential (Overnight or Longer Stay)	0.4625		0.6144		0.5878		0.2851	
Hospital	0.9465		0.3264		0.5700		0.7733	
Residential Treatment Center	0.3598		0.9446		0.7850		0.2589	
Foster Care or Therapeutic Foster Care Home	0.4360		0.5938		0.4751		0.1660	
EDUCATION²	0.2798		0.4506		0.7960		0.3683	
School Counselor, School Psychologist or Regular Meetings with a Teacher	0.8629		0.3104		0.4849		0.5636	
Special Education Services While in a Regular Classroom or Placement in a Special Classroom, Special Program or Special School	0.0051		0.0072		0.8557		0.0527	
MEDICAL								
Pediatrician or Other Family Doctor	0.9706		0.7110		0.7442		0.9673	
SPECIALTY MENTAL HEALTH AND EDUCATION OR MEDICAL³	0.4062		0.5176		0.8508		0.5362	

*Low precision; no estimate reported.

NOTE: Receipt of Mental Health Services for persons aged 12 to 17 is defined as having received treatment or counseling for emotional or behavioral problems not caused by drug or alcohol use.

NOTE: Respondents with unknown Mental Health Service Use in the Past Year were excluded.

¹ Respondents could indicate multiple service sources; thus, these response categories are not mutually exclusive.

² Respondents who did not report their school enrollment status or who reported not being enrolled in school in the past 12 months were not asked about receipt of mental health treatment/counseling from this source.

³ Specialty Mental Health and Education or Medical includes receipt of any specialty mental health services and receipt of services from either Education or Medical sources.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.23C Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Demographic Characteristic	SPECIALTY MENTAL HEALTH SERVICE						EDUCATION ³		MEDICAL ⁴		SPECIALTY MENTAL HEALTH AND EDUCATION OR MEDICAL ⁵	
	Total		Outpatient ¹		Inpatient ²							
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	74	77	72	72	38	34	70	72	35	35	47	48
GENDER												
Male	52	51	49	45	29	25	49	47	23	22	32	29
Female	51	57	50	56	24	23	51	54	25	28	36	38
AGE GROUP												
12-13	39	42	36	39	18	18	39	43	18	18	26	27
14-15	51	47	48	43	24	22	47	42	20	23	30	30
16-17	47	48	44	44	22	19	43	41	21	21	29	27
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	67	69	65	65	33	30	63	65	33	34	43	43
White	65	66	63	63	24	25	54	58	28	30	38	37
Black or African American	32	32	28	28	18	17	37	41	14	10	19	20
American Indian or Alaska Native	3	*	3	*	2	1	6	*	1	*	2	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	*	*
Asian	18	13	18	11	14	8	16	12	4	7	7	9
Two or More Races	14	7	14	7	11	3	12	9	10	3	12	6
Hispanic or Latino	34	30	32	28	17	14	31	31	15	11	21	18

*Low precision; no estimate reported.

NOTE: Receipt of Mental Health Services for persons aged 12 to 17 is defined as having received treatment or counseling for emotional or behavioral problems not caused by drug or alcohol use.

NOTE: Respondents with unknown Mental Health Service Use in the Past Year were excluded.

¹ Includes treatment or counseling from a (1) private therapist, psychologist, psychiatrist, social worker, or counselor; (2) mental health clinic or center; (3) partial day hospital or day treatment program; or (4) in-home therapist, counselor, or family preservation worker.

² Includes treatment or counseling from an overnight or longer stay in a (1) hospital, (2) residential treatment center, or (3) foster care or therapeutic foster care.

³ Includes treatment or counseling from a (1) school counselor, school psychologist, or regular meetings with a teacher; or (2) special education services while in a regular or special classroom or placement in a special program or school. Respondents who did not report their school enrollment status or who reported not being enrolled in school in the past 12 months were not asked about receipt of mental health treatment/counseling from this source.

⁴ Includes treatment or counseling from a pediatrician or other family doctor.

⁵ Specialty Mental Health and Education or Medical includes receipt of any specialty mental health services and receipt of services from either Education or Medical sources.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.23D Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007

Demographic Characteristic	SPECIALTY MENTAL HEALTH SERVICE						EDUCATION ³		MEDICAL ⁴		SPECIALTY MENTAL HEALTH AND EDUCATION OR MEDICAL ⁵	
	Total		Outpatient ¹		Inpatient ²							
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.30	0.31	0.28	0.29	0.15	0.13	0.28	0.29	0.14	0.14	0.19	0.19
GENDER												
Male	0.41	0.40	0.38	0.35	0.22	0.20	0.38	0.37	0.18	0.17	0.25	0.23
Female	0.41	0.47	0.41	0.45	0.19	0.19	0.42	0.44	0.20	0.22	0.29	0.31
AGE GROUP												
12-13	0.47	0.50	0.44	0.47	0.22	0.22	0.47	0.51	0.23	0.23	0.32	0.33
14-15	0.54	0.52	0.51	0.49	0.28	0.25	0.50	0.47	0.23	0.27	0.32	0.35
16-17	0.49	0.52	0.47	0.49	0.26	0.22	0.49	0.45	0.24	0.24	0.33	0.31
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.33	0.34	0.32	0.32	0.16	0.15	0.31	0.32	0.16	0.17	0.21	0.21
White	0.37	0.40	0.36	0.38	0.16	0.16	0.33	0.35	0.18	0.20	0.24	0.24
Black or African American	0.74	0.70	0.65	0.63	0.44	0.43	0.80	0.89	0.35	0.26	0.47	0.49
American Indian or Alaska Native	2.41	*	2.28	*	1.45	0.91	3.41	*	0.54	*	1.32	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*	*	*
Asian	1.62	1.25	1.63	1.10	1.36	0.80	1.42	1.21	0.38	0.73	0.72	0.91
Two or More Races	3.16	1.79	3.18	1.69	2.47	0.70	2.71	1.93	2.38	0.71	2.81	1.43
Hispanic or Latino	0.76	0.66	0.71	0.60	0.37	0.31	0.70	0.67	0.33	0.24	0.47	0.39

*Low precision; no estimate reported.

NOTE: Receipt of Mental Health Services for persons aged 12 to 17 is defined as having received treatment or counseling for emotional or behavioral problems not caused by drug or alcohol use.

NOTE: Respondents with unknown Mental Health Service Use in the Past Year were excluded.

¹ Includes treatment or counseling from a (1) private therapist, psychologist, psychiatrist, social worker, or counselor; (2) mental health clinic or center; (3) partial day hospital or day treatment program; or (4) in-home therapist, counselor, or family preservation worker.

² Includes treatment or counseling from an overnight or longer stay in a (1) hospital, (2) residential treatment center, or (3) foster care or therapeutic foster care.

³ Includes treatment or counseling from a (1) school counselor, school psychologist, or regular meetings with a teacher; or (2) special education services while in a regular or special classroom or placement in a special program or school. Respondents who did not report their school enrollment status or who reported not being enrolled in school in the past 12 months were not asked about receipt of mental health treatment/counseling from this source.

⁴ Includes treatment or counseling from a pediatrician or other family doctor.

⁵ Specialty Mental Health and Education or Medical includes receipt of any specialty mental health services and receipt of services from either Education or Medical sources.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.23P Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Demographic Characteristic	SPECIALTY MENTAL HEALTH SERVICE										SPECIALTY MENTAL HEALTH AND EDUCATION OR MEDICAL ⁵	
	Total		Outpatient ¹		Inpatient ²							
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.1326		0.1862		0.4625		0.2798		0.9706		0.4062	
GENDER												
Male	0.0742		0.0508		0.6378		0.0657		0.6425		0.3355	
Female	0.7066		0.9770		0.5744		0.8404		0.6487		0.7959	
AGE GROUP												
12-13	0.4977		0.4698		0.6144		0.4506		0.7110		0.5176	
14-15	0.3989		0.3669		0.5878		0.7960		0.7442		0.8508	
16-17	0.2711		0.4776		0.2851		0.3683		0.9673		0.5362	
HISPANIC ORIGIN AND RACE												
Not Hispanic or Latino	0.3490		0.4080		0.5412		0.3256		0.5302		0.5957	
White	0.2724		0.2921		0.8959		0.2653		0.3661		0.2469	
Black or African American	0.5077		0.5596		0.6380		0.7356		0.2864		0.2956	
American Indian or Alaska Native	*		*		0.1531		*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*		*		*	
Asian	0.4635		0.5362		0.3974		0.1901		0.2483		0.8087	
Two or More Races	0.0279		0.0828		0.0992		0.2136		0.1703		0.1984	
Hispanic or Latino	0.1377		0.1952		0.6839		0.6650		0.1445		0.4305	

*Low precision; no estimate reported.

NOTE: Receipt of Mental Health Services for persons aged 12 to 17 is defined as having received treatment or counseling for emotional or behavioral problems not caused by drug or alcohol use.

NOTE: Respondents with unknown Mental Health Service Use in the Past Year were excluded.

¹ Includes treatment or counseling from a (1) private therapist, psychologist, psychiatrist, social worker, or counselor; (2) mental health clinic or center; (3) partial day hospital or day treatment program; or (4) in-home therapist, counselor, or family preservation worker.

² Includes treatment or counseling from an overnight or longer stay in a (1) hospital, (2) residential treatment center, or (3) foster care or therapeutic foster care.

³ Includes treatment or counseling from a (1) school counselor, school psychologist, or regular meetings with a teacher; or (2) special education services while in a regular or special classroom or placement in a special program or school. Respondents who did not report their school enrollment status or who reported not being enrolled in school in the past 12 months were not asked about receipt of mental health treatment/counseling from this source.

⁴ Includes treatment or counseling from a pediatrician or other family doctor.

⁵ Specialty Mental Health and Education or Medical includes receipt of any specialty mental health services and receipt of services from either Education or Medical sources.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.24C (REVISED) Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007

Geographic or Socioeconomic Characteristic	SPECIALTY MENTAL HEALTH SERVICE										SPECIALTY MENTAL HEALTH AND EDUCATION OR MEDICAL ⁵	
	Total		Outpatient ¹		Inpatient ²							
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	74	77	72	72	38	34	70	72	35	35	47	48
GEOGRAPHIC REGION												
Northeast	31	32	30	29	19	14	29	30	15	12	19	22
Midwest	27	32	26	30	14	15	27	28	16	19	18	24
South	47	41	43	38	25	21	42	43	21	22	28	27
West	37	44	36	40	17	18	39	37	18	17	25	24
COUNTY TYPE												
Large Metro	61	67	59	62	30	26	60	64	28	25	38	38
Small Metro	48	43	45	41	22	17	39	40	19	20	26	25
250K – 1 Mil. Pop.	39	34	36	33	19	13	32	30	16	14	21	20
< 250K Pop.	28	27	26	25	9	10	22	27	9	14	14	16
Nonmetro	29	30	27	26	13	15	25	30	12	18	16	21
Urbanized	19	18	18	17	7	7	17	22	8	8	11	12
Less Urbanized	20	21	18	18	9	12	18	19	9	11	11	12
Completely Rural	11	15	10	14	5	5	8	7	4	12	6	13
FAMILY INCOME												
Less Than \$20,000	37	36	34	32	21	19	37	38	14	13	20	23
\$20,000 - \$49,999	45	43	42	41	24	20	49	44	21	21	32	31
\$50,000 - \$74,999	35	38	34	36	15	14	29	32	13	13	19	20
\$75,000 or More	48	45	46	44	14	15	36	42	24	22	26	26
GOVERNMENT ASSISTANCE ⁶												
Yes	42	40	38	34	23	21	43	38	17	16	27	24
No	73	73	70	70	31	28	63	70	33	33	43	44

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Receipt of Mental Health Services for persons aged 12 to 17 is defined as having received treatment or counseling for emotional or behavioral problems not caused by drug or alcohol use.

NOTE: Respondents with unknown Mental Health Service Use in the Past Year were excluded.

¹ Includes treatment or counseling from a (1) private therapist, psychologist, psychiatrist, social worker, or counselor; (2) mental health clinic or center; (3) partial day hospital or day treatment program; or (4) in-home therapist, counselor, or family preservation worker.

² Includes treatment or counseling from an overnight or longer stay in a (1) hospital, (2) residential treatment center, or (3) foster care or therapeutic foster care.

³ Includes treatment or counseling from a (1) school counselor, school psychologist, or regular meetings with a teacher; or (2) special education services while in a regular or special classroom or placement in a special program or school. Respondents who did not report their school enrollment status or who reported not being enrolled in school in the past 12 months were not asked about receipt of mental health treatment/counseling from this source.

⁴ Includes treatment or counseling from a pediatrician or other family doctor.

⁵ Specialty Mental Health and Education or Medical includes receipt of any specialty mental health services and receipt of services from either Education or Medical sources.

⁶ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.24D (REVISED) Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2006 and 2007

Geographic or Socioeconomic Characteristic	SPECIALTY MENTAL HEALTH SERVICE						EDUCATION ³		MEDICAL ⁴		SPECIALTY MENTAL HEALTH AND EDUCATION OR MEDICAL ⁵	
	Total		Outpatient ¹		Inpatient ²						2006	2007
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.30	0.31	0.29	0.29	0.15	0.14	0.28	0.29	0.14	0.14	0.19	0.19
GEOGRAPHIC REGION												
Northeast	0.70	0.73	0.68	0.65	0.42	0.31	0.66	0.68	0.34	0.28	0.43	0.49
Midwest	0.49	0.57	0.46	0.54	0.25	0.27	0.49	0.52	0.29	0.33	0.32	0.43
South	0.52	0.45	0.48	0.42	0.27	0.23	0.46	0.47	0.23	0.25	0.31	0.30
West	0.62	0.74	0.60	0.67	0.28	0.30	0.65	0.63	0.29	0.28	0.42	0.39
COUNTY TYPE												
Large Metro	0.41	0.44	0.40	0.40	0.21	0.19	0.41	0.40	0.20	0.18	0.27	0.26
Small Metro	0.53	0.52	0.50	0.50	0.28	0.22	0.47	0.50	0.25	0.26	0.32	0.33
250K – 1 Mil. Pop.	0.63	0.65	0.60	0.63	0.37	0.27	0.61	0.58	0.31	0.27	0.40	0.39
< 250K Pop.	0.91	0.96	0.87	0.90	0.37	0.40	0.75	0.97	0.36	0.53	0.53	0.62
Nonmetro	0.62	0.64	0.59	0.57	0.30	0.35	0.54	0.64	0.30	0.42	0.38	0.49
Urbanized	1.01	0.87	0.98	0.82	0.43	0.40	0.90	1.09	0.46	0.44	0.62	0.67
Less Urbanized	0.83	0.88	0.77	0.75	0.46	0.56	0.78	0.85	0.44	0.50	0.51	0.56
Completely Rural	2.00	2.81	1.87	2.76	0.99	1.13	1.51	1.38	0.81	2.66	1.25	2.67
FAMILY INCOME												
Less Than \$20,000	0.78	0.73	0.72	0.68	0.48	0.42	0.80	0.77	0.31	0.30	0.44	0.51
\$20,000 - \$49,999	0.51	0.52	0.48	0.49	0.28	0.25	0.54	0.53	0.26	0.26	0.38	0.38
\$50,000 - \$74,999	0.68	0.78	0.66	0.73	0.30	0.31	0.60	0.64	0.28	0.30	0.40	0.43
\$75,000 or More	0.52	0.48	0.51	0.48	0.17	0.17	0.41	0.45	0.29	0.25	0.31	0.29
GOVERNMENT ASSISTANCE ⁶												
Yes	0.75	0.70	0.70	0.63	0.45	0.41	0.78	0.68	0.35	0.32	0.53	0.46
No	0.32	0.34	0.31	0.32	0.15	0.14	0.29	0.31	0.16	0.16	0.20	0.21

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Receipt of Mental Health Services for persons aged 12 to 17 is defined as having received treatment or counseling for emotional or behavioral problems not caused by drug or alcohol use.

NOTE: Respondents with unknown Mental Health Service Use in the Past Year were excluded.

¹ Includes treatment or counseling from a (1) private therapist, psychologist, psychiatrist, social worker, or counselor; (2) mental health clinic or center; (3) partial day hospital or day treatment program; or (4) in-home therapist, counselor, or family preservation worker.

² Includes treatment or counseling from an overnight or longer stay in a (1) hospital, (2) residential treatment center, or (3) foster care or therapeutic foster care.

³ Includes treatment or counseling from a (1) school counselor, school psychologist, or regular meetings with a teacher; or (2) special education services while in a regular or special classroom or placement in a special program or school. Respondents who did not report their school enrollment status or who reported not being enrolled in school in the past 12 months were not asked about receipt of mental health treatment/counseling from this source.

⁴ Includes treatment or counseling from a pediatrician or other family doctor.

⁵ Specialty Mental Health and Education or Medical includes receipt of any specialty mental health services and receipt of services from either Education or Medical sources.

⁶ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 6.24P (REVISED) Source of Mental Health Service in the Past Year among Persons Aged 12 to 17, by Geographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2007 Versus 2006

Geographic or Socioeconomic Characteristic	SPECIALTY MENTAL HEALTH SERVICE						EDUCATION ³		MEDICAL ⁴		SPECIALTY MENTAL HEALTH AND EDUCATION OR MEDICAL ⁵	
	Total		Outpatient ¹		Inpatient ²						2006	2007
	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	0.1629		0.2208		0.4962		0.3047		0.9656		0.4278	
GEOGRAPHIC REGION												
Northeast	0.6543		0.8506		0.0556		0.1499		0.6541		0.8668	
Midwest	0.1162		0.0783		0.4159		0.5536		0.8025		0.2259	
South	0.0054		0.0069		0.4273		0.4373		0.7196		0.1126	
West	0.6331		0.5251		0.4320		0.6289		0.8006		0.5020	
COUNTY TYPE												
Large Metro	0.1896		0.2923		0.3910		0.1022		0.3447		0.1773	
Small Metro	0.7118		0.7307		0.7362		0.7319		0.3976		1.0000	
250K – 1 Mil. Pop.	0.8297		0.9436		0.5415		0.6254		0.6958		0.2631	
< 250K Pop.	0.7450		0.6233		0.7043		0.2063		0.0445		0.1037	
Nonmetro	0.5947		0.4921		0.6992		0.7840		0.4589		0.4650	
Urbanized	0.4677		0.6482		0.8825		0.4110		0.4129		0.8390	
Less Urbanized	0.9778		0.5475		0.3569		0.9422		0.6529		0.5668	
Completely Rural	0.8795		0.9947		0.4675		0.3673		0.2833		0.5957	
FAMILY INCOME												
Less Than \$20,000	0.3012		0.4397		0.7274		0.4810		0.9397		0.1834	
\$20,000 - \$49,999	0.3862		0.6322		0.4596		0.0580		0.7044		0.4586	
\$50,000 - \$74,999	0.8865		0.8861		0.6045		0.8423		0.3365		0.6128	
\$75,000 or More	0.0302		0.0389		0.9350		0.8855		0.7632		0.0493	
GOVERNMENT ASSISTANCE ⁶												
Yes	0.1864		0.1827		0.6195		0.0895		0.8573		0.7891	
No	0.3603		0.4746		0.6089		0.8232		0.8916		0.4309	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Receipt of Mental Health Services for persons aged 12 to 17 is defined as having received treatment or counseling for emotional or behavioral problems not caused by drug or alcohol use.

NOTE: Respondents with unknown Mental Health Service Use in the Past Year were excluded.

¹ Includes treatment or counseling from a (1) private therapist, psychologist, psychiatrist, social worker, or counselor; (2) mental health clinic or center; (3) partial day hospital or day treatment program; or (4) in-home therapist, counselor, or family preservation worker.

² Includes treatment or counseling from an overnight or longer stay in a (1) hospital, (2) residential treatment center, or (3) foster care or therapeutic foster care.

³ Includes treatment or counseling from a (1) school counselor, school psychologist, or regular meetings with a teacher; or (2) special education services while in a regular or special classroom or placement in a special program or school. Respondents who did not report their school enrollment status or who reported not being enrolled in school in the past 12 months were not asked about receipt of mental health treatment/counseling from this source.

⁴ Includes treatment or counseling from a pediatrician or other family doctor.

⁵ Specialty Mental Health and Education or Medical includes receipt of any specialty mental health services and receipt of services from either Education or Medical sources.

⁶ Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.