

**Table 6.40C Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007**

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT FOR DEPRESSION <sup>1</sup>							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	41	41	32	28	9	10	21	24
<b>GENDER</b>								
Male	19	22	16	15	5	7	8	14
Female	36	34	28	24	7	8	19	20
<b>HISPANIC ORIGIN OR RACE</b>								
Not Hispanic or Latino	35	38	27	27	8	10	19	22
White	29	33	21	20	7	9	18	21
Black or African American	10	17	10	15	2	3	2	7
Other or Two or More Races	*	*	*	*	*	1	*	3
Hispanic or Latino	21	13	17	10	*	3	8	8
<b>FAMILY INCOME</b>								
Less Than \$20,000	20	17	19	14	3	3	5	9
\$20,000 - \$49,999	24	23	19	18	6	5	13	12
\$50,000 - \$74,999	17	16	14	11	4	5	9	10
\$75,000 or More	20	22	15	13	4	6	12	16
<b>GOVERNMENT ASSISTANCE<sup>2</sup></b>								
Yes	23	19	21	15	4	4	8	11
No	35	35	28	24	8	9	19	21
<b>HEALTH INSURANCE<sup>3</sup></b>								
Private	29	34	22	23	5	9	18	21
Medicaid/CHIP <sup>4</sup>	24	21	19	16	6	6	10	11
Other <sup>5</sup>	*	*	*	*	*	*	2	*
No Coverage	10	6	8	4	4	2	5	4

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

<sup>1</sup> Respondents with unknown past year treatment data were excluded.

<sup>2</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.40D Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2006 and 2007**

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT FOR DEPRESSION <sup>1</sup>							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	1.59	1.52	1.40	1.20	0.45	0.50	0.99	1.11
<b>GENDER</b>								
Male	2.84	2.84	2.60	2.27	0.91	1.10	1.49	2.21
Female	1.88	1.83	1.65	1.42	0.51	0.54	1.23	1.29
<b>HISPANIC ORIGIN OR RACE</b>								
Not Hispanic or Latino	1.69	1.64	1.50	1.31	0.49	0.56	1.10	1.20
White	1.81	1.84	1.53	1.33	0.59	0.71	1.34	1.46
Black or African American	3.60	4.36	3.43	4.22	0.76	0.87	0.91	2.28
Other or Two or More Races	*	*	*	*	*	1.12	*	2.43
Hispanic or Latino	4.37	3.65	3.71	2.90	*	1.05	2.20	2.46
<b>FAMILY INCOME</b>								
Less Than \$20,000	4.55	3.65	4.52	3.35	1.03	0.92	1.45	2.44
\$20,000 - \$49,999	2.56	2.59	2.26	2.16	0.81	0.75	1.62	1.65
\$50,000 - \$74,999	3.66	3.62	3.60	2.87	1.23	1.50	2.56	2.63
\$75,000 or More	2.79	2.65	2.35	1.98	0.65	0.94	1.99	2.27
<b>GOVERNMENT ASSISTANCE<sup>2</sup></b>								
Yes	3.71	3.33	3.76	3.09	0.93	1.03	1.77	2.50
No	1.80	1.66	1.56	1.31	0.52	0.57	1.15	1.19
<b>HEALTH INSURANCE<sup>3</sup></b>								
Private	1.93	1.87	1.61	1.52	0.41	0.65	1.33	1.44
Medicaid/CHIP <sup>4</sup>	3.34	3.09	2.88	2.66	1.12	1.21	1.85	1.98
Other <sup>5</sup>	*	*	*	*	*	*	1.66	*
No Coverage	4.51	3.79	4.08	2.80	2.14	1.08	2.47	2.37

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

<sup>1</sup> Respondents with unknown past year treatment data were excluded.

<sup>2</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.40P Type of Treatment Received in the Past Year for Depression among Persons Aged 12 to 17 with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT FOR DEPRESSION <sup>1</sup>						
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication
	2006	2007	2006	2007	2006	2007	2006 2007
<b>TOTAL</b>	0.9974		0.0633		0.6289		0.0506
<b>GENDER</b>							
Male	0.7432		0.1919		0.8989		0.0200
Female	0.8662		0.1830		0.4881		0.3665
<b>HISPANIC ORIGIN OR RACE</b>							
Not Hispanic or Latino	0.5337		0.3793		0.8091		0.0876
White	0.6368		0.1639		0.7520		0.0807
Black or African American	0.0473		0.2104		0.8926		0.0666
Other or Two or More Races	*		*		*		*
Hispanic or Latino	0.1717		0.0186		*		0.4460
<b>FAMILY INCOME</b>							
Less Than \$20,000	0.3676		0.9031		0.8712		0.0282
\$20,000 - \$49,999	0.8550		0.7478		0.6842		0.7651
\$50,000 - \$74,999	0.1713		0.2360		0.8562		0.6994
\$75,000 or More	0.9793		0.0435		0.4414		0.0592
<b>GOVERNMENT ASSISTANCE<sup>2</sup></b>							
Yes	0.3448		0.8159		0.8447		0.1228
No	0.6436		0.0571		0.6579		0.1422
<b>HEALTH INSURANCE<sup>3</sup></b>							
Private	0.4248		0.5420		0.2078		0.1953
Medicaid/CHIP <sup>4</sup>	0.6755		0.3635		0.7397		0.1086
Other <sup>5</sup>	*		*		*		*
No Coverage	0.0121		0.0582		0.2031		0.3627

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

<sup>1</sup> Respondents with unknown past year treatment data were excluded.

<sup>2</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.41C Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007**

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT FOR DEPRESSION <sup>1</sup>							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	359	371	174	173	94	104	310	329
<b>GENDER</b>								
Male	218	216	116	99	59	58	185	187
Female	292	292	128	140	73	87	252	248
<b>HISPANIC ORIGIN OR RACE</b>								
Not Hispanic or Latino	346	351	166	163	92	98	301	307
White	317	324	152	143	91	96	275	290
Black or African American	121	99	58	66	19	15	99	71
Other or Two or More Races	70	*	30	40	5	13	63	36
Hispanic or Latino	97	131	53	63	16	37	80	111
<b>FAMILY INCOME</b>								
Less Than \$20,000	172	194	84	90	59	71	134	160
\$20,000 - \$49,999	227	207	99	101	48	51	194	175
\$50,000 - \$74,999	136	171	61	70	43	35	116	154
\$75,000 or More	187	178	94	78	35	45	155	151
<b>GOVERNMENT ASSISTANCE<sup>2</sup></b>								
Yes	175	209	84	70	43	57	150	190
No	323	308	151	162	86	87	272	261
<b>HEALTH INSURANCE<sup>3</sup></b>								
Private	294	280	142	129	73	86	235	239
Medicaid/CHIP <sup>4</sup>	136	157	60	47	28	43	125	145
Other <sup>5</sup>	192	212	74	95	53	76	172	175
No Coverage	128	147	64	84	42	21	103	118

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

<sup>1</sup> Respondents with unknown past year treatment data were excluded.

<sup>2</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.41D Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2006 and 2007**

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT FOR DEPRESSION <sup>1</sup>							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	1.08	1.27	1.01	0.99	0.58	0.63	1.36	1.46
<b>GENDER</b>								
Male	2.16	2.41	1.86	1.68	1.03	1.01	2.50	2.51
Female	1.23	1.43	1.16	1.17	0.70	0.79	1.55	1.67
<b>HISPANIC ORIGIN OR RACE</b>								
Not Hispanic or Latino	1.09	1.32	1.07	1.04	0.64	0.66	1.42	1.51
White	1.16	1.36	1.17	1.09	0.75	0.76	1.54	1.64
Black or African American	3.75	4.31	3.36	3.84	1.18	0.97	4.29	4.04
Other or Two or More Races	5.82	*	3.75	4.89	0.70	1.80	5.89	4.56
Hispanic or Latino	4.38	4.39	3.30	3.31	1.05	1.92	4.18	4.65
<b>FAMILY INCOME</b>								
Less Than \$20,000	2.05	2.13	1.94	2.06	1.45	1.67	2.46	2.78
\$20,000 - \$49,999	1.85	2.26	1.52	1.65	0.83	0.87	2.19	2.34
\$50,000 - \$74,999	2.73	3.07	2.32	2.19	1.71	1.16	3.23	3.48
\$75,000 or More	2.43	3.00	2.34	1.96	0.95	1.18	2.89	3.05
<b>GOVERNMENT ASSISTANCE<sup>2</sup></b>								
Yes	2.17	2.42	1.96	1.71	1.10	1.39	2.64	2.88
No	1.29	1.47	1.14	1.18	0.71	0.69	1.55	1.62
<b>HEALTH INSURANCE<sup>3</sup></b>								
Private	1.48	1.75	1.33	1.29	0.75	0.90	1.70	1.88
Medicaid/CHIP <sup>4</sup>	2.14	3.06	2.68	1.99	1.29	1.79	3.30	3.67
Other <sup>5</sup>	2.04	3.16	2.39	2.67	1.82	2.17	3.38	3.79
No Coverage	2.63	2.83	1.96	2.17	1.38	0.63	2.63	2.78

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

<sup>1</sup> Respondents with unknown past year treatment data were excluded.

<sup>2</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 6.41P Type of Treatment Received in the Past Year for Depression among Persons Aged 18 or Older with a Past Year Major Depressive Episode (MDE), by Demographic and Socioeconomic Characteristics: P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Demographic/Socioeconomic Characteristic	TYPE OF PAST YEAR TREATMENT FOR DEPRESSION <sup>1</sup>							
	Saw or Talked to Medical Doctor or Other Professional OR Used Prescription Medication		Saw or Talked to Medical Doctor or Other Professional Only		Used Prescription Medication Only		Saw or Talked to Medical Doctor or Other Professional AND Used Prescription Medication	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	0.0069		0.5607		0.7823		0.0736	
<b>GENDER</b>								
Male	0.3579		0.4900		0.8454		0.6685	
Female	0.0027		0.8560		0.6177		0.0304	
<b>HISPANIC ORIGIN OR RACE</b>								
Not Hispanic or Latino	0.0032		0.4388		0.7298		0.0740	
White	0.0075		0.1754		0.5826		0.3202	
Black or African American	0.2112		0.6108		0.6785		0.0950	
Other or Two or More Races	*		0.1796		0.4140		0.0102	
Hispanic or Latino	0.7424		0.7673		0.8023		0.9860	
<b>FAMILY INCOME</b>								
Less Than \$20,000	0.8928		0.3833		0.9219		0.4189	
\$20,000 - \$49,999	0.0444		0.2759		0.2823		0.0273	
\$50,000 - \$74,999	0.1505		0.7849		0.5900		0.2385	
\$75,000 or More	0.0677		0.0863		0.1866		0.3665	
<b>GOVERNMENT ASSISTANCE<sup>2</sup></b>								
Yes	0.4694		0.1608		0.3462		0.2502	
No	0.0006		0.9607		0.3932		0.0077	
<b>HEALTH INSURANCE<sup>3</sup></b>								
Private	0.0034		0.1423		0.8153		0.0855	
Medicaid/CHIP <sup>4</sup>	0.3970		0.2905		0.5016		0.7546	
Other <sup>5</sup>	0.0125		0.7037		0.8340		0.0303	
No Coverage	0.9349		0.1432		0.0792		0.5983	

\*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

<sup>1</sup> Respondents with unknown past year treatment data were excluded.

<sup>2</sup> Government Assistance is defined as one or more household family members having received Supplemental Security Income (SSI), cash assistance (Temporary Assistance for Needy Families, TANF), noncash assistance, or food stamps.

<sup>3</sup> Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

<sup>4</sup> CHIP is the Children's Health Insurance Program. Individuals aged 19 or younger are eligible for this plan.

<sup>5</sup> Other Health Insurance is defined as having Medicare, CHAMPUS, TRICARE, CHAMPVA, the VA, military health care, or any other type of health insurance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.