

**Table 7.103A Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Parole/Supervised Release Status: Numbers in Thousands, 2006 and 2007**

Drug	Total <sup>1</sup>		PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR <sup>2</sup>			
			Yes		No	
	2006	2007	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>3</sup></b>	17,876	17,448	476	389	17,330	17,015
Marijuana and Hashish	13,124	12,762	317	239	12,741	12,501
Cocaine	2,311	1,972	134	63	2,163	1,900
Crack	689	594	74	48	615	546
Heroin	322 <sup>a</sup>	150	51	9	267	137
Hallucinogens	825	821	29	23	777	798
LSD	99	115	8	3	90	112
PCP	18	32	3	2	16	30
Ecstasy	446	438	5	14	439	425
Inhalants	421	321	*	3	392	318
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	6,251	6,066	175	190	6,056	5,855
Pain Relievers	4,530	4,505	108	126	4,413	4,376
OxyContin <sup>®</sup>	248	322	17	3	231	318
Tranquilizers	1,640	1,652	61	57	1,578	1,579
Stimulants <sup>5</sup>	1,214 <sup>a</sup>	926	59	46	1,144 <sup>a</sup>	878
Methamphetamine <sup>5</sup>	677	496	49	29	626	465
Sedatives	340	312	20	12	319	299
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	8,364	8,089	279	209	8,062	7,848

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for persons aged 18 or older, including those with unknown parole/supervised release status.

<sup>2</sup> Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>5</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.103B Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Parole/Supervised Release Status: Percentages, 2006 and 2007**

Drug	Total <sup>1</sup>		PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR <sup>2</sup>			
			Yes		No	
	2006	2007	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>3</sup></b>	8.1	7.8	29.7	24.1	7.9	7.7
Marijuana and Hashish	5.9	5.7	19.8	14.8	5.8	5.7
Cocaine	1.0	0.9	8.4	3.9	1.0	0.9
Crack	0.3	0.3	4.6	3.0	0.3	0.2
Heroin	0.1 <sup>a</sup>	0.1	3.2	0.6	0.1	0.1
Hallucinogens	0.4	0.4	1.8	1.4	0.4	0.4
LSD	0.0	0.1	0.5	0.2	0.0	0.1
PCP	0.0	0.0	0.2	0.1	0.0	0.0
Ecstasy	0.2	0.2	0.3	0.8	0.2	0.2
Inhalants	0.2	0.1	*	0.2	0.2	0.1
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	2.8	2.7	10.9	11.8	2.8	2.7
Pain Relievers	2.1	2.0	6.7	7.8	2.0	2.0
OxyContin <sup>®</sup>	0.1	0.1	1.1	0.2	0.1	0.1
Tranquilizers	0.7	0.7	3.8	3.5	0.7	0.7
Stimulants <sup>5</sup>	0.6 <sup>a</sup>	0.4	3.7	2.9	0.5 <sup>a</sup>	0.4
Methamphetamine <sup>5</sup>	0.3	0.2	3.1	1.8	0.3	0.2
Sedatives	0.2	0.1	1.3	0.8	0.1	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	3.8	3.6	17.4	13.0	3.7	3.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for persons aged 18 or older, including those with unknown parole/supervised release status.

<sup>2</sup> Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>5</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.104A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Parole/Supervised Release Status: Numbers in Thousands, 2006 and 2007**

Drug	Total <sup>1</sup>		PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR <sup>2</sup>			
			Yes		No	
	2006	2007	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>3</sup></b>	15,680	14,966	461	365	15,149	14,557
Marijuana and Hashish	11,760	11,382	302	239	11,392	11,120
Cocaine	2,055	1,737	127	63	1,914	1,665
Crack	530	506	67	48	463	457
Heroin	226	121	51	9	170	108
Hallucinogens	825	810	29	23	777	788
LSD	99	115	8	3	90	112
PCP	18	32	3	2	16	30
Ecstasy	446	438	5	14	439	425
Inhalants	355	262	*	3	326	259
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	5,473 <sup>a</sup>	4,897	168	166	5,285 <sup>a</sup>	4,710
Pain Relievers	3,936	3,734	108	126	3,819	3,606
OxyContin <sup>®</sup>	248	270	17	3	231	265
Tranquilizers	1,509	1,321	61	32	1,448	1,271
Stimulants <sup>5</sup>	1,069 <sup>a</sup>	822	51	46	1,007 <sup>a</sup>	774
Methamphetamine <sup>5</sup>	606 <sup>a</sup>	410	42	*	562 <sup>a</sup>	379
Sedatives	241	208	20	12	220	195
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	7,346 <sup>a</sup>	6,695	264	185	7,058	6,478

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for persons aged 18 to 49, including those with unknown parole/supervised release status.

<sup>2</sup> Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>5</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.104B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Parole/Supervised Release Status: Percentages, 2006 and 2007**

Drug	Total <sup>1</sup>		PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR <sup>2</sup>			
			Yes		No	
	2006	2007	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>3</sup></b>	11.8	11.3	31.7	26.6	11.5	11.1
Marijuana and Hashish	8.8	8.6	20.7	17.4	8.7	8.5
Cocaine	1.5	1.3	8.7	4.6	1.5	1.3
Crack	0.4	0.4	4.6	3.5	0.4	0.3
Heroin	0.2	0.1	3.5	0.7	0.1	0.1
Hallucinogens	0.6	0.6	2.0	1.6	0.6	0.6
LSD	0.1	0.1	0.6	0.2	0.1	0.1
PCP	0.0	0.0	0.2	0.1	0.0	0.0
Ecstasy	0.3	0.3	0.4	1.0	0.3	0.3
Inhalants	0.3	0.2	*	0.2	0.2	0.2
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	4.1 <sup>a</sup>	3.7	11.5	12.1	4.0 <sup>a</sup>	3.6
Pain Relievers	3.0	2.8	7.4	9.2	2.9	2.7
OxyContin <sup>®</sup>	0.2	0.2	1.2	0.2	0.2	0.2
Tranquilizers	1.1	1.0	4.2	2.4	1.1	1.0
Stimulants <sup>5</sup>	0.8 <sup>a</sup>	0.6	3.5	3.4	0.8 <sup>a</sup>	0.6
Methamphetamine <sup>5</sup>	0.5 <sup>a</sup>	0.3	2.9	*	0.4 <sup>a</sup>	0.3
Sedatives	0.2	0.2	1.4	0.9	0.2	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>3</sup></b>	5.5 <sup>a</sup>	5.0	18.1	13.5	5.4	4.9

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for persons aged 18 to 49, including those with unknown parole/supervised release status.

<sup>2</sup> Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

<sup>3</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>4</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>5</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.105A Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	Total <sup>1</sup>		PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR <sup>2</sup>			
			Yes		No	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	17,876	17,448	476	389	17,330	17,015
<b>AGE</b>						
18-49	15,680	14,966	461	365	15,149	14,557
18-25	6,482	6,464	165	159	6,290	6,293
26-34	4,181	3,864	*	*	4,000	3,759
35-49	5,016	4,638	*	*	4,858	4,504
<b>GENDER/AGE</b>						
Male 18 or Older	11,270	11,217	383	351	10,824	10,843
Male 18-49	9,900	9,596	376	327	9,461	9,246
Female 18 or Older	6,606	6,231	*	37	6,506	6,173
Female 18-49	5,781	5,369	*	37	5,688	5,311

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

<sup>2</sup> Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.105B Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	Total <sup>1</sup>		PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR <sup>2</sup>			
			Yes		No	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	8.1	7.8	29.7	24.1	7.9	7.7
<b>AGE</b>						
18-49	11.8	11.3	31.7	26.6	11.5	11.1
18-25	19.8	19.7	37.1	36.6	19.5	19.5
26-34	11.9	10.9	*	*	11.6	10.8
35-49	7.7	7.2	*	*	7.5	7.0
<b>GENDER/AGE</b>						
Male 18 or Older	10.6	10.4	30.6	27.6	10.3	10.2
Male 18-49	15.0	14.5	32.1	28.8	14.6	14.3
Female 18 or Older	5.8	5.4	*	11.0	5.7	5.4
Female 18-49	8.6	8.0	*	16.0	8.5	8.0

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

<sup>2</sup> Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.106A Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	Total <sup>1</sup>		PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR <sup>2</sup>			
			Yes		No	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	5,847	5,758	298	250	5,533	5,495
<b>AGE</b>						
18-49	5,307	5,228	295	223	4,995	4,992
18-25	2,579	2,592	98	119	2,474	2,468
26-34	1,309	1,236	*	*	1,202	1,179
35-49	1,418	1,400	*	*	1,319	1,345
<b>GENDER/AGE</b>						
Male 18 or Older	3,868	3,952	222	221	3,629	3,719
Male 18-49	3,424	3,575	219	194	3,188	3,369
Female 18 or Older	1,979	1,806	*	29	1,904	1,777
Female 18-49	1,883	1,652	*	29	1,807	1,623

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

<sup>2</sup> Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.106B Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	Total <sup>1</sup>		PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR <sup>2</sup>			
			Yes		No	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	2.7	2.6	18.6	15.5	2.5	2.5
<b>AGE</b>						
18-49	4.0	3.9	20.2	16.3	3.8	3.8
18-25	7.9	7.9	22.0	27.4	7.7	7.7
26-34	3.7	3.5	*	*	3.5	3.4
35-49	2.2	2.2	*	*	2.0	2.1
<b>GENDER/AGE</b>						
Male 18 or Older	3.6	3.7	17.8	17.4	3.5	3.5
Male 18-49	5.2	5.4	18.8	17.1	4.9	5.2
Female 18 or Older	1.7	1.6	*	8.7	1.7	1.5
Female 18-49	2.8	2.5	*	12.5	2.7	2.4

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

<sup>2</sup> Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 7.107A Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	Total <sup>1</sup>		PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR <sup>2</sup>			
			Yes		No	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	20,570	20,373	592	600	19,953	19,733
<b>AGE</b>						
18-49	17,415	17,044	573	545	16,816	16,460
18-25	6,987	6,769	186	224	6,787	6,535
26-34	4,636	4,434	*	*	4,445	4,269
35-49	5,793	5,842	*	*	5,584	5,656
<b>GENDER/AGE</b>						
Male 18 or Older	13,592	14,004	478	521	13,090	13,445
Male 18-49	11,166	11,611	460	466	10,684	11,108
Female 18 or Older	6,979	6,370	*	*	6,862	6,288
Female 18-49	6,249 <sup>b</sup>	5,434	*	*	6,133 <sup>b</sup>	5,352

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

<sup>2</sup> Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.107B Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Percentages, 2006 and 2007**

Demographic Characteristic	Total <sup>1</sup>		PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR <sup>2</sup>			
			Yes		No	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	9.3	9.2	36.9	37.2	9.1	8.9
<b>AGE</b>						
18-49	13.1	12.8	39.3	39.7	12.8	12.5
18-25	21.3	20.7	41.9	51.4	21.1	20.3
26-34	13.2	12.6	*	*	12.9	12.3
35-49	8.9	9.0	*	*	8.6	8.8
<b>GENDER/AGE</b>						
Male 18 or Older	12.8	13.0	38.3	41.0	12.5	12.7
Male 18-49	16.9	17.6	39.3	41.0	16.5	17.2
Female 18 or Older	6.1 <sup>a</sup>	5.5	*	*	6.0 <sup>a</sup>	5.5
Female 18-49	9.3 <sup>b</sup>	8.1	*	*	9.2 <sup>b</sup>	8.0

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

<sup>2</sup> Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.