

**Table 7.108A (REVISED) No Illicit Drug or Alcohol Use in the Past Month among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic/Socioeconomic/Geographic Characteristic	NO PAST MONTH USE					
	Illicit Drugs or Alcohol <sup>1</sup>		Illicit Drugs <sup>1</sup>		Alcohol	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	20,148	20,147	22,904	22,826	21,164	21,201
<b>RACE<sup>2</sup></b>						
American Indian or Alaska Native	235	231	277	276	258	250
Asian or Pacific Islander	1,039	1,022	1,105	1,073	1,098	1,052
Asian Only	908	922	966	968	958	948
Native Hawaiian or Other Pacific Islander Only	131	*	139	*	139	*
Black or African American	3,331	3,344	3,603	3,621	3,584	3,591
White	15,166	15,121	17,501	17,386	15,831	15,861
Two or More Races	377	430	418	469	393	447
<b>HISPANIC ORIGIN AND RACE</b>						
Hispanic or Latino	3,697	3,787	4,152 <sup>b</sup>	4,287	3,860	3,957
Not Hispanic or Latino	16,451	16,361	18,752 <sup>a</sup>	18,539	17,304	17,244
Black or African American	3,234	3,215	3,496	3,486	3,483	3,460
White	11,791	11,710	13,719	13,514	12,312	12,296
<b>GENDER</b>						
Male	10,299	10,257	11,692	11,595	10,855	10,834
Female	9,848	9,891	11,211	11,231	10,309	10,367
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>3</sup></b>						
Less Than 100%	3,687	3,753	4,124	4,159	3,937	4,017
100-199%	4,251	4,295	4,733	4,750	4,497	4,553
200% or More	12,210	12,099	14,047	13,917	12,730	12,630
<b>REGION</b>						
Northeast	3,439	3,505	4,040	4,048	3,619	3,651
Midwest	4,515	4,436	5,112	5,078	4,746	4,670
South	7,387	7,384	8,330	8,278	7,752	7,791
West	4,807	4,822	5,422	5,422	5,047	5,089

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-10A (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.108B (REVISED) No Illicit Drug or Alcohol Use in the Past Month among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Percentages, 2006 and 2007**

Demographic/Socioeconomic/Geographic Characteristic	NO PAST MONTH USE					
	Illicit Drugs or Alcohol <sup>1</sup>		Illicit Drugs <sup>1</sup>		Alcohol	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	79.3	79.8	90.2	90.4	83.3	84.0
<b>RACE<sup>2</sup></b>						
American Indian or Alaska Native	73.3	72.6	86.4	86.8	80.4	78.5
Asian or Pacific Islander	87.0	89.2	92.5	93.7	91.9	91.8
Asian Only	87.6	89.4	93.2	93.8	92.4	91.9
Native Hawaiian or Other Pacific Islander Only	83.1	*	88.2	*	88.5	*
Black or African American	83.1	83.6	89.8	90.5	89.4	89.8
White	78.2	78.5	90.2	90.3	81.6	82.3
Two or More Races	79.9	83.9	88.6	91.5	83.4	87.3
<b>HISPANIC ORIGIN AND RACE</b>						
Hispanic or Latino	81.2	81.1	91.1	91.9	84.7	84.8
Not Hispanic or Latino	79.0	79.5	90.0	90.1	83.1	83.8
Black or African American	83.1	83.5	89.8	90.5	89.5	89.9
White	77.3	77.8	89.9	89.8	80.7	81.7
<b>GENDER</b>						
Male	79.4	79.6	90.2	89.9	83.7	84.0
Female	79.3	80.1	90.2	90.9	83.0	83.9
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>3</sup></b>						
Less Than 100%	79.9	81.3	89.4	90.1	85.3	87.0
100-199%	80.3	81.1	89.5	89.6	85.0	85.9
200% or More	78.8	79.0	90.7	90.8	82.2	82.4
<b>REGION</b>						
Northeast	76.2 <sup>a</sup>	78.6	89.5	90.8	80.2	81.9
Midwest	79.6	79.0	90.1	90.4	83.7	83.2
South	80.7	80.9	91.0	90.7	84.7	85.3
West	79.4	79.9	89.5	89.8	83.3	84.3

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-10A (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.109A (REVISED) Illicit Drug Use, Marijuana Use, and Binge Alcohol Use in the Past Month among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic/Socioeconomic/Geographic Characteristic	PAST MONTH USE					
	Illicit Drug Use <sup>1</sup>		Marijuana Use		Binge Alcohol Use <sup>2</sup>	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	2,488	2,415	1,695	1,693	2,621	2,457
<b>RACE<sup>3</sup></b>						
American Indian or Alaska Native	44	42	28	28	37	53
Asian or Pacific Islander	89	73	46	48	71	55
Asian Only	70	64	33	44	59	53
Native Hawaiian or Other Pacific Islander Only	19	*	12	4	12 <sup>a</sup>	2
Black or African American	408	379	263	234	200	174
White	1,894	1,878	1,321	1,350	2,260	2,142
Two or More Races	54	43	37	34	53 <sup>a</sup>	33
<b>HISPANIC ORIGIN AND RACE</b>						
Hispanic or Latino	404	380	265	267	425	436
Not Hispanic or Latino	2,084	2,035	1,431	1,426	2,197 <sup>a</sup>	2,022
Black or African American	398	364	253	222	193	164
White	1,533	1,537	1,089	1,110	1,878	1,744
<b>GENDER</b>						
Male	1,277	1,296	893	973	1,394	1,372
Female	1,211	1,119	802	721	1,228 <sup>a</sup>	1,086
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>4</sup></b>						
Less Than 100%	490	459	304	301	408	383
100-199%	557	549	373	370	510	451
200% or More	1,441	1,407	1,018	1,022	1,703	1,624
<b>REGION</b>						
Northeast	473	410	357	328	553 <sup>a</sup>	462
Midwest	559	537	387	388	576	603
South	822	851	510	565	828	825
West	634	617	441	412	664	567

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-10B and 26-11D (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

<sup>3</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>4</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.109B (REVISED) Illicit Drug Use, Marijuana Use, and Binge Alcohol Use in the Past Month among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Percentages, 2006 and 2007**

Demographic/Socioeconomic/Geographic Characteristic	PAST MONTH USE					
	Illicit Drug Use <sup>1</sup>		Marijuana Use		Binge Alcohol Use <sup>2</sup>	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	9.8	9.6	6.7	6.7	10.3	9.7
<b>RACE<sup>3</sup></b>						
American Indian or Alaska Native	13.6	13.2	8.7	8.6	11.6	16.6
Asian or Pacific Islander	7.5	6.3	3.8	4.2	5.9	4.8
Asian Only	6.8	6.2	3.2	4.3	5.7	5.1
Native Hawaiian or Other Pacific Islander Only	11.8	*	7.9	3.8	7.5 <sup>a</sup>	1.9
Black or African American	10.2	9.5	6.6	5.8	5.0	4.4
White	9.8	9.7	6.8	7.0	11.7	11.1
Two or More Races	11.4	8.5	7.8	6.5	11.2 <sup>a</sup>	6.5
<b>HISPANIC ORIGIN AND RACE</b>						
Hispanic or Latino	8.9	8.1	5.8	5.7	9.3	9.3
Not Hispanic or Latino	10.0	9.9	6.9	6.9	10.5	9.8
Black or African American	10.2	9.5	6.5	5.8	4.9	4.3
White	10.1	10.2	7.1	7.4	12.3	11.6
<b>GENDER</b>						
Male	9.8	10.1	6.9	7.5	10.7	10.6
Female	9.8	9.1	6.5	5.8	9.9 <sup>a</sup>	8.8
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>4</sup></b>						
Less Than 100%	10.6	9.9	6.6	6.5	8.9	8.3
100-199%	10.5	10.4	7.0	7.0	9.6	8.5
200% or More	9.3	9.2	6.6	6.7	11.0	10.6
<b>REGION</b>						
Northeast	10.5	9.2	7.9	7.4	12.3 <sup>a</sup>	10.4
Midwest	9.9	9.6	6.8	6.9	10.2	10.7
South	9.0	9.3	5.6	6.2	9.1	9.0
West	10.5	10.2	7.3	6.8	11.0	9.4

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-10B and 26-11D (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

<sup>3</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>4</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.110A Illicit Drug Use, Marijuana Use, and Binge Alcohol Use in the Past Month among Persons Aged 18 or Older, by Demographic and Socioeconomic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic/Socioeconomic Characteristic	PAST MONTH USE					
	Illicit Drug Use <sup>1</sup>		Marijuana Use		Binge Alcohol Use <sup>2</sup>	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	17,876	17,448	13,124	12,762	53,961	55,331
<b>RACE<sup>3</sup></b>						
American Indian or Alaska Native	204	181	155	111	607	585
Asian or Pacific Islander	370	458	222	260	1,437	1,562
Asian Only	304	384	165	235	1,175	1,299
Native Hawaiian or Other Pacific Islander Only	65	75	57 <sup>a</sup>	25	262	263
Black or African American	2,574	2,479	1,970	1,948	5,522	5,559
White	14,518	14,029	10,599	10,178	45,738	46,914
Two or More Races	211	300	177	265	657	710
<b>HISPANIC ORIGIN AND RACE</b>						
Hispanic or Latino	1,916	1,879	1,111	1,280	7,556	7,576
Not Hispanic or Latino	15,960	15,569	12,013	11,483	46,405	47,755
Black or African American	2,448	2,414	1,889	1,896	5,366	5,425
White	12,819	12,304	9,645	8,998	38,736	39,916
<b>GENDER</b>						
Male	11,270	11,217	8,762	8,646	35,910	36,762
Female	6,606	6,231	4,362	4,116	18,051	18,569
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>4</sup></b>						
Less Than 100%	3,024	2,868	2,177	2,015	6,386	6,510
100-199%	3,832	3,420	2,804	2,571	9,917 <sup>a</sup>	8,981
200% or More	10,810	10,960	7,973	7,990	37,127 <sup>a</sup>	39,331
<b>EDUCATION</b>						
< High School	3,389	3,393	2,339	2,481	8,502	8,414
High School Graduate	5,923	5,860	4,483	4,336	17,892	17,732
Some College/College Graduate	8,563	8,195	6,301	5,945	27,567	29,185

\*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-10C and 26-11C (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

<sup>3</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>4</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.110B Illicit Drug Use, Marijuana Use, and Binge Alcohol Use in the Past Month among Persons Aged 18 or Older, by Demographic and Socioeconomic Characteristics: Percentages, 2006 and 2007**

Demographic/Socioeconomic Characteristic	PAST MONTH USE					
	Illicit Drug Use <sup>1</sup>		Marijuana Use		Binge Alcohol Use <sup>2</sup>	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	8.1	7.8	5.9	5.7	24.5	24.9
<b>RACE<sup>3</sup></b>						
American Indian or Alaska Native	10.2	8.8	7.7	5.4	30.3	28.6
Asian or Pacific Islander	3.6	4.4	2.2	2.5	14.0	14.9
Asian Only	3.3	4.0	1.8	2.4	12.6	13.4
Native Hawaiian or Other Pacific Islander Only	6.7	8.8	5.9	2.9	27.0	31.1
Black or African American	10.0	9.5	7.7	7.5	21.5	21.4
White	8.1	7.7	5.9	5.6	25.4	25.9
Two or More Races	7.9	11.0	6.6	9.7	24.6	25.9
<b>HISPANIC ORIGIN AND RACE</b>						
Hispanic or Latino	6.6	6.4	3.8	4.3	26.2	25.6
Not Hispanic or Latino	8.3	8.1	6.3	5.9	24.2	24.7
Black or African American	9.7	9.5	7.5	7.5	21.3	21.4
White	8.4	8.0	6.3	5.8	25.3	25.9
<b>GENDER</b>						
Male	10.6	10.4	8.2	8.1	33.8	34.2
Female	5.8	5.4	3.8	3.6	15.8	16.1
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>4</sup></b>						
Less Than 100%	11.8	11.2	8.5	7.9	24.9	25.5
100-199%	9.0	8.6	6.6	6.4	23.2	22.5
200% or More	7.2	7.0	5.3	5.1	24.6	25.2
<b>EDUCATION</b>						
< High School	9.2	9.3	6.4	6.8	23.2	23.2
High School Graduate	8.6	8.6	6.5	6.4	25.9	26.0
Some College/College Graduate	7.5	6.9	5.5	5.0	24.0	24.7

\*Low precision; no estimate reported.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-10C and 26-11C (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

<sup>3</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>4</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.111A (REVISED) Inhalant Use in the Past Year among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic/Socioeconomic/Geographic Characteristic	INHALANT USE IN PAST YEAR	
	2006	2007
<b>TOTAL</b>	1,109	995
<b>RACE<sup>1</sup></b>		
American Indian or Alaska Native	18	14
Asian or Pacific Islander	34	23
Asian Only	30	21
Native Hawaiian or Other Pacific Islander Only	4	1
Black or African American	113	97
White	919	841
Two or More Races	25	20
<b>HISPANIC ORIGIN AND RACE</b>		
Hispanic or Latino	211	189
Not Hispanic or Latino	898	806
Black or African American	112	94
White	727	665
<b>GENDER</b>		
Male	520	501
Female	589 <sup>a</sup>	494
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>2</sup></b>		
Less Than 100%	185	191
100-199%	288 <sup>b</sup>	180
200% or More	636	624
<b>REGION</b>		
Northeast	180	150
Midwest	229	226
South	414	350
West	286	268

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-15 (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.111B (REVISED) Inhalant Use in the Past Year among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Percentages, 2006 and 2007**

Demographic/Socioeconomic/Geographic Characteristic	INHALANT USE IN PAST YEAR	
	2006	2007
<b>TOTAL</b>	4.4	3.9
<b>RACE<sup>1</sup></b>		
American Indian or Alaska Native	5.5	4.5
Asian or Pacific Islander	2.9	2.0
Asian Only	2.9	2.1
Native Hawaiian or Other Pacific Islander Only	2.6	1.2
Black or African American	2.8	2.4
White	4.7	4.4
Two or More Races	5.4	3.8
<b>HISPANIC ORIGIN AND RACE</b>		
Hispanic or Latino	4.6	4.0
Not Hispanic or Latino	4.3	3.9
Black or African American	2.9	2.4
White	4.8	4.4
<b>GENDER</b>		
Male	4.0	3.9
Female	4.7 <sup>a</sup>	4.0
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>2</sup></b>		
Less Than 100%	4.0	4.1
100-199%	5.4 <sup>b</sup>	3.4
200% or More	4.1	4.1
<b>REGION</b>		
Northeast	4.0	3.4
Midwest	4.0	4.0
South	4.5	3.8
West	4.7	4.4

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Number 26-15 (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 7.112A (REVISED) Marijuana Use, Alcohol Use, and Cigarette Use in Lifetime among Persons Aged 12 to 13, by Demographic, Socioeconomic, and Geographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic/Socioeconomic/Geographic Characteristic	LIFETIME USE					
	Marijuana Use		Alcohol Use		Cigarette Use	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	246	219	1,230	1,174	721	648
<b>RACE<sup>1</sup></b>						
American Indian or Alaska Native	4	*	21	15	11	15
Asian or Pacific Islander	*	2	29	29	6	13
Asian Only	*	1	27	27	3	10
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*
Black or African American	39	32	189	215	97	91
White	194	169	962	879	593	511
Two or More Races	8	7	29	36	14	17
<b>HISPANIC ORIGIN AND RACE</b>						
Hispanic or Latino	74	48	226	215	142	112
Not Hispanic or Latino	173	171	1,004	959	579	536
Black or African American	37	30	182	211	94	88
White	125	129	756	682	460	414
<b>GENDER</b>						
Male	130	116	651	622	355	345
Female	116	103	579	553	366	303
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>2</sup></b>						
Less Than 100%	79	61	245	250	180	173
100-199%	90	64	324	300	222	173
200% or More	78	94	661	625	319	302
<b>REGION</b>						
Northeast	35	19	214	167	88	70
Midwest	50	45	301	258	184	159
South	101	90	467	469	306	301
West	61	64	248	280	143	118

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-9 and 27-4A (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.112B (REVISED) Marijuana Use, Alcohol Use, and Cigarette Use in Lifetime among Persons Aged 12 to 13, by Demographic, Socioeconomic, and Geographic Characteristics: Percentages, 2006 and 2007**

Demographic/Socioeconomic/Geographic Characteristic	LIFETIME USE					
	Marijuana Use		Alcohol Use		Cigarette Use	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	3.1	2.7	15.3	14.4	9.0	8.0
<b>RACE<sup>1</sup></b>						
American Indian or Alaska Native	4.4	*	21.5	16.2	11.5	15.5
Asian or Pacific Islander	*	0.6	8.4	8.0	1.6	3.7
Asian Only	*	0.3	8.9	8.2	0.9	3.0
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*
Black or African American	3.1	2.4	15.2	16.0	7.8	6.8
White	3.1	2.7	15.5	14.3	9.6	8.3
Two or More Races	4.8	3.6	18.1	19.3	8.9	9.4
<b>HISPANIC ORIGIN AND RACE</b>						
Hispanic or Latino	4.9	3.2	14.9	14.2	9.4	7.4
Not Hispanic or Latino	2.6	2.6	15.4	14.5	8.9	8.1
Black or African American	3.1	2.3	15.2	16.2	7.8	6.8
White	2.6	2.7	15.7	14.2	9.6	8.6
<b>GENDER</b>						
Male	3.2	2.8	15.9	15.1	8.7	8.4
Female	2.9	2.6	14.6	13.7	9.3 <sup>a</sup>	7.5
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>2</sup></b>						
Less Than 100%	5.1	3.9	15.9	15.8	11.6	10.9
100-199%	5.1	3.6	18.3	16.8	12.5 <sup>a</sup>	9.7
200% or More	1.6	2.0	14.0	13.1	6.8	6.3
<b>REGION</b>						
Northeast	2.5	1.4	15.4	12.0	6.3	5.0
Midwest	2.7	2.5	16.1	14.4	9.8	8.9
South	3.5	3.1	16.1	15.8	10.5	10.2
West	3.2	3.2	13.2	14.0	7.6	5.9

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-9 and 27-4A (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.113A (REVISED) Perceptions of Great Risk of Smoking Marijuana Once a Month, Using Cocaine Once a Month, or Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic/Socioeconomic/Geographic Characteristic	PERCEPTIONS OF GREAT RISK					
	Smoke Marijuana Once a Month <sup>1</sup>		Use Cocaine Once a Month <sup>1</sup>		Have Five or More Drinks Once or Twice a Week <sup>1</sup>	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	8,664	8,549	12,193	12,234	9,868	9,797
<b>RACE<sup>2</sup></b>						
American Indian or Alaska Native	106	109	125	154	123	127
Asian or Pacific Islander	391	431	521	486	560	534
Asian Only	323	380	436	424	473	478
Native Hawaiian or Other Pacific Islander Only	68	*	*	*	88	*
Black or African American	1,359	1,363	2,105	2,136	1,971	1,965
White	6,675	6,478	9,225	9,200	7,037	6,961
Two or More Races	133 <sup>a</sup>	169	216	259	177	210
<b>HISPANIC ORIGIN AND RACE</b>						
Hispanic or Latino	1,618	1,587	2,053	2,068	1,837	1,863
Not Hispanic or Latino	7,046	6,962	10,139	10,166	8,031	7,933
Black or African American	1,312	1,317	2,051	2,067	1,905	1,897
White	5,200	5,053	7,350	7,331	5,388	5,299
<b>GENDER</b>						
Male	4,089	4,094	6,204	6,226	4,643	4,597
Female	4,575	4,456	5,989	6,007	5,225	5,200
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>3</sup></b>						
Less Than 100%	1,594	1,625	2,269	2,231	1,992	1,915
100-199%	1,915	1,801	2,535	2,613	2,160	2,187
200% or More	5,155	5,123	7,388	7,389	5,716	5,695
<b>REGION</b>						
Northeast	1,392	1,391	2,154	2,051	1,659	1,696
Midwest	2,016	1,973	2,728	2,724	2,111	2,028
South	3,289	3,276	4,560	4,654	3,744	3,765
West	1,967	1,908	2,751	2,805	2,354	2,308

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-17B, 26-17C, and 26-17A (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.113B (REVISED) Perceptions of Great Risk of Smoking Marijuana Once a Month, Using Cocaine Once a Month, or Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 to 17, by Demographic, Socioeconomic, and Geographic Characteristics: Percentages, 2006 and 2007**

Demographic/Socioeconomic/Geographic Characteristic	PERCEPTIONS OF GREAT RISK					
	Smoke Marijuana Once a Month <sup>1</sup>		Use Cocaine Once a Month <sup>1</sup>		Have Five or More Drinks Once or Twice a Week <sup>1</sup>	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	34.6	34.4	49.0	49.6	39.3	39.3
<b>RACE<sup>2</sup></b>						
American Indian or Alaska Native	33.4	35.4	39.9 <sup>a</sup>	50.4	38.6	41.3
Asian or Pacific Islander	33.2	38.3	44.9	43.6	47.7	47.6
Asian Only	31.6	37.5	43.4	42.5	46.5	47.3
Native Hawaiian or Other Pacific Islander Only	43.5	*	*	*	56.0	*
Black or African American	34.6	34.7	53.8	54.9	50.0	50.1
White	34.9	34.1	48.4	48.7	36.6	36.5
Two or More Races	28.5	33.3	46.7	51.6	37.9	41.3
<b>HISPANIC ORIGIN AND RACE</b>						
Hispanic or Latino	36.0	34.8	45.8	45.7	40.9	40.7
Not Hispanic or Latino	34.3	34.3	49.7	50.4	38.9	39.0
Black or African American	34.4	34.8	54.0	55.2	49.7	50.2
White	34.6	34.0	49.1	49.6	35.6	35.5
<b>GENDER</b>						
Male	32.0	32.3	48.9	49.6	36.2	36.2
Female	37.4	36.6	49.0	49.5	42.5	42.5
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>3</sup></b>						
Less Than 100%	35.2	36.0	50.5	49.8	43.8	42.2
100-199%	36.8	34.5	48.8	50.6	41.3	41.9
200% or More	33.8	33.9	48.6	49.1	37.2	37.5
<b>REGION</b>						
Northeast	31.3	31.7	48.7	47.0	37.2	38.4
Midwest	36.2	35.6	49.1	49.4	37.7	36.5
South	36.5	36.4	50.8	52.1	41.4	41.7
West	32.9	32.2	46.2	47.7	39.2	38.8

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2007 detailed tables).

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-17B, 26-17C, and 26-17A (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents with unknown data were excluded.

<sup>2</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.114A Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older Who Needed Illicit Drug or Alcohol Treatment in the Past Year, by Demographic and Socioeconomic Characteristics: Numbers in Thousands, 2006 and 2007**

Demographic/Socioeconomic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED AT A SPECIALTY FACILITY					
	Illicit Drugs		Alcohol		Either Illicit Drugs or Alcohol <sup>1</sup>	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	1,576	1,343	1,557	1,567	2,537	2,412
<b>RACE<sup>2</sup></b>						
American Indian or Alaska Native	17	12	25	*	37	*
Asian or Pacific Islander	20	*	21 <sup>a</sup>	1	39	*
Asian Only	16	*	*	0	28	*
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*
Black or African American	361	249	242	283	460	501
White	1,155	1,024	1,246	1,200	1,970	1,773
Two or More Races	24	36	23	*	31	*
<b>HISPANIC ORIGIN AND RACE</b>						
Hispanic or Latino	304 <sup>b</sup>	91	330 <sup>a</sup>	130	511 <sup>b</sup>	177
Not Hispanic or Latino	1,272	1,253	1,227	1,437	2,026	2,235
Black or African American	299	245	208	279	395	494
White	919	943	961	1,093	1,540	1,626
<b>GENDER</b>						
Male	979	917	1,023	1,142	1,625	1,703
Female	597 <sup>a</sup>	427	534	425	913	709
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>3</sup></b>						
Less Than 100%	524	387	454	448	740	670
100-199%	361	272	363	300	583	497
200% or More	689	682	733	817	1,207	1,240
<b>AGE GROUP</b>						
12-17	136	111	101	82	181	150
18 or Older	1,440	1,232	1,456	1,485	2,356	2,262

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-18 and 26-21 (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.114B Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older Who Needed Illicit Drug or Alcohol Treatment in the Past Year, by Demographic and Socioeconomic Characteristics: Percentages, 2006 and 2007**

Demographic/Socioeconomic Characteristic	SUBSTANCE FOR WHICH TREATMENT WAS RECEIVED AT A SPECIALTY FACILITY					
	Illicit Drugs		Alcohol		Either Illicit Drugs or Alcohol <sup>1</sup>	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	6.7	5.8	6.6	6.8	10.8	10.4
<b>RACE<sup>2</sup></b>						
American Indian or Alaska Native	4.3	4.1	6.4	*	9.5	*
Asian or Pacific Islander	3.4	*	3.5 <sup>a</sup>	0.2	6.6	*
Asian Only	3.6	*	*	0.1	6.1	*
Native Hawaiian or Other Pacific Islander Only	*	*	*	*	*	*
Black or African American	12.2	9.0	8.2	10.2	15.6	18.1
White	6.0	5.3	6.5	6.3	10.2	9.3
Two or More Races	6.2	9.7	6.1	*	8.2	*
<b>HISPANIC ORIGIN AND RACE</b>						
Hispanic or Latino	8.5 <sup>b</sup>	3.1	9.3 <sup>a</sup>	4.4	14.3 <sup>b</sup>	6.0
Not Hispanic or Latino	6.4	6.2	6.1	7.1	10.1	11.0
Black or African American	10.7	9.0	7.4	10.3	14.2	18.2
White	5.7	5.7	6.0	6.6	9.6	9.9
<b>GENDER</b>						
Male	6.4	5.9	6.7	7.3	10.7	10.9
Female	7.1	5.6	6.4	5.6	10.9	9.3
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>3</sup></b>						
Less Than 100%	13.0	10.7	11.2	12.4	18.3	18.5
100-199%	7.7	6.5	7.8	7.2	12.5	11.9
200% or More	4.7	4.5	5.0	5.4	8.3	8.2
<b>AGE GROUP</b>						
12-17	6.5	5.6	4.8	4.1	8.7	7.6
18 or Older	6.7	5.8	6.8	7.0	11.0	10.7

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-18 and 26-21 (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>2</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>3</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.115B Mean Age at First Use among Past Year Initiates of Substance Use Aged 12 or Older Who Initiated Use Prior to the Age of 18, by Demographic and Socioeconomic Characteristics: 2006 and 2007**

Demographic/Socioeconomic Characteristic	MEAN AGE					
	Alcohol		Marijuana		Cigarettes	
	2006	2007	2006	2007	2006	2007
<b>TOTAL</b>	14.9	14.9	15.2	15.3	15.0	15.0
<b>RACE<sup>1</sup></b>						
American Indian or Alaska Native	14.5	14.8	14.9	14.8	14.5	14.4
Asian or Pacific Islander	15.5 <sup>a</sup>	14.8	15.5	15.3	15.0	15.7
Asian Only	15.5	14.9	15.5	15.4	15.0	15.7
Native Hawaiian or Other Pacific Islander Only	14.8	14.4	*	*	*	*
Black or African American	15.0	15.0	15.1	15.2	15.0	15.0
White	14.8	14.9	15.2	15.3	15.0	15.0
Two or More Races	14.4	14.8	15.7 <sup>a</sup>	14.8	14.9	14.1
<b>HISPANIC ORIGIN AND RACE</b>						
Hispanic or Latino	14.9	14.9	15.1	15.3	14.9	15.0
Not Hispanic or Latino	14.9	14.9	15.2	15.3	15.0	15.0
Black or African American	15.1	14.9	15.1	15.1	15.0	15.0
White	14.8	14.9	15.2	15.3	15.0	15.0
<b>GENDER</b>						
Male	14.9	15.0	15.3	15.3	15.1	15.0
Female	14.9	14.9	15.2	15.3	14.8	15.0
<b>POVERTY LEVEL (% of Census Bureau Poverty Threshold)<sup>2</sup></b>						
Less Than 100%	14.9	14.9	15.1	14.9	14.9	14.8
100-199%	14.7	14.8	14.9	15.1	14.5	14.8
200% or More	14.9	14.9	15.3	15.4	15.1	15.1

\*Low precision; no estimate reported.

NOTE: Past Year Initiates are defined as persons who used substance(s) for the first time in the 12 months prior to date of interview.

NOTE: Estimates shown on this table correspond to Healthy People 2010 Objective Numbers 26-9a, 26-9b, and 27-4a (<http://www.healthypeople.gov/>).

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> These racial categories do not distinguish among ethnic origin (i.e., Hispanic or Latino origin), so they include respondents who are either Hispanic or not Hispanic.

<sup>2</sup> Estimates are based on a definition of Poverty Level that incorporates information on family income, size, and composition and is calculated as a percentage of the U.S. Census Bureau's poverty thresholds.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.