

Table 7.17A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2006 and 2007

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2006	2007	2006	2007	2006	2007	2006	2007
ILLCIT DRUGS¹	10,521	10,151	2,019	1,933	5,767	5,535	2,050	2,237
Marijuana and Hashish	8,498	8,161	1,424	1,387	4,068	3,961	822	940
Cocaine	1,807	1,513	106 ^a	223	439	293	69	46
Crack	545	395	45 ^a	156	101	51	11	8
Heroin	235	106	72	42	25	5	7	*
Hallucinogens	645	664	60	86	221	192	80	54
LSD	87	117	9	8	32	10	*	10
PCP	20	22	*	12	4	*	5	6
Ecstasy	367	357	26	28	105	95	30	23
Inhalants	331	239	60 ^a	17	190	146	181	214
Nonmedical Use of Psychotherapeutics ^{2,3}	3,409	3,180	708	686	1,879	1,807	1,099	1,222
Pain Relievers	2,493	2,441	526	546	1,296	1,253	905	933
OxyContin [®]	180	226	53	76	37	36	7	30
Tranquilizers	991	939	136	148	445	513	194	234
Stimulants ³	795	632	156	155	344 ^b	177	90	89
Methamphetamine ³	463	360	105	112	125 ^a	40	38	18
Sedatives	163	127	37	30	109	124	75	65
ILLCIT DRUGS OTHER THAN MARIJUANA¹	4,977	4,630	861	912	2,422	2,276	1,355	1,453

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.17B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette and Alcohol Use: Percentages, 2006 and 2007

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2006	2007	2006	2007	2006	2007	2006	2007
ILLCIT DRUGS¹	25.8	25.3	9.7	9.7	6.8	6.4	2.1	2.2
Marijuana and Hashish	20.8	20.3	6.9	7.0	4.8	4.6	0.8	0.9
Cocaine	4.4	3.8	0.5 ^a	1.1	0.5 ^a	0.3	0.1	0.0
Crack	1.3	1.0	0.2 ^a	0.8	0.1	0.1	0.0	0.0
Heroin	0.6	0.3	0.3	0.2	0.0	0.0	0.0	*
Hallucinogens	1.6	1.7	0.3	0.4	0.3	0.2	0.1	0.1
LSD	0.2	0.3	0.0	0.0	0.0	0.0	*	0.0
PCP	0.0	0.1	*	0.1	0.0	*	0.0	0.0
Ecstasy	0.9	0.9	0.1	0.1	0.1	0.1	0.0	0.0
Inhalants	0.8	0.6	0.3 ^a	0.1	0.2	0.2	0.2	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	8.3	7.9	3.4	3.4	2.2	2.1	1.1	1.2
Pain Relievers	6.1	6.1	2.5	2.7	1.5	1.4	0.9	0.9
OxyContin [®]	0.4	0.6	0.3	0.4	0.0	0.0	0.0	0.0
Tranquilizers	2.4	2.3	0.7	0.7	0.5	0.6	0.2	0.2
Stimulants ³	1.9	1.6	0.8	0.8	0.4 ^b	0.2	0.1	0.1
Methamphetamine ³	1.1	0.9	0.5	0.6	0.1 ^a	0.0	0.0	0.0
Sedatives	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	12.2	11.5	4.2	4.6	2.9	2.6	1.4	1.4

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.18A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2006 and 2007

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2006	2007	2006	2007	2006	2007	2006	2007
ILLCIT DRUGS¹	925	863	333	312	542	493	681	741
Marijuana and Hashish	789	768	265	263	394	368	242	287
Cocaine	73	67	10	11	18	12	8	14
Crack	10	10	0	2	2	2	*	3
Heroin	10 ^a	1	*	0	2	1	4	*
Hallucinogens	110	104	25	21	17	32	29	18
LSD	22	20	3	5	3	2	3	4
PCP	8	5	*	*	*	1	4	3
Ecstasy	59	36	10	9	6	15	7	4
Inhalants	88	69	38 ^a	14	76	53	138	159
Nonmedical Use of Psychotherapeutics ^{2,3}	287	289	83	83	130	138	345	318
Pain Relievers	241	240	58	60	107	123	284	247
OxyContin [®]	13 ^a	28	7	6	4	10	4	3
Tranquilizers	78	98	12	13	14	25	21 ^a	46
Stimulants ³	62	55	20	28	29	17	59 ^a	28
Methamphetamine ³	23	16	10	7	1	5	20	7
Sedatives	14	5	1	6	3	3	27	20
ILLCIT DRUGS OTHER THAN MARIJUANA¹	427	396	127	111	218	192	479	481

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.18B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette and Alcohol Use: Percentages, 2006 and 2007

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2006	2007	2006	2007	2006	2007	2006	2007
ILLCIT DRUGS¹	57.1	57.1	32.8	32.1	20.8	19.7	3.4	3.7
Marijuana and Hashish	48.7	50.8	26.1	27.1	15.1	14.7	1.2	1.4
Cocaine	4.5	4.4	1.0	1.1	0.7	0.5	0.0	0.1
Crack	0.6	0.6	0.0	0.2	0.1	0.1	*	0.0
Heroin	0.6 ^a	0.1	*	0.0	0.1	0.1	0.0	*
Hallucinogens	6.8	6.9	2.5	2.1	0.7	1.3	0.1	0.1
LSD	1.4	1.3	0.3	0.5	0.1	0.1	0.0	0.0
PCP	0.5	0.3	*	*	*	0.1	0.0	0.0
Ecstasy	3.6	2.4	1.0	0.9	0.2	0.6	0.0	0.0
Inhalants	5.5	4.6	3.7 ^a	1.4	2.9	2.1	0.7	0.8
Nonmedical Use of Psychotherapeutics ^{2,3}	17.7	19.1	8.1	8.6	5.0	5.5	1.7	1.6
Pain Relievers	14.9	15.9	5.7	6.2	4.1	4.9	1.4	1.2
OxyContin [®]	0.8 ^a	1.9	0.7	0.6	0.1	0.4	0.0	0.0
Tranquilizers	4.8	6.5	1.2	1.3	0.6	1.0	0.1 ^a	0.2
Stimulants ³	3.8	3.6	2.0	2.9	1.1	0.7	0.3 ^a	0.1
Methamphetamine ³	1.4	1.0	0.9	0.7	0.0	0.2	0.1	0.0
Sedatives	0.9	0.4	0.1	0.6	0.1	0.1	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	26.4	26.2	12.5	11.5	8.4	7.7	2.4	2.4

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.19A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2006 and 2007

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2006	2007	2006	2007	2006	2007	2006	2007
ILLCIT DRUGS¹	4,179	4,011	493	460	1,495	1,685	316	308
Marijuana and Hashish	3,569	3,452	413	378	1,171 ^a	1,377	169	172
Cocaine	592 ^a	484	23	22	111 ^a	63	4	3
Crack	56	45	6	10	10 ^a	1	*	*
Heroin	42	35	11	9	1	4	*	*
Hallucinogens	426	359	20	22	105	82	12	10
LSD	45	52	1	4	13	8	*	6
PCP	12	6	*	6	*	*	2	3
Ecstasy	257	186	12	12	57	27	*	4
Inhalants	84	80	8	1	18	25	19	24
Nonmedical Use of Psychotherapeutics ^{2,3}	1,392	1,253	135	134	457	431	130	131
Pain Relievers	1,090	979	98	110	334	323	99	106
OxyContin [®]	121	113	11	9	4 ^a	23	2	11
Tranquilizers	473	390	40	37	109	122	24	22
Stimulants ³	322	258	25	23	98	58	12	13
Methamphetamine ³	140	99	17	10	24	4	1	3
Sedatives	32	51	9	6	11	11	2	4
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,971 ^a	1,765	176	159	596	554	161	164

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.19B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette and Alcohol Use: Percentages, 2006 and 2007

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2006	2007	2006	2007	2006	2007	2006	2007
ILLCIT DRUGS¹	41.8	42.8	19.0	18.6	14.5	15.8	3.2	3.0
Marijuana and Hashish	35.7	36.9	15.9	15.3	11.4 ^a	12.9	1.7	1.7
Cocaine	5.9	5.2	0.9	0.9	1.1 ^a	0.6	0.0	0.0
Crack	0.6	0.5	0.2	0.4	0.1 ^a	0.0	*	*
Heroin	0.4	0.4	0.4	0.4	0.0	0.0	*	*
Hallucinogens	4.3	3.8	0.8	0.9	1.0	0.8	0.1	0.1
LSD	0.4	0.6	0.0	0.1	0.1	0.1	*	0.1
PCP	0.1	0.1	*	0.2	*	*	0.0	0.0
Ecstasy	2.6	2.0	0.5	0.5	0.6 ^a	0.3	*	0.0
Inhalants	0.8	0.9	0.3	0.0	0.2	0.2	0.2	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	13.9	13.4	5.2	5.4	4.4	4.0	1.3	1.3
Pain Relievers	10.9	10.5	3.8	4.4	3.2	3.0	1.0	1.0
OxyContin [®]	1.2	1.2	0.4	0.4	0.0 ^a	0.2	0.0	0.1
Tranquilizers	4.7	4.2	1.5	1.5	1.1	1.1	0.2	0.2
Stimulants ³	3.2	2.8	1.0	0.9	1.0	0.5	0.1	0.1
Methamphetamine ³	1.4	1.1	0.7	0.4	0.2 ^a	0.0	0.0	0.0
Sedatives	0.3	0.5	0.3	0.2	0.1	0.1	0.0	0.0
ILLCIT DRUGS OTHER THAN MARIJUANA¹	19.7	18.9	6.8	6.4	5.8	5.2	1.6	1.6

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.20A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2006 and 2007

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2006	2007	2006	2007	2006	2007	2006	2007
ILLCIT DRUGS¹	5,417	5,278	1,193	1,162	3,731	3,357	1,053	1,187
Marijuana and Hashish	4,140	3,941	747	746	2,503	2,216	411	481
Cocaine	1,142	962	73 ^a	191	310	217	57	29
Crack	480	340	38 ^a	144	89	49	11	5
Heroin	183	70	61	32	21	*	*	*
Hallucinogens	109	201	15	42	99	77	39	26
LSD	20	45	5	*	16	*	*	*
PCP	*	11	*	6	4	*	*	*
Ecstasy	51	135	4	7	42	53	23	14
Inhalants	158	90	14	2	96	68	23	32
Nonmedical Use of Psychotherapeutics ^{2,3}	1,730	1,638	490	468	1,291	1,239	625	772
Pain Relievers	1,162	1,222	370	377	855	808	522	580
OxyContin [®]	45	85	35	61	29	4	*	16
Tranquilizers	440	452	84	97	321	366	148	166
Stimulants ³	411	319	111	104	216 ^a	102	18	48
Methamphetamine ³	300	245	78	95	100	31	17	8
Sedatives	117	70	27	18	95	110	46	41
ILLCIT DRUGS OTHER THAN MARIJUANA¹	2,579	2,468	558	641	1,607	1,529	716	808

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.20B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette and Alcohol Use: Percentages, 2006 and 2007

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes, But Not Alcohol		Alcohol, But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2006	2007	2006	2007	2006	2007	2006	2007
ILLCIT DRUGS¹	18.5	18.0	7.0	7.1	5.2	4.6	1.5	1.7
Marijuana and Hashish	14.2	13.5	4.4	4.5	3.5	3.0	0.6	0.7
Cocaine	3.9	3.3	0.4 ^a	1.2	0.4	0.3	0.1	0.0
Crack	1.6	1.2	0.2 ^a	0.9	0.1	0.1	0.0	0.0
Heroin	0.6	0.2	0.4	0.2	0.0	*	*	*
Hallucinogens	0.4	0.7	0.1	0.3	0.1	0.1	0.1	0.0
LSD	0.1	0.2	0.0	*	0.0	*	*	*
PCP	*	0.0	*	0.0	0.0	*	*	*
Ecstasy	0.2	0.5	0.0	0.0	0.1	0.1	0.0	0.0
Inhalants	0.5	0.3	0.1	0.0	0.1	0.1	0.0	0.0
Nonmedical Use of Psychotherapeutics ^{2,3}	5.9	5.6	2.9	2.8	1.8	1.7	0.9	1.1
Pain Relievers	4.0	4.2	2.2	2.3	1.2	1.1	0.7	0.8
OxyContin [®]	0.2	0.3	0.2	0.4	0.0	0.0	*	0.0
Tranquilizers	1.5	1.5	0.5	0.6	0.4	0.5	0.2	0.2
Stimulants ³	1.4	1.1	0.6	0.6	0.3 ^a	0.1	0.0	0.1
Methamphetamine ³	1.0	0.8	0.5	0.6	0.1	0.0	0.0	0.0
Sedatives	0.4	0.2	0.2	0.1	0.1	0.1	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	8.8	8.4	3.3	3.9	2.2	2.1	1.0	1.1

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.21A Illicit Drug Use in the Past Month, by Levels of Past Month Cigarette Use and Past Month Alcohol Use and Age Group: Numbers in Thousands, 2006 and 2007

Level of Cigarette Use/ Alcohol Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	20,357	19,857	2,481	2,409	6,482	6,464	11,394	10,984
Heavy Alcohol Use ¹	5,533	5,330	347	355	2,366	2,331	2,820	2,643
Binge Alcohol Use But Not Heavy Use ¹	6,342	6,547	762	704	2,388	2,482	3,192	3,361
Alcohol Use But Not Binge Use ¹	4,414 ^a	3,809	358	296	920	882	3,136	2,630
No Alcohol Use	4,069	4,171	1,014	1,053	809	769	2,246	2,349
PAST MONTH CIGARETTE USE	12,539	12,085	1,258	1,174	4,672	4,471	6,609	6,439
Heavy Alcohol Use ¹	4,090	3,933	266	294	1,859	1,795	1,965	1,844
Binge Alcohol Use But Not Heavy Use ¹	4,147	4,408	481	435	1,732	1,695	1,934	2,278
Alcohol Use But Not Binge Use ¹	2,284 ^a	1,810	178	134	588	521	1,518	1,156
No Alcohol Use	2,019	1,933	333	312	493	460	1,193	1,162
NO PAST MONTH CIGARETTE USE	7,818	7,772	1,223	1,234	1,811	1,993	4,784	4,544
Heavy Alcohol Use ¹	1,442	1,397	80	61	507	536	855	799
Binge Alcohol Use But Not Heavy Use ¹	2,195	2,139	281	269	656	787	1,258	1,083
Alcohol Use But Not Binge Use ¹	2,130	1,999	180	163	332	361	1,617	1,475
No Alcohol Use	2,050	2,237	681	741	316	308	1,053	1,187

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.21B Illicit Drug Use in the Past Month, by Levels of Past Month Cigarette Use and Past Month Alcohol Use and Age Group: Percentages, 2006 and 2007

Level of Cigarette Use/ Alcohol Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
TOTAL	8.3	8.0	9.8	9.5	19.8	19.7	6.1	5.8
Heavy Alcohol Use ¹	32.6	31.3	57.6	60.1	46.5	48.4	25.1	22.8
Binge Alcohol Use But Not Heavy Use ¹	16.0	16.1	37.9	37.9	27.4	28.0	11.0	11.2
Alcohol Use But Not Binge Use ¹	6.4 ^a	5.5	22.3	18.8	14.2	13.9	5.2 ^a	4.3
No Alcohol Use	3.4	3.4	4.8	5.0	6.5	6.1	2.6	2.7
PAST MONTH CIGARETTE USE	20.4	20.1	47.8	47.3	37.1	37.8	14.3	14.1
Heavy Alcohol Use ¹	41.4	39.8	69.8	69.6	53.7	57.2	32.6	29.2
Binge Alcohol Use But Not Heavy Use ¹	24.4	25.7	54.5	54.5	39.0	39.3	16.6	18.9
Alcohol Use But Not Binge Use ¹	16.3	13.8	50.2	45.9	28.1	27.2	13.1	10.6
No Alcohol Use	9.7	9.7	32.8	32.1	19.0	18.6	7.0	7.1
NO PAST MONTH CIGARETTE USE	4.2	4.1	5.4	5.4	9.0	9.5	3.4	3.2
Heavy Alcohol Use ¹	20.4	19.6	36.4	36.3	31.0	31.9	16.4	15.1
Binge Alcohol Use But Not Heavy Use ¹	9.7	9.1	24.9	25.4	15.3	17.3	7.3	6.0
Alcohol Use But Not Binge Use ¹	3.9	3.6	14.4	12.7	7.6	8.1	3.3	2.9
No Alcohol Use	2.1	2.2	3.4	3.7	3.2	3.0	1.5	1.7

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.