

**Table 7.1A Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2006 and 2007**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	8,310	8,526	1,309	1,236	2,904	2,870	4,097	4,420
12-49	5,197	4,701	710	666	1,739	1,648	2,747	2,388
50-99	2,587	2,555	350	347	883	817	1,354	1,391
100-299	6,173	5,749	691	640	2,160	2,175	3,322	2,935
300 or More	3,111 <sup>a</sup>	3,554	287	259	1,483	1,476	1,341 <sup>a</sup>	1,820
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	3,869	3,860	499	552	1,179 <sup>a</sup>	1,355	2,192	1,953
3-5	2,572	2,376	370	327	805	768	1,396	1,281
6-19	3,281	3,113	388	384	1,215	1,190	1,678	1,539
20 or More	5,091	5,100	433	424	2,123	2,065	2,535	2,611

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.1B Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Percentages, 2006 and 2007**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	32.7	34.0	39.1	39.3	31.7	31.9	31.9	34.1
12-49	20.5	18.7	21.2	21.1	19.0	18.3	21.4	18.4
50-99	10.2	10.2	10.4	11.0	9.6	9.1	10.5	10.7
100-299	24.3	22.9	20.7	20.3	23.6	24.2	25.8	22.7
300 or More	12.3 <sup>a</sup>	14.2	8.6	8.2	16.2	16.4	10.4 <sup>a</sup>	14.0
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	26.1	26.7	29.5	32.7	22.1 <sup>a</sup>	25.2	28.1	26.5
3-5	17.4	16.4	21.9	19.4	15.1	14.3	17.9	17.3
6-19	22.1	21.5	23.0	22.8	22.8	22.1	21.5	20.8
20 or More	34.4	35.3	25.6	25.1	39.9	38.4	32.5	35.4

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.2A Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2006 and 2007**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	2,904	2,818	252	235	1,288	1,241	1,363	1,342
12-49	1,438	1,413	79	87	513	479	846	847
50-99	638	585	34	25	205	184	399	377
100-299	904	770	42	29	224 <sup>a</sup>	159	639	581
300 or More	184	152	3	7	28	22	153	123
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	1,118	949	64	*	405	324	650	567
3-5	570	489	22	*	179	135	369	331
6-19	389	462	*	*	102	91	264	359
20 or More	344 <sup>a</sup>	175	1	*	43	23	300	142

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.2B Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Percentages, 2006 and 2007**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	47.8	49.1	61.5	61.4	57.0	59.5	40.1	41.0
12-49	23.7	24.6	19.2	22.7	22.7	23.0	24.9	25.9
50-99	10.5	10.2	8.3	6.4	9.1	8.8	11.7	11.5
100-299	14.9	13.4	10.2	7.6	9.9	7.6	18.8	17.8
300 or More	3.0	2.7	0.8	1.8	1.3	1.1	4.5	3.8
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	46.2	45.7	58.5	*	55.5	56.5	41.1	40.5
3-5	23.5	23.6	19.7	*	24.6	23.6	23.3	23.7
6-19	16.1	22.2	*	*	14.0	15.8	16.7	25.6
20 or More	14.2	8.4	0.8	*	6.0	4.0	18.9	10.1

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.3A Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2006 and 2007**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	2,773	2,718	441	447	1,492	1,504	840	767
12-49	712	631	117	122	409	340	185	170
50-99	303	250	42	25	156	106	104	118
100-299	152	136	43	32	79	81	30	23
300 or More	17	27	6	1	11	17	*	9
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	745	732	112	120	432	355	*	*
3-5	178	174	38	28	79	82	*	*
6-19	65	64	21	21	42	27	*	*
20 or More	18	26	9	6	9	11	*	*

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.3B Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Percentages, 2006 and 2007**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	70.1	72.2	67.9	71.3	69.5	73.4	72.4	70.5
12-49	18.0	16.8	18.1	19.4	19.0	16.6	16.0	15.6
50-99	7.6	6.7	6.5	4.0	7.3	5.2	9.0	10.9
100-299	3.8	3.6	6.6	5.1	3.7	3.9	2.6	2.1
300 or More	0.4	0.7	1.0	0.2	0.5	0.8	*	0.8
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	74.0	73.5	62.0	68.5	76.7	74.8	*	*
3-5	17.7	17.5	21.0	16.3	14.1	17.2	*	*
6-19	6.5	6.4	11.9	11.7	7.5	5.7	*	*
20 or More	1.8	2.6	5.1	3.5	1.6	2.3	*	*

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.4A Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2006 and 2007**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	1,341	1,316	638	587	411	378	*	*
12-49	511	393	275	215	104	88	*	*
50-99	173	212	97	93	36	36	*	*
100-299	181	120	88	88	25	19	*	*
300 or More	12	40	12	10	*	*	*	*
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	413	376	199	170	*	*	*	*
3-5	227	143	73	71	*	*	*	*
6-19	106	68	57	31	*	*	*	*
20 or More	15	29	11	22	*	*	*	*

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.4B Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Percentages, 2006 and 2007**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	60.4	63.3	57.5	59.1	71.2	71.8	*	*
12-49	23.0	18.9	24.8	21.7	18.1	16.8	*	*
50-99	7.8	10.2	8.7	9.4	6.3	6.9	*	*
100-299	8.2	5.7	7.9	8.9	4.4	3.6	*	*
300 or More	0.5	1.9	1.1	1.0	*	*	*	*
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	54.2	61.0	58.5	57.5	*	*	*	*
3-5	29.9	23.2	21.3	24.2	*	*	*	*
6-19	13.9	11.1	16.9	10.6	*	*	*	*
20 or More	2.0	4.7	3.3	7.6	*	*	*	*

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 7.5A Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Numbers in Thousands, 2006 and 2007**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	5,888	5,407	704	617	1,552	1,430	3,632	3,359
3-5	4,390	4,887	400	407	1,313	1,279	2,677	3,202
6-19	6,479	6,652	484	473	1,906 <sup>a</sup>	1,668	4,090	4,512
20-29	6,482	6,310	348	331	1,674	1,623	4,460	4,356
30	38,326	36,813	698	654	6,138	5,835	31,490	30,324
<b>NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS<sup>1</sup></b>								
Fewer Than 6	5,922	5,697	261	247	1,478	1,473	4,183	3,977
6-15 (1/2 Pack)	12,932	12,290	310	283	2,543	2,424	10,079	9,583
16-25 (1 Pack)	14,003	13,312	108	96	1,746	1,631	12,149	11,586
26 or More (More Than 1 Pack)	5,445	5,430	15	25	366	298	5,063	5,106
Not Reported	24	83	3	*	4	8	17	72

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.5B Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Percentages, 2006 and 2007**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	9.6	9.0	26.7	24.9	12.3	12.1	7.8	7.3
3-5	7.1 <sup>a</sup>	8.1	15.2	16.4	10.4	10.8	5.8 <sup>a</sup>	7.0
6-19	10.5	11.1	18.4	19.1	15.1	14.1	8.8	9.9
20-29	10.5	10.5	13.2	13.3	13.3	13.7	9.6	9.5
30	62.3	61.3	26.5	26.3	48.8	49.3	67.9	66.3
<b>NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS<sup>1</sup></b>								
Fewer Than 6	15.5	15.5	37.4	37.8	24.1	25.3	13.3	13.1
6-15 (1/2 Pack)	33.7	33.4	44.4	43.2	41.4	41.5	32.0	31.6
16-25 (1 Pack)	36.5	36.2	15.5	14.6	28.5	27.9	38.6	38.2
26 or More (More Than 1 Pack)	14.2	14.7	2.2	3.9	6.0	5.1	16.1	16.8
Not Reported	0.1	0.2	0.5	*	0.1	0.1	0.1	0.2

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.6A Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2006 and 2007**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	37,388	36,627	4,117 <sup>a</sup>	3,840	5,090	5,299	28,180	27,488
12-49	42,555	42,453	2,204	2,177	7,016 <sup>a</sup>	6,594	33,335	33,682
50-99	25,475	25,424	1,028	1,021	4,574	4,603	19,873	19,800
100-299	46,662	48,335	925	895	8,453	8,338	37,284	39,103
300 or More	10,335	10,036	87	84	681	669	9,567	9,283
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	35,850	35,963	2,044	1,989	5,414	5,373	28,392	28,601
3-5	33,202	34,243	1,190	1,070	5,791	5,762	26,221	27,411
6-19	36,386	36,541	884	841	7,141	7,013	28,360	28,687
20 or More	19,871	20,013	104	121	1,935	1,887	17,832	18,005

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.6B Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Percentages, 2006 and 2007**

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	23.0	22.5	49.2	47.9	19.7	20.8	22.0	21.2
12-49	26.2	26.1	26.4	27.2	27.2 <sup>a</sup>	25.9	26.0	26.0
50-99	15.7	15.6	12.3	12.7	17.7	18.0	15.5	15.3
100-299	28.7	29.7	11.1	11.2	32.7	32.7	29.1	30.2
300 or More	6.4	6.2	1.0	1.0	2.6	2.6	7.5	7.2
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	28.6	28.4	48.4	49.5	26.7	26.8	28.2	27.8
3-5	26.5	27.0	28.2	26.6	28.6	28.8	26.0	26.7
6-19	29.0	28.8	20.9	20.9	35.2	35.0	28.1	27.9
20 or More	15.9	15.8	2.5	3.0	9.5	9.4	17.7	17.5

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.