

**Table 7.7A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2006 and 2007**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>1</sup></b>	12,539	12,085	7,818	7,772
Marijuana and Hashish	9,922	9,548	4,890	4,901
Cocaine	1,913	1,736	508 <sup>a</sup>	339
Crack	590	551	112	59
Heroin	306 <sup>a</sup>	148	32	*
Hallucinogens	706	750	301	246
LSD	95	125	35	20
PCP	20	34	10	*
Ecstasy	393	386	135	117
Inhalants	391 <sup>a</sup>	255	370	360
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	4,117	3,866	2,977	3,029
Pain Relievers	3,018	2,988	2,201	2,186
OxyContin <sup>®</sup>	233	302	43	67
Tranquilizers	1,127	1,087	638	747
Stimulants <sup>3</sup>	951	787	434 <sup>a</sup>	266
Methamphetamine <sup>3</sup>	568	472	162 <sup>a</sup>	58
Sedatives	200	157	184	189
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	5,838	5,541	3,777	3,729

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.7B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Percentages, 2006 and 2007**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	20.4	20.1	4.2	4.1
Marijuana and Hashish	16.1	15.9	2.7	2.6
Cocaine	3.1	2.9	0.3 <sup>a</sup>	0.2
Crack	1.0	0.9	0.1	0.0
Heroin	0.5	0.2	0.0	*
Hallucinogens	1.1	1.2	0.2	0.1
LSD	0.2	0.2	0.0	0.0
PCP	0.0	0.1	0.0	*
Ecstasy	0.6	0.6	0.1	0.1
Inhalants	0.6	0.4	0.2	0.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	6.7	6.4	1.6	1.6
Pain Relievers	4.9	5.0	1.2	1.2
OxyContin <sup>®</sup>	0.4	0.5	0.0	0.0
Tranquilizers	1.8	1.8	0.3	0.4
Stimulants <sup>3</sup>	1.5	1.3	0.2 <sup>b</sup>	0.1
Methamphetamine <sup>3</sup>	0.9	0.8	0.1 <sup>b</sup>	0.0
Sedatives	0.3	0.3	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	9.5	9.2	2.0	2.0

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.8A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Numbers in Thousands, 2006 and 2007**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>1</sup></b>	1,258	1,174	1,223	1,234
Marijuana and Hashish	1,054	1,031	635	655
Cocaine	83	78	27	26
Crack	10	12	2	4
Heroin	10 <sup>a</sup>	2	6	2
Hallucinogens	135	125	46	50
LSD	26	24	6	5
PCP	8	5	4	5
Ecstasy	69	45	13	20
Inhalants	126 <sup>a</sup>	83	214	212
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	369	372	475	456
Pain Relievers	299	300	391	369
OxyContin <sup>®</sup>	20	34	8	13
Tranquilizers	90	111	36 <sup>a</sup>	72
Stimulants <sup>3</sup>	82	83	89 <sup>b</sup>	44
Methamphetamine <sup>3</sup>	33	22	21	11
Sedatives	15	11	30	23
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	554	508	697	673

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.8B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Percentages, 2006 and 2007**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	47.8	47.3	5.4	5.4
Marijuana and Hashish	40.0	41.5	2.8	2.9
Cocaine	3.2	3.1	0.1	0.1
Crack	0.4	0.5	0.0	0.0
Heroin	0.4 <sup>a</sup>	0.1	0.0	0.0
Hallucinogens	5.1	5.0	0.2	0.2
LSD	1.0	1.0	0.0	0.0
PCP	0.3	0.2	0.0	0.0
Ecstasy	2.6	1.8	0.1	0.1
Inhalants	4.8	3.3	0.9	0.9
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	14.0	15.0	2.1	2.0
Pain Relievers	11.4	12.1	1.7	1.6
OxyContin <sup>®</sup>	0.8	1.4	0.0	0.1
Tranquilizers	3.4	4.5	0.2 <sup>a</sup>	0.3
Stimulants <sup>3</sup>	3.1	3.3	0.4 <sup>b</sup>	0.2
Methamphetamine <sup>3</sup>	1.2	0.9	0.1	0.1
Sedatives	0.6	0.4	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	21.0	20.5	3.1	3.0

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.9A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Numbers in Thousands, 2006 and 2007**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>1</sup></b>	4,672	4,471	1,811	1,993
Marijuana and Hashish	3,982	3,830	1,340 <sup>a</sup>	1,549
Cocaine	615 <sup>a</sup>	506	114 <sup>a</sup>	67
Crack	62	55	10 <sup>a</sup>	1
Heroin	53	44	1	4
Hallucinogens	446	382	117	93
LSD	45	56	13	14
PCP	12	12	2	3
Ecstasy	269	199	57	31
Inhalants	93	81	37	49
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,528	1,388	587	562
Pain Relievers	1,187	1,088	433	429
OxyContin <sup>®</sup>	133	122	6 <sup>b</sup>	34
Tranquilizers	513	427	134	144
Stimulants <sup>3</sup>	346	282	110	71
Methamphetamine <sup>3</sup>	157	109	26	7
Sedatives	41	57	13	15
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	2,147 <sup>a</sup>	1,924	757	719

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.9B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Percentages, 2006 and 2007**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	37.1	37.8	9.0	9.5
Marijuana and Hashish	31.6	32.4	6.7	7.4
Cocaine	4.9	4.3	0.6 <sup>a</sup>	0.3
Crack	0.5	0.5	0.0 <sup>a</sup>	0.0
Heroin	0.4	0.4	0.0	0.0
Hallucinogens	3.5	3.2	0.6	0.4
LSD	0.4	0.5	0.1	0.1
PCP	0.1	0.1	0.0	0.0
Ecstasy	2.1	1.7	0.3	0.1
Inhalants	0.7	0.7	0.2	0.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	12.1	11.7	2.9	2.7
Pain Relievers	9.4	9.2	2.1	2.1
OxyContin <sup>®</sup>	1.1	1.0	0.0 <sup>b</sup>	0.2
Tranquilizers	4.1	3.6	0.7	0.7
Stimulants <sup>3</sup>	2.8	2.4	0.5	0.3
Methamphetamine <sup>3</sup>	1.2	0.9	0.1	0.0
Sedatives	0.3	0.5	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	17.1	16.3	3.8	3.4

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.10A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2006 and 2007**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>1</sup></b>	6,609	6,439	4,784	4,544
Marijuana and Hashish	4,887	4,687	2,914	2,697
Cocaine	1,215	1,153	367	246
Crack	518	483	100	54
Heroin	244	102	24	*
Hallucinogens	124	243	138	103
LSD	24	45	16	*
PCP	*	17	*	*
Ecstasy	55 <sup>a</sup>	142	65	67
Inhalants	172	91	119	100
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	2,220	2,106	1,916	2,011
Pain Relievers	1,532	1,599	1,378	1,388
OxyContin <sup>®</sup>	80	146	29	21
Tranquilizers	524	549	469	532
Stimulants <sup>3</sup>	523	423	235	150
Methamphetamine <sup>3</sup>	379	341	116 <sup>a</sup>	39
Sedatives	144	89	141	151
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	3,137	3,110	2,323	2,337

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.10B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Percentages, 2006 and 2007**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>1</sup></b>	14.3	14.1	3.4	3.2
Marijuana and Hashish	10.5	10.2	2.1	1.9
Cocaine	2.6	2.5	0.3	0.2
Crack	1.1	1.1	0.1	0.0
Heroin	0.5	0.2	0.0	*
Hallucinogens	0.3	0.5	0.1	0.1
LSD	0.1	0.1	0.0	*
PCP	*	0.0	*	*
Ecstasy	0.1 <sup>a</sup>	0.3	0.0	0.0
Inhalants	0.4	0.2	0.1	0.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	4.8	4.6	1.4	1.4
Pain Relievers	3.3	3.5	1.0	1.0
OxyContin <sup>®</sup>	0.2	0.3	0.0	0.0
Tranquilizers	1.1	1.2	0.3	0.4
Stimulants <sup>3</sup>	1.1	0.9	0.2	0.1
Methamphetamine <sup>3</sup>	0.8	0.7	0.1 <sup>a</sup>	0.0
Sedatives	0.3	0.2	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	6.8	6.8	1.6	1.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.