

Table 7.1C Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	248	275	51	50	104	105	221	243
12-49	229	216	38	35	72	71	218	196
50-99	140	141	25	26	50	46	125	130
100-299	216	204	34	35	76	81	199	181
300 or More	145	171	23	22	65	67	126	150
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	194	192	30	34	59	65	177	174
3-5	127	134	25	25	48	45	117	123
6-19	159	150	25	28	59	63	144	127
20 or More	198	205	29	27	81	79	174	185

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.1D Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2006 and 2007

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.80	0.87	1.14	1.18	0.82	0.86	1.43	1.51
12-49	0.77	0.74	0.95	0.95	0.67	0.66	1.46	1.31
50-99	0.51	0.52	0.69	0.78	0.48	0.48	0.94	0.95
100-299	0.72	0.70	0.93	0.97	0.70	0.70	1.31	1.23
300 or More	0.52	0.62	0.67	0.68	0.64	0.66	0.92	1.07
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	1.06	1.08	1.48	1.53	0.93	0.98	1.86	1.93
3-5	0.80	0.84	1.32	1.36	0.81	0.76	1.40	1.55
6-19	0.94	0.94	1.32	1.49	0.96	0.95	1.61	1.59
20 or More	1.06	1.09	1.44	1.40	1.11	1.13	1.81	1.98

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.1P Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.2790		0.9124		0.8112		0.2675	
12-49	0.1015		0.9556		0.4940		0.1243	
50-99	0.9890		0.5883		0.4242		0.8729	
100-299	0.1547		0.8003		0.5071		0.0753	
300 or More	0.0194		0.7174		0.7843		0.0114	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.7010		0.1310		0.0234		0.5533	
3-5	0.4262		0.1896		0.4419		0.7899	
6-19	0.6435		0.9240		0.5943		0.7670	
20 or More	0.5409		0.8109		0.3324		0.2854	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.2C Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	143	155	21	21	63	67	124	135
12-49	115	132	13	13	37	36	107	126
50-99	71	69	8	7	23	24	67	65
100-299	98	86	11	6	24	20	94	84
300 or More	56	39	3	4	8	7	55	38
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	99	93	10	*	31	29	95	87
3-5	62	68	6	*	22	17	59	65
6-19	58	71	*	*	16	17	56	69
20 or More	75	41	1	*	12	7	75	40

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.2D Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2006 and 2007

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	1.82	2.02	3.22	3.32	1.72	1.83	2.85	3.21
12-49	1.54	1.86	2.83	2.78	1.37	1.54	2.55	3.08
50-99	1.14	1.16	1.75	1.68	0.98	1.08	1.93	1.91
100-299	1.47	1.39	2.40	1.66	1.04	0.93	2.48	2.34
300 or More	0.91	0.66	0.65	0.98	0.37	0.34	1.58	1.12
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	3.05	3.22	5.87	*	3.02	3.21	4.47	4.53
3-5	2.38	2.88	4.63	*	2.48	2.62	3.46	4.11
6-19	2.17	2.85	*	*	2.06	2.73	3.20	4.10
20 or More	2.79	1.84	0.49	*	1.64	1.22	4.10	2.67

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.2P Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.6289		1.0000		0.3038		0.8254	
12-49	0.6919		0.3809		0.9008		0.7965	
50-99	0.8450		0.4501		0.8396		0.9424	
100-299	0.4440		0.3822		0.1100		0.7548	
300 or More	0.7306		0.4017		0.6881		0.7114	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.9210		*		0.8132		0.9385	
3-5	0.9883		*		0.7991		0.9495	
6-19	0.0841		*		0.5949		0.0842	
20 or More	0.0830		*		0.3470		0.0711	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.3C Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	128	117	29	30	66	71	100	87
12-49	58	54	14	14	33	31	45	41
50-99	43	36	9	6	24	16	34	31
100-299	25	21	10	7	17	15	15	13
300 or More	6	9	3	1	5	7	*	6
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	61	68	14	14	38	31	*	*
3-5	30	27	8	7	15	14	*	*
6-19	12	15	6	7	10	7	*	*
20 or More	7	8	3	3	6	5	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.3D Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2006 and 2007

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	1.69	1.53	2.57	2.24	1.76	1.68	4.41	4.06
12-49	1.36	1.27	2.00	2.03	1.37	1.36	3.70	3.43
50-99	1.04	0.91	1.29	0.95	1.07	0.77	2.79	2.65
100-299	0.62	0.56	1.48	1.04	0.79	0.72	1.25	1.17
300 or More	0.15	0.25	0.41	0.16	0.25	0.35	*	0.54
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	2.88	3.04	4.60	4.67	2.99	3.12	*	*
3-5	2.72	2.60	3.86	3.74	2.45	2.69	*	*
6-19	1.20	1.51	3.27	3.48	1.75	1.50	*	*
20 or More	0.69	0.82	1.78	1.42	1.08	1.11	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.3P Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.3482		0.3003		0.1170		0.7535	
12-49	0.5212		0.6460		0.2086		0.9458	
50-99	0.4610		0.1276		0.1147		0.6222	
100-299	0.7876		0.4089		0.7973		0.7781	
300 or More	0.3962		0.0668		0.5463		*	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.9025		0.3234		0.6432		*	
3-5	0.9626		0.3730		0.3895		*	
6-19	0.9622		0.9801		0.4386		*	
20 or More	0.4656		0.4798		0.6663		*	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.4C Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	77	74	35	34	33	31	*	*
12-49	55	45	22	21	17	16	*	*
50-99	28	49	15	15	10	11	*	*
100-299	35	17	13	13	8	6	*	*
300 or More	6	26	6	4	*	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	43	51	20	19	*	*	*	*
3-5	48	31	11	12	*	*	*	*
6-19	30	16	11	8	*	*	*	*
20 or More	5	7	4	6	*	*	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.4D Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2006 and 2007

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2.35	2.51	1.95	2.11	3.05	3.25	*	*
12-49	2.12	1.92	1.76	1.83	2.70	2.82	*	*
50-99	1.20	2.16	1.28	1.37	1.60	1.99	*	*
100-299	1.46	0.79	1.09	1.25	1.27	1.14	*	*
300 or More	0.27	1.22	0.53	0.38	*	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	4.88	4.39	3.56	3.76	*	*	*	*
3-5	4.81	4.46	2.81	3.28	*	*	*	*
6-19	3.60	2.20	2.97	2.56	*	*	*	*
20 or More	0.71	1.24	1.08	1.98	*	*	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.4P Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.4048		0.5828		0.8838		*	
12-49	0.1532		0.2304		0.7213		*	
50-99	0.3370		0.7341		0.8238		*	
100-299	0.1381		0.5583		0.6471		*	
300 or More	0.2682		0.8977		*		*	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.3018		0.8618		*		*	
3-5	0.3064		0.5100		*		*	
6-19	0.5009		0.1070		*		*	
20 or More	0.0586		0.0595		*		*	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.5C Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS								
1-2	243	237	35	33	67	63	231	224
3-5	211	237	29	28	60	59	199	225
6-19	246	281	29	28	76	73	229	270
20-29	242	243	26	24	69	67	229	233
30	687	725	35	34	134	134	670	694
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	272	247	20	21	62	60	262	236
6-15 (1/2 Pack)	376	373	22	24	80	79	367	365
16-25 (1 Pack)	417	416	15	14	67	65	409	406
26 or More (More Than 1 Pack)	250	283	4	7	27	27	247	282
Not Reported	10	33	3	*	2	4	10	32

*Low precision; no estimate reported.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.5D Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Percentages, 2006 and 2007

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.37	0.38	1.11	1.10	0.48	0.49	0.47	0.47
3-5	0.32	0.37	0.98	1.01	0.44	0.45	0.41	0.47
6-19	0.39	0.44	1.00	1.02	0.53	0.55	0.48	0.56
20-29	0.37	0.38	0.90	0.89	0.49	0.50	0.47	0.48
30	0.59	0.65	1.19	1.16	0.77	0.75	0.74	0.83
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	0.66	0.60	2.25	2.73	0.87	0.87	0.77	0.71
6-15 (1/2 Pack)	0.78	0.82	2.30	2.80	0.95	0.98	0.93	0.98
16-25 (1 Pack)	0.85	0.85	1.88	1.95	0.88	0.88	1.02	1.03
26 or More (More Than 1 Pack)	0.60	0.70	0.62	1.08	0.42	0.44	0.72	0.84
Not Reported	0.03	0.09	0.36	*	0.03	0.07	0.03	0.11

*Low precision; no estimate reported.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.5P Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED CIGARETTES IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.2988		0.2257		0.7146		0.4717	
3-5	0.0423		0.3708		0.5408		0.0485	
6-19	0.3532		0.6390		0.1742		0.1687	
20-29	0.9637		0.9261		0.5602		0.8798	
30	0.2768		0.9171		0.6227		0.1392	
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	0.9773		0.9144		0.3404		0.8708	
6-15 (1/2 Pack)	0.7530		0.7422		0.9404		0.7675	
16-25 (1 Pack)	0.7536		0.7516		0.6842		0.7944	
26 or More (More Than 1 Pack)	0.5553		0.1837		0.1698		0.4916	
Not Reported	0.0776		*		0.3094		0.0972	

*Low precision; no estimate reported.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.6C Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2006 and 2007

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	673	710	89	93	127	134	656	683
12-49	725	785	63	66	159	154	700	750
50-99	570	590	44	46	121	128	548	571
100-299	858	880	41	45	197	202	812	844
300 or More	452	423	13	11	40	45	452	420
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	659	745	61	67	135	130	641	719
3-5	643	700	47	47	139	136	628	683
6-19	716	744	42	43	175	184	675	710
20 or More	617	589	13	14	82	75	605	584

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.6D Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2006 and 2007

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.36	0.37	0.72	0.76	0.39	0.44	0.45	0.46
12-49	0.38	0.37	0.63	0.67	0.46	0.47	0.47	0.46
50-99	0.31	0.31	0.48	0.53	0.37	0.40	0.38	0.38
100-299	0.42	0.42	0.46	0.52	0.52	0.52	0.51	0.52
300 or More	0.26	0.25	0.15	0.14	0.16	0.17	0.33	0.31
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.46	0.47	1.04	1.15	0.53	0.51	0.56	0.57
3-5	0.43	0.44	0.94	0.98	0.48	0.50	0.52	0.54
6-19	0.43	0.46	0.86	0.93	0.53	0.56	0.52	0.56
20 or More	0.43	0.41	0.31	0.35	0.36	0.33	0.51	0.50

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.6P Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Frequency of Use	Total		AGE GROUP					
			12-17		18-25		26 or Older	
	2006	2007	2006	2007	2006	2007	2006	2007
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	0.2768		0.1773		0.0652		0.2313	
12-49	0.8000		0.3753		0.0410		0.9470	
50-99	0.8592		0.5380		0.5437		0.7139	
100-299	0.1105		0.8877		0.9395		0.1131	
300 or More	0.5626		0.9845		0.9540		0.5138	
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	0.7038		0.4833		0.8627		0.6786	
3-5	0.4046		0.2548		0.7564		0.3666	
6-19	0.7335		0.9873		0.7739		0.7860	
20 or More	0.9055		0.2397		0.7998		0.8239	

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.