

Table 7.7C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2006 and 2007

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
ILLCIT DRUGS¹	328	336	264	295
Marijuana and Hashish	283	283	201	222
Cocaine	137	135	65	55
Crack	95	77	34	22
Heroin	75	36	20	*
Hallucinogens	50	65	47	36
LSD	19	32	15	7
PCP	7	12	5	*
Ecstasy	38	47	34	29
Inhalants	57	36	45	56
Nonmedical Use of Psychotherapeutics ^{2,3}	175	173	168	189
Pain Relievers	151	152	150	155
OxyContin [®]	31	50	17	19
Tranquilizers	83	87	80	90
Stimulants ³	90	84	53	41
Methamphetamine ³	71	77	37	19
Sedatives	47	30	50	61
ILLCIT DRUGS OTHER THAN MARIJUANA¹	219	224	183	212

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.7D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2006 and 2007

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
ILLCIT DRUGS¹	0.50	0.52	0.14	0.15
Marijuana and Hashish	0.44	0.45	0.11	0.12
Cocaine	0.22	0.22	0.04	0.03
Crack	0.15	0.13	0.02	0.01
Heroin	0.12	0.06	0.01	*
Hallucinogens	0.08	0.11	0.03	0.02
LSD	0.03	0.05	0.01	0.00
PCP	0.01	0.02	0.00	*
Ecstasy	0.06	0.08	0.02	0.02
Inhalants	0.09	0.06	0.02	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.28	0.28	0.09	0.10
Pain Relievers	0.24	0.24	0.08	0.08
OxyContin [®]	0.05	0.08	0.01	0.01
Tranquilizers	0.13	0.14	0.04	0.05
Stimulants ³	0.14	0.14	0.03	0.02
Methamphetamine ³	0.11	0.13	0.02	0.01
Sedatives	0.08	0.05	0.03	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.34	0.35	0.10	0.11

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.7P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
ILLCIT DRUGS¹	0.7216		0.6263	
Marijuana and Hashish	0.7174		0.7950	
Cocaine	0.4625		0.0401	
Crack	0.8330		0.1790	
Heroin	0.0511		*	
Hallucinogens	0.4615		0.3114	
LSD	0.3858		0.3349	
PCP	0.3092		*	
Ecstasy	0.9705		0.6541	
Inhalants	0.0546		0.8202	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.5129		0.9945	
Pain Relievers	0.8378		0.7999	
OxyContin [®]	0.1990		0.3807	
Tranquilizers	0.9129		0.4170	
Stimulants ³	0.2417		0.0093	
Methamphetamine ³	0.4212		0.0100	
Sedatives	0.4837		0.9834	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.5845		0.6681	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.8C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2006 and 2007

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
ILLCIT DRUGS¹	48	46	50	53
Marijuana and Hashish	43	43	34	37
Cocaine	11	10	7	8
Crack	4	4	2	3
Heroin	4	1	3	2
Hallucinogens	15	15	8	9
LSD	6	7	3	3
PCP	4	3	2	3
Ecstasy	10	9	4	6
Inhalants	16	12	20	22
Nonmedical Use of Psychotherapeutics ^{2,3}	26	25	31	31
Pain Relievers	23	22	28	28
OxyContin [®]	6	6	3	5
Tranquilizers	12	15	7	12
Stimulants ³	11	11	13	8
Methamphetamine ³	8	6	7	5
Sedatives	4	4	7	8
ILLCIT DRUGS OTHER THAN MARIJUANA¹	32	29	37	39

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.8D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Percentages, 2006 and 2007

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
ILLCIT DRUGS¹	1.29	1.39	0.21	0.22
Marijuana and Hashish	1.25	1.35	0.15	0.16
Cocaine	0.42	0.41	0.03	0.03
Crack	0.14	0.16	0.01	0.01
Heroin	0.15	0.04	0.02	0.01
Hallucinogens	0.57	0.60	0.04	0.04
LSD	0.24	0.30	0.01	0.01
PCP	0.15	0.13	0.01	0.01
Ecstasy	0.39	0.36	0.02	0.03
Inhalants	0.59	0.49	0.09	0.10
Nonmedical Use of Psychotherapeutics ^{2,3}	0.91	0.96	0.13	0.13
Pain Relievers	0.82	0.85	0.12	0.12
OxyContin [®]	0.21	0.26	0.01	0.02
Tranquilizers	0.46	0.60	0.03	0.05
Stimulants ³	0.41	0.44	0.06	0.04
Methamphetamine ³	0.28	0.24	0.03	0.02
Sedatives	0.16	0.18	0.03	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1.07	1.08	0.16	0.17

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.8P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2007 Versus 2006

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
ILLCIT DRUGS¹	0.8100		0.8669	
Marijuana and Hashish	0.4013		0.6939	
Cocaine	0.9631		0.9404	
Crack	0.6573		0.5404	
Heroin	0.0476		0.2101	
Hallucinogens	0.9110		0.7476	
LSD	0.9902		0.9074	
PCP	0.5488		0.8263	
Ecstasy	0.1434		0.4096	
Inhalants	0.0562		0.9354	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.4661		0.6590	
Pain Relievers	0.5323		0.5677	
OxyContin [®]	0.0795		0.4096	
Tranquilizers	0.1798		0.0113	
Stimulants ³	0.6851		0.0033	
Methamphetamine ³	0.3652		0.2901	
Sedatives	0.5703		0.5516	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.7073		0.6453	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.9C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2006 and 2007

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
ILLCIT DRUGS¹	124	122	76	88
Marijuana and Hashish	115	113	64	78
Cocaine	40	36	17	14
Crack	12	11	4	1
Heroin	12	10	1	3
Hallucinogens	37	31	19	16
LSD	10	11	7	6
PCP	6	5	2	3
Ecstasy	31	22	14	8
Inhalants	15	15	9	11
Nonmedical Use of Psychotherapeutics ^{2,3}	68	62	44	40
Pain Relievers	56	55	37	34
OxyContin [®]	17	16	3	9
Tranquilizers	38	34	19	19
Stimulants ³	30	27	19	14
Methamphetamine ³	20	18	10	4
Sedatives	12	12	5	5
ILLCIT DRUGS OTHER THAN MARIJUANA¹	82	73	49	46

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.9D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Percentages, 2006 and 2007

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
ILLCIT DRUGS¹	0.69	0.69	0.34	0.38
Marijuana and Hashish	0.69	0.68	0.29	0.34
Cocaine	0.31	0.29	0.08	0.07
Crack	0.09	0.09	0.02	0.01
Heroin	0.09	0.09	0.01	0.02
Hallucinogens	0.29	0.25	0.10	0.07
LSD	0.08	0.09	0.03	0.03
PCP	0.05	0.04	0.01	0.01
Ecstasy	0.24	0.19	0.07	0.04
Inhalants	0.12	0.12	0.05	0.05
Nonmedical Use of Psychotherapeutics ^{2,3}	0.48	0.46	0.21	0.19
Pain Relievers	0.42	0.42	0.18	0.16
OxyContin [®]	0.13	0.14	0.01	0.04
Tranquilizers	0.29	0.28	0.09	0.09
Stimulants ³	0.23	0.23	0.09	0.07
Methamphetamine ³	0.16	0.15	0.05	0.02
Sedatives	0.10	0.10	0.02	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.56	0.52	0.23	0.21

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.9P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2007 Versus 2006

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
ILLCIT DRUGS¹	0.5023		0.2646	
Marijuana and Hashish	0.4571		0.0825	
Cocaine	0.1535		0.0175	
Crack	0.8581		0.0343	
Heroin	0.7062		0.4782	
Hallucinogens	0.4188		0.2681	
LSD	0.3453		0.9068	
PCP	0.9971		0.7559	
Ecstasy	0.1497		0.0913	
Inhalants	0.7532		0.4701	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.5210		0.4373	
Pain Relievers	0.6782		0.7032	
OxyContin [®]	0.9004		0.0035	
Tranquilizers	0.2363		0.8535	
Stimulants ³	0.2566		0.0726	
Methamphetamine ³	0.1399		0.0803	
Sedatives	0.2738		0.8524	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.2837		0.3340	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.10C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2006 and 2007

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
ILLCIT DRUGS¹	292	294	243	272
Marijuana and Hashish	246	243	187	202
Cocaine	131	129	62	52
Crack	95	76	34	21
Heroin	73	34	20	*
Hallucinogens	30	54	41	32
LSD	15	30	13	*
PCP	*	10	*	*
Ecstasy	19	40	31	28
Inhalants	52	30	39	50
Nonmedical Use of Psychotherapeutics ^{2,3}	158	159	158	180
Pain Relievers	137	140	142	147
OxyContin [®]	24	47	17	16
Tranquilizers	71	79	78	87
Stimulants ³	83	77	50	37
Methamphetamine ³	69	74	34	18
Sedatives	45	28	49	61
ILLCIT DRUGS OTHER THAN MARIJUANA¹	197	210	169	201

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.10D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2006 and 2007

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
ILLCIT DRUGS¹	0.60	0.60	0.17	0.18
Marijuana and Hashish	0.51	0.51	0.13	0.14
Cocaine	0.28	0.28	0.04	0.04
Crack	0.20	0.16	0.02	0.01
Heroin	0.16	0.08	0.01	*
Hallucinogens	0.07	0.12	0.03	0.02
LSD	0.03	0.06	0.01	*
PCP	*	0.02	*	*
Ecstasy	0.04	0.09	0.02	0.02
Inhalants	0.11	0.07	0.03	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.33	0.34	0.11	0.12
Pain Relievers	0.29	0.30	0.10	0.10
OxyContin [®]	0.05	0.10	0.01	0.01
Tranquilizers	0.15	0.17	0.05	0.06
Stimulants ³	0.18	0.17	0.04	0.03
Methamphetamine ³	0.15	0.16	0.02	0.01
Sedatives	0.10	0.06	0.03	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.41	0.44	0.12	0.14

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

Table 7.10P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2007 Versus 2006

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2006	2007	2006	2007
ILLCIT DRUGS¹	0.8262		0.3557	
Marijuana and Hashish	0.6766		0.3263	
Cocaine	0.7882		0.1204	
Crack	0.8134		0.2383	
Heroin	0.0694		*	
Hallucinogens	0.0529		0.4749	
LSD	0.5290		*	
PCP	*		*	
Ecstasy	0.0471		0.9826	
Inhalants	0.1844		0.7336	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.6895		0.7967	
Pain Relievers	0.6485		0.9418	
OxyContin [®]	0.2019		0.7153	
Tranquilizers	0.7583		0.6396	
Stimulants ³	0.4026		0.1578	
Methamphetamine ³	0.7406		0.0442	
Sedatives	0.3138		0.9289	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.9611		0.9112	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.