

**Table 7.98C Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Standard Errors of Numbers in Thousands, 2006 and 2007**

Drug	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2006	2007	2006	2007	2006	2007
<b>ILLICIT DRUGS<sup>2</sup></b>	415	441	106	105	411	441
Marijuana and Hashish	350	353	91	83	341	349
Cocaine	152	149	44	44	148	142
Crack	101	80	36	27	94	74
Heroin	77	36	29	17	73	32
Hallucinogens	68	72	18	19	63	69
LSD	23	32	6	5	22	32
PCP	7	11	6	3	*	11
Ecstasy	50	54	10	17	49	52
Inhalants	66	62	28	26	61	56
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	236	249	58	71	234	245
Pain Relievers	210	212	49	54	206	206
OxyContin <sup>®</sup>	35	53	13	16	33	50
Tranquilizers	114	128	36	33	110	125
Stimulants <sup>4</sup>	103	93	30	36	98	84
Methamphetamine <sup>4</sup>	79	79	29	30	73	72
Sedatives	68	68	16	11	66	67
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	275	303	70	79	274	299

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.98D Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Standard Errors of Percentages, 2006 and 2007**

Drug	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>2</sup></b>	0.19	0.20	1.93	1.76	0.18	0.20
Marijuana and Hashish	0.16	0.16	1.76	1.51	0.15	0.16
Cocaine	0.07	0.07	0.92	0.83	0.07	0.07
Crack	0.05	0.04	0.77	0.53	0.04	0.03
Heroin	0.03	0.02	0.63	0.33	0.03	0.01
Hallucinogens	0.03	0.03	0.40	0.38	0.03	0.03
LSD	0.01	0.01	0.14	0.10	0.01	0.01
PCP	0.00	0.01	0.13	0.05	*	0.01
Ecstasy	0.02	0.02	0.22	0.34	0.02	0.02
Inhalants	0.03	0.03	0.61	0.51	0.03	0.03
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.11	0.11	1.22	1.29	0.11	0.11
Pain Relievers	0.10	0.10	1.04	1.02	0.10	0.09
OxyContin <sup>®</sup>	0.02	0.02	0.28	0.31	0.02	0.02
Tranquilizers	0.05	0.06	0.78	0.64	0.05	0.06
Stimulants <sup>4</sup>	0.05	0.04	0.65	0.68	0.05	0.04
Methamphetamine <sup>4</sup>	0.04	0.04	0.63	0.58	0.03	0.03
Sedatives	0.03	0.03	0.35	0.22	0.03	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.12	0.14	1.40	1.40	0.12	0.13

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.98P Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Drug	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR	
			On Probation	Not on Probation
	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>2</sup></b>	0.3237		0.1768	0.4350
Marijuana and Hashish	0.3291		0.1017	0.5353
Cocaine	0.0824		0.1945	0.1399
Crack	0.4270		0.1769	0.6789
Heroin	0.0323		0.0714	0.1101
Hallucinogens	0.9084		0.8942	0.9973
LSD	0.6943		0.7326	0.6515
PCP	0.3265		0.2690	*
Ecstasy	0.8771		0.3733	0.6732
Inhalants	0.2563		0.5726	0.3016
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.4772		0.7959	0.4345
Pain Relievers	0.8252		0.4029	0.9250
OxyContin <sup>®</sup>	0.2548		0.8322	0.2882
Tranquilizers	0.9914		0.1974	0.8391
Stimulants <sup>4</sup>	0.0315		0.9300	0.0229
Methamphetamine <sup>4</sup>	0.0920		0.3944	0.1191
Sedatives	0.7475		0.7504	0.7725
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.3826		0.3796	0.4144

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.99C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Standard Errors of Numbers in Thousands, 2006 and 2007**

Drug	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>2</sup></b>	348	341	102	97	361	353
Marijuana and Hashish	307	294	88	82	307	296
Cocaine	130	127	42	44	125	120
Crack	80	68	34	27	73	61
Heroin	55	29	29	17	49	23
Hallucinogens	67	71	18	19	63	68
LSD	23	32	6	5	22	32
PCP	7	12	6	3	4	11
Ecstasy	50	54	10	17	49	52
Inhalants	58	41	28	6	51	40
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	198	175	57	62	201	174
Pain Relievers	176	153	48	47	174	154
OxyContin <sup>®</sup>	35	34	13	16	33	30
Tranquilizers	104	87	36	23	100	84
Stimulants <sup>4</sup>	85	76	29	36	80	67
Methamphetamine <sup>4</sup>	69	63	28	30	63	54
Sedatives	47	35	16	11	45	33
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	227	219	67	70	234	219

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.99D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Standard Errors of Percentages, 2006 and 2007**

Drug	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2006	2007	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>2</sup></b>	0.26	0.26	1.99	1.80	0.26	0.25
Marijuana and Hashish	0.23	0.22	1.84	1.60	0.23	0.22
Cocaine	0.10	0.10	0.98	0.92	0.10	0.09
Crack	0.06	0.05	0.80	0.58	0.06	0.05
Heroin	0.04	0.02	0.69	0.37	0.04	0.02
Hallucinogens	0.05	0.05	0.44	0.42	0.05	0.05
LSD	0.02	0.02	0.15	0.11	0.02	0.02
PCP	0.01	0.01	0.14	0.06	0.00	0.01
Ecstasy	0.04	0.04	0.24	0.38	0.04	0.04
Inhalants	0.04	0.03	0.67	0.14	0.04	0.03
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.15	0.13	1.28	1.25	0.15	0.13
Pain Relievers	0.13	0.12	1.11	1.01	0.13	0.12
OxyContin <sup>®</sup>	0.03	0.03	0.31	0.35	0.03	0.02
Tranquilizers	0.08	0.07	0.84	0.49	0.08	0.06
Stimulants <sup>4</sup>	0.06	0.06	0.69	0.75	0.06	0.05
Methamphetamine <sup>4</sup>	0.05	0.05	0.67	0.64	0.05	0.04
Sedatives	0.04	0.03	0.38	0.25	0.03	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.17	0.16	1.46	1.39	0.17	0.16

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.99P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Drug	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR	
			On Probation	Not on Probation
	2006	2007	2006	2007
<b>ILLCIT DRUGS<sup>2</sup></b>	0.1676		0.1934	0.2209
Marijuana and Hashish	0.4121		0.1942	0.5672
Cocaine	0.0799		0.3271	0.1149
Crack	0.8234		0.3321	0.9130
Heroin	0.0874		0.0733	0.3293
Hallucinogens	0.8972		0.9259	0.9864
LSD	0.6724		0.7449	0.6311
PCP	0.3179		0.2725	0.0906
Ecstasy	0.9283		0.3578	0.7203
Inhalants	0.1919		0.1298	0.4413
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.0315		0.6318	0.0265
Pain Relievers	0.4159		0.2917	0.5372
OxyContin <sup>®</sup>	0.6468		0.8143	0.7637
Tranquilizers	0.1699		0.0711	0.2986
Stimulants <sup>4</sup>	0.0317		0.9046	0.0155
Methamphetamine <sup>4</sup>	0.0341		0.5143	0.0322
Sedatives	0.5856		0.7622	0.6041
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.0436		0.3650	0.0475

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.100C Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	415	441	106	105	411	441
<b>AGE</b>						
18-49	348	341	102	97	361	353
18-25	122	127	42	46	148	154
26-34	191	183	58	55	202	185
35-49	233	212	67	58	234	213
<b>GENDER/AGE</b>						
Male 18 or Older	326	338	94	92	319	342
Male 18-49	276	262	91	84	280	271
Female 18 or Older	232	237	46	44	234	240
Female 18-49	189	182	43	44	196	189

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.100D Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	0.19	0.20	1.93	1.76	0.18	0.20
<b>AGE</b>						
18-49	0.26	0.26	1.99	1.80	0.26	0.25
18-25	0.37	0.39	1.95	2.00	0.38	0.40
26-34	0.54	0.52	4.22	3.97	0.55	0.51
35-49	0.36	0.33	4.53	3.43	0.35	0.33
<b>GENDER/AGE</b>						
Male 18 or Older	0.31	0.32	2.31	2.25	0.30	0.32
Male 18-49	0.42	0.40	2.37	2.30	0.41	0.40
Female 18 or Older	0.20	0.21	3.27	2.80	0.20	0.20
Female 18-49	0.28	0.27	3.35	2.99	0.29	0.27

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.



**Table 7.100P Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	0.3237		0.1768		0.4350	
<b>AGE</b>						
18-49	0.1676		0.1934		0.2209	
18-25	0.9222		0.9869		0.9135	
26-34	0.2112		0.2284		0.3109	
35-49	0.2781		0.5404		0.2804	
<b>GENDER/AGE</b>						
Male 18 or Older	0.7355		0.4301		0.9095	
Male 18-49	0.4605		0.3341		0.6162	
Female 18 or Older	0.2102		0.1858		0.2371	
Female 18-49	0.1472		0.3882		0.1400	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.101C Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	214	228	85	77	203	210
<b>AGE</b>						
18-49	188	192	84	69	176	181
18-25	80	79	33	33	78	79
26-34	104	110	41	40	102	103
35-49	127	122	65	44	112	115
<b>GENDER/AGE</b>						
Male 18 or Older	173	187	76	70	166	172
Male 18-49	150	163	77	60	140	153
Female 18 or Older	111	109	35	32	106	104
Female 18-49	103	87	33	32	100	83

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.101D Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	0.10	0.10	1.68	1.41	0.09	0.10
<b>AGE</b>						
18-49	0.14	0.14	1.80	1.40	0.13	0.14
18-25	0.25	0.24	1.68	1.65	0.23	0.24
26-34	0.30	0.31	3.39	3.10	0.29	0.30
35-49	0.20	0.19	4.53	2.69	0.17	0.18
<b>GENDER/AGE</b>						
Male 18 or Older	0.16	0.17	2.04	1.82	0.16	0.17
Male 18-49	0.23	0.25	2.18	1.79	0.21	0.24
Female 18 or Older	0.10	0.09	2.58	2.11	0.10	0.09
Female 18-49	0.15	0.13	2.72	2.31	0.15	0.12

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

80410

**Table 7.101P Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2007 Versus 2006**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	0.6544		0.2939		0.7513	
<b>AGE</b>						
18-49	0.8046		0.1736		0.9715	
18-25	0.9073		0.7758		0.9502	
26-34	0.5924		0.4208		0.7616	
35-49	0.9642		0.2019		0.7621	
<b>GENDER/AGE</b>						
Male 18 or Older	0.8523		0.5314		0.7607	
Male 18-49	0.4789		0.2837		0.2700	
Female 18 or Older	0.2257		0.2807		0.2704	
Female 18-49	0.0987		0.3889		0.1004	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.102C Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2006 and 2007**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	444	450	112	130	442	454
<b>AGE</b>						
18-49	350	346	107	116	368	363
18-25	132	127	44	48	159	159
26-34	190	192	62	76	202	197
35-49	250	233	74	74	258	235
<b>GENDER/AGE</b>						
Male 18 or Older	356	382	103	124	357	387
Male 18-49	274	292	97	109	286	298
Female 18 or Older	233	217	45	41	234	218
Female 18-49	195	164	44	39	204	172

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.102D Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2006 and 2007**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	0.20	0.20	1.96	1.97	0.20	0.20
<b>AGE</b>						
18-49	0.26	0.26	2.01	1.95	0.26	0.25
18-25	0.40	0.39	1.97	2.00	0.40	0.39
26-34	0.54	0.55	4.22	4.80	0.55	0.52
35-49	0.38	0.36	4.67	4.03	0.38	0.35
<b>GENDER/AGE</b>						
Male 18 or Older	0.33	0.36	2.41	2.45	0.33	0.35
Male 18-49	0.41	0.44	2.45	2.45	0.42	0.44
Female 18 or Older	0.20	0.19	3.23	2.67	0.20	0.19
Female 18-49	0.29	0.25	3.32	2.73	0.29	0.24

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.

**Table 7.102P Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2007 Versus 2006**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2006	2007	2006	2007	2006	2007
<b>TOTAL 18 OR OLDER</b>	0.5392		0.4289		0.4796	
<b>AGE</b>						
18-49	0.4774		0.2137		0.4883	
18-25	0.2243		1.0000		0.1655	
26-34	0.3959		0.1793		0.5306	
35-49	0.7817		0.6938		0.8669	
<b>GENDER/AGE</b>						
Male 18 or Older	0.5894		0.8320		0.7389	
Male 18-49	0.2343		0.8416		0.2630	
Female 18 or Older	0.0351		0.0285		0.0586	
Female 18-49	0.0017		0.0163		0.0039	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2006 and 2007.