

Table 8.1A Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	108,255 ^b	110,205 ^b	110,057 ^b	112,085	111,774	114,275
Marijuana and Hashish	94,946 ^b	96,611 ^b	96,772 ^b	97,545 ^a	97,825 ^a	100,518
Cocaine	33,910 ^a	34,891	34,153	33,673 ^a	35,298	35,882
Crack	8,402	7,949	7,840	7,928	8,554	8,581
Heroin	3,668	3,744	3,145 ^a	3,534	3,785	3,780
Hallucinogens	34,314	34,363	34,333	33,728	35,281	34,215
LSD	24,516 ^a	24,424 ^a	23,398	22,433	23,346	22,656
PCP	7,418 ^b	7,107 ^a	6,762	6,603	6,618	6,140
Ecstasy	10,150 ^b	10,904 ^b	11,130 ^b	11,495	12,262	12,426
Inhalants	22,870	22,995	22,798	22,745	22,879	22,477
Nonmedical Use of Psychotherapeutics ^{2,3}	47,958 ^a	49,001	49,157	49,571	50,965	50,415
Pain Relievers	29,611 ^b	31,207 ^a	31,768	32,692	33,472	33,060
OxyContin [®]	1,924 ^b	2,832 ^b	3,072 ^b	3,481 ^b	4,098	4,354
Tranquilizers	19,267	20,220	19,852	21,041	21,303	20,208
Stimulants ³	23,496 ^b	23,004 ^a	22,297	20,983	22,468	21,654
Methamphetamine ³	15,365 ^b	15,139 ^b	14,512 ^b	12,663	14,206 ^a	13,065
Sedatives	9,960 ^b	9,510 ^a	9,891 ^b	8,982	8,822	8,396
ILLCIT DRUGS OTHER THAN MARIJUANA¹	70,300 ^b	71,128 ^a	70,657 ^a	71,822	72,906	73,494

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.1B Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	46.0	46.4	45.8	46.1	45.4	46.1
Marijuana and Hashish	40.4	40.6	40.2	40.1	39.8	40.6
Cocaine	14.4	14.7	14.2	13.8	14.3	14.5
Crack	3.6	3.3	3.3	3.3	3.5	3.5
Heroin	1.6	1.6	1.3	1.5	1.5	1.5
Hallucinogens	14.6 ^a	14.5	14.3	13.9	14.3	13.8
LSD	10.4 ^b	10.3 ^b	9.7	9.2	9.5	9.1
PCP	3.2 ^b	3.0 ^b	2.8	2.7	2.7	2.5
Ecstasy	4.3 ^b	4.6 ^a	4.6 ^a	4.7	5.0	5.0
Inhalants	9.7 ^a	9.7 ^a	9.5	9.4	9.3	9.1
Nonmedical Use of Psychotherapeutics ^{2,3}	20.4	20.6	20.4	20.4	20.7	20.3
Pain Relievers	12.6 ^a	13.1	13.2	13.4	13.6	13.3
OxyContin [®]	0.8 ^b	1.2 ^b	1.3 ^b	1.4 ^b	1.7	1.8
Tranquilizers	8.2	8.5	8.3	8.7	8.7	8.2
Stimulants ³	10.0 ^b	9.7 ^b	9.3	8.6	9.1	8.7
Methamphetamine ³	6.5 ^b	6.4 ^b	6.0 ^b	5.2	5.8 ^a	5.3
Sedatives	4.2 ^b	4.0 ^b	4.1 ^b	3.7	3.6	3.4
ILLICIT DRUGS OTHER THAN MARIJUANA¹	29.9	29.9	29.4	29.5	29.6	29.7

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.2A Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	35,132	34,993	34,807	35,041	35,775	35,692
Marijuana and Hashish	25,755	25,231	25,451	25,375	25,378	25,085
Cocaine	5,902	5,908	5,658	5,523	6,069	5,738
Crack	1,554	1,406	1,304	1,381	1,479	1,451
Heroin	404	314	398	379	560 ^a	366
Hallucinogens	4,749 ^b	3,936	3,878	3,809	3,956	3,762
LSD	999 ^b	558	592	563	666	620
PCP	235 ^b	219 ^b	210 ^a	164	187	137
Ecstasy	3,167 ^b	2,119	1,915	1,960	2,130	2,132
Inhalants	2,084	2,075	2,255	2,187	2,218	2,080
Nonmedical Use of Psychotherapeutics ^{2,3}	14,795 ^b	15,163 ^a	14,849 ^b	15,346	16,482	16,280
Pain Relievers	10,992 ^b	11,671	11,256 ^b	11,815	12,649	12,466
OxyContin [®]	--	--	1,213	1,226	1,323	1,422
Tranquilizers	4,849	5,051	5,068	5,249	5,058	5,282
Stimulants ³	3,380	3,031	3,254	3,088	3,791 ^b	2,998
Methamphetamine ³	1,755 ^a	1,602	1,808 ^b	1,603	1,889 ^b	1,343
Sedatives	981	831	737	750	926	864
ILLICIT DRUGS OTHER THAN MARIJUANA¹	20,423	20,305	19,658 ^a	20,109	21,254	21,144

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.2B Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	14.9	14.7	14.5	14.4	14.5	14.4
Marijuana and Hashish	11.0 ^b	10.6	10.6	10.4	10.3	10.1
Cocaine	2.5	2.5	2.4	2.3	2.5	2.3
Crack	0.7	0.6	0.5	0.6	0.6	0.6
Heroin	0.2	0.1	0.2	0.2	0.2 ^a	0.1
Hallucinogens	2.0 ^b	1.7	1.6	1.6	1.6	1.5
LSD	0.4 ^b	0.2	0.2	0.2	0.3	0.3
PCP	0.1 ^b	0.1 ^b	0.1 ^a	0.1	0.1	0.1
Ecstasy	1.3 ^b	0.9	0.8	0.8	0.9	0.9
Inhalants	0.9	0.9	0.9	0.9	0.9	0.8
Nonmedical Use of Psychotherapeutics ^{2,3}	6.3	6.4	6.2	6.3	6.7	6.6
Pain Relievers	4.7 ^a	4.9	4.7 ^a	4.9	5.1	5.0
OxyContin [®]	--	--	0.5	0.5	0.5	0.6
Tranquilizers	2.1	2.1	2.1	2.2	2.1	2.1
Stimulants ³	1.4 ^a	1.3	1.4	1.3	1.5 ^b	1.2
Methamphetamine ³	0.7 ^b	0.7 ^a	0.8 ^b	0.7	0.8 ^b	0.5
Sedatives	0.4	0.3	0.3	0.3	0.4	0.3
ILLICIT DRUGS OTHER THAN MARIJUANA¹	8.7	8.5	8.2	8.3	8.6	8.5

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.3A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	19,522	19,470	19,071	19,720	20,357	19,857
Marijuana and Hashish	14,584	14,638	14,576	14,626	14,813	14,448
Cocaine	2,020	2,281	2,021	2,397	2,421	2,075
Crack	567	604	467	682	702	610
Heroin	166	119	166	136	338 ^a	153
Hallucinogens	1,196	1,042	929	1,088	1,006	996
LSD	112	133	141	104	130	145
PCP	58	56	49	48	30	41
Ecstasy	676 ^a	470	450	502	528	503
Inhalants	635	570	638	611	761	616
Nonmedical Use of Psychotherapeutics ^{2,3}	6,287	6,451	6,110 ^a	6,491	7,095	6,895
Pain Relievers	4,377 ^b	4,693	4,404 ^b	4,658	5,220	5,174
OxyContin [®]	--	--	325	334	276	369
Tranquilizers	1,804	1,830	1,616	1,817	1,766	1,835
Stimulants ³	1,303	1,310	1,312	1,188	1,385 ^a	1,053
Methamphetamine ³	683	726	706	628	731	529
Sedatives	436	294	265	272	385	346
ILLICIT DRUGS OTHER THAN MARIJUANA¹	8,777	8,849	8,247 ^a	8,963	9,615	9,270

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.3B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	8.3	8.2	7.9	8.1	8.3	8.0
Marijuana and Hashish	6.2	6.2	6.1	6.0	6.0	5.8
Cocaine	0.9	1.0	0.8	1.0	1.0	0.8
Crack	0.2	0.3	0.2	0.3	0.3	0.2
Heroin	0.1	0.1	0.1	0.1	0.1 ^a	0.1
Hallucinogens	0.5 ^a	0.4	0.4	0.4	0.4	0.4
LSD	0.0	0.1	0.1	0.0	0.1	0.1
PCP	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	0.3 ^a	0.2	0.2	0.2	0.2	0.2
Inhalants	0.3	0.2	0.3	0.3	0.3	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	2.7	2.7	2.5	2.7	2.9	2.8
Pain Relievers	1.9	2.0	1.8 ^a	1.9	2.1	2.1
OxyContin [®]	--	--	0.1	0.1	0.1	0.1
Tranquilizers	0.8	0.8	0.7	0.7	0.7	0.7
Stimulants ³	0.6 ^a	0.6 ^a	0.5 ^a	0.5	0.6 ^a	0.4
Methamphetamine ³	0.3	0.3	0.3	0.3	0.3	0.2
Sedatives	0.2	0.1	0.1	0.1	0.2	0.1
ILLICIT DRUGS OTHER THAN MARIJUANA¹	3.7	3.7	3.4	3.7	3.9	3.7

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.4A Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	7,642 ^b	7,631 ^b	7,566 ^b	7,022 ^b	7,009 ^b	6,621
Marijuana and Hashish	5,104 ^b	4,888 ^b	4,788 ^b	4,402 ^b	4,394 ^a	4,084
Cocaine	670 ^b	648 ^a	611	582	570	542
Crack	163 ^b	157 ^a	125	108	128	106
Heroin	94 ^a	80	78	60	60	54
Hallucinogens	1,419 ^b	1,250 ^b	1,160 ^b	998	986	896
LSD	670 ^b	397 ^b	313 ^b	288 ^b	218	200
PCP	233 ^b	204 ^b	175 ^b	182 ^b	128	104
Ecstasy	820 ^b	603 ^b	523	399	474	446
Inhalants	2,605	2,670 ^b	2,762 ^b	2,658 ^a	2,561	2,422
Nonmedical Use of Psychotherapeutics ^{2,3}	3,402 ^b	3,372 ^b	3,403 ^b	3,019	3,171 ^a	2,949
Pain Relievers	2,775 ^b	2,798 ^b	2,879 ^b	2,517	2,647 ^a	2,452
OxyContin [®]	224 ^b	254 ^b	305	276 ^a	342	360
Tranquilizers	834	874 ^a	816	766	740	748
Stimulants ³	1,112 ^b	1,046 ^b	906 ^b	870 ^b	930 ^b	732
Methamphetamine ³	416 ^b	382 ^b	346 ^b	319 ^b	341 ^b	222
Sedatives	238	249	251	232	224	214
ILLICIT DRUGS OTHER THAN MARIJUANA¹	5,286 ^b	5,319 ^b	5,355 ^b	4,944 ^a	4,949 ^a	4,637

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.4B Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	30.9 ^b	30.5 ^b	30.0 ^b	27.7 ^b	27.6 ^a	26.2
Marijuana and Hashish	20.6 ^b	19.6 ^b	19.0 ^b	17.4 ^a	17.3 ^a	16.2
Cocaine	2.7 ^b	2.6 ^a	2.4	2.3	2.2	2.1
Crack	0.7 ^b	0.6 ^a	0.5	0.4	0.5	0.4
Heroin	0.4 ^a	0.3	0.3	0.2	0.2	0.2
Hallucinogens	5.7 ^b	5.0 ^b	4.6 ^b	3.9	3.9	3.5
LSD	2.7 ^b	1.6 ^b	1.2 ^b	1.1 ^b	0.9	0.8
PCP	0.9 ^b	0.8 ^b	0.7 ^b	0.7 ^b	0.5	0.4
Ecstasy	3.3 ^b	2.4 ^b	2.1	1.6	1.9	1.8
Inhalants	10.5 ^a	10.7 ^b	11.0 ^b	10.5 ^a	10.1	9.6
Nonmedical Use of Psychotherapeutics ^{2,3}	13.7 ^b	13.5 ^b	13.5 ^b	11.9	12.5	11.7
Pain Relievers	11.2 ^b	11.2 ^b	11.4 ^b	9.9	10.4	9.7
OxyContin [®]	0.9 ^b	1.0 ^b	1.2	1.1 ^a	1.3	1.4
Tranquilizers	3.4	3.5 ^a	3.2	3.0	2.9	3.0
Stimulants ³	4.5 ^b	4.2 ^b	3.6 ^b	3.4 ^b	3.7 ^b	2.9
Methamphetamine ³	1.7 ^b	1.5 ^b	1.4 ^b	1.3 ^b	1.3 ^b	0.9
Sedatives	1.0	1.0	1.0	0.9	0.9	0.8
ILLICIT DRUGS OTHER THAN MARIJUANA¹	21.4 ^b	21.3 ^b	21.2 ^b	19.5 ^a	19.5 ^a	18.4

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.5A Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	5,494 ^b	5,455 ^b	5,300 ^b	5,041 ^a	4,971	4,726
Marijuana and Hashish	3,905 ^b	3,745 ^b	3,656 ^b	3,383 ^a	3,348	3,147
Cocaine	508 ^b	438	411	423	411	383
Crack	100 ^a	95	63	54	73	65
Heroin	51 ^a	36	48 ^a	37	37	23
Hallucinogens	945 ^b	778 ^b	753 ^a	665	650	627
LSD	314 ^b	149	157	150	106	125
PCP	110 ^b	89 ^a	72	85	59	55
Ecstasy	547 ^b	329	310	256 ^a	306	329
Inhalants	1,078	1,119	1,168 ^b	1,144 ^a	1,110	994
Nonmedical Use of Psychotherapeutics ^{2,3}	2,285 ^b	2,295 ^b	2,228 ^a	2,101	2,181	2,034
Pain Relievers	1,870 ^a	1,917 ^b	1,865 ^a	1,741	1,818	1,681
OxyContin [®]	--	--	194	187	199	232
Tranquilizers	568	586	532	497	483	506
Stimulants ³	665 ^b	578 ^b	507 ^a	506 ^a	547 ^b	416
Methamphetamine ³	245 ^b	185 ^b	177 ^b	178 ^a	185 ^b	118
Sedatives	138	131	133	118	110	111
ILLCIT DRUGS OTHER THAN MARIJUANA¹	3,338 ^b	3,351 ^b	3,269 ^b	3,129 ^a	3,146 ^a	2,914

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.5B Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	22.2 ^b	21.8 ^b	21.0 ^b	19.9 ^a	19.6	18.7
Marijuana and Hashish	15.8 ^b	15.0 ^b	14.5 ^b	13.3 ^a	13.2	12.5
Cocaine	2.1 ^b	1.8	1.6	1.7	1.6	1.5
Crack	0.4 ^a	0.4	0.3	0.2	0.3	0.3
Heroin	0.2 ^a	0.1	0.2 ^a	0.1	0.1	0.1
Hallucinogens	3.8 ^b	3.1 ^b	3.0 ^a	2.6	2.6	2.5
LSD	1.3 ^b	0.6	0.6	0.6	0.4	0.5
PCP	0.4 ^b	0.4 ^a	0.3	0.3	0.2	0.2
Ecstasy	2.2 ^b	1.3	1.2	1.0 ^a	1.2	1.3
Inhalants	4.4	4.5 ^a	4.6 ^b	4.5 ^a	4.4	3.9
Nonmedical Use of Psychotherapeutics ^{2,3}	9.2 ^b	9.2 ^b	8.8 ^a	8.3	8.6	8.1
Pain Relievers	7.6 ^b	7.7 ^b	7.4 ^a	6.9	7.2	6.7
OxyContin [®]	--	--	0.8	0.7	0.8	0.9
Tranquilizers	2.3	2.3	2.1	2.0	1.9	2.0
Stimulants ³	2.7 ^b	2.3 ^b	2.0 ^a	2.0 ^a	2.2 ^b	1.6
Methamphetamine ³	1.0 ^b	0.7 ^b	0.7 ^b	0.7 ^a	0.7 ^b	0.5
Sedatives	0.6	0.5	0.5	0.5	0.4	0.4
ILLCIT DRUGS OTHER THAN MARIJUANA¹	13.5 ^b	13.4 ^b	13.0 ^b	12.3	12.4 ^a	11.5

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.6A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	2,878 ^b	2,811 ^b	2,674 ^b	2,511	2,481	2,409
Marijuana and Hashish	2,023 ^b	1,971 ^b	1,909 ^b	1,730	1,689	1,686
Cocaine	146	153 ^a	126	142	110	104
Crack	26	32	16	25	12	16
Heroin	11	18 ^a	15 ^a	15 ^a	16 ^a	3
Hallucinogens	255 ^b	260 ^b	211	205	181	175
LSD	61 ^a	51	38	32	31	30
PCP	23	20	11	17	12	9
Ecstasy	124 ^b	91	77	74	82	65
Inhalants	301	320	312	313	340	295
Nonmedical Use of Psychotherapeutics ^{2,3}	986 ^b	997 ^b	914	838	844	829
Pain Relievers	794 ^a	801 ^a	751	686	690	669
OxyContin [®]	--	--	66	34	28	47
Tranquilizers	188	226	161	161	126 ^a	182
Stimulants ³	208 ^b	222 ^b	180 ^a	172	171	127
Methamphetamine ³	71 ^a	70 ^b	58	72 ^a	53	34
Sedatives	47	47	26	27	45	34
ILLICIT DRUGS OTHER THAN MARIJUANA¹	1,421 ^b	1,417 ^b	1,328 ^a	1,253	1,251	1,181

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.6B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	11.6 ^b	11.2 ^b	10.6 ^b	9.9	9.8	9.5
Marijuana and Hashish	8.2 ^b	7.9 ^b	7.6 ^b	6.8	6.7	6.7
Cocaine	0.6 ^a	0.6 ^a	0.5	0.6	0.4	0.4
Crack	0.1	0.1	0.1	0.1	0.0	0.1
Heroin	0.0	0.1 ^a	0.1 ^a	0.1 ^a	0.1 ^a	0.0
Hallucinogens	1.0 ^b	1.0 ^b	0.8	0.8	0.7	0.7
LSD	0.2 ^a	0.2	0.2	0.1	0.1	0.1
PCP	0.1	0.1	0.0	0.1	0.0	0.0
Ecstasy	0.5 ^b	0.4	0.3	0.3	0.3	0.3
Inhalants	1.2	1.3	1.2	1.2	1.3	1.2
Nonmedical Use of Psychotherapeutics ^{2,3}	4.0 ^b	4.0 ^b	3.6	3.3	3.3	3.3
Pain Relievers	3.2 ^b	3.2 ^b	3.0	2.7	2.7	2.7
OxyContin [®]	--	--	0.3	0.1	0.1	0.2
Tranquilizers	0.8	0.9	0.6	0.6	0.5 ^a	0.7
Stimulants ³	0.8 ^b	0.9 ^b	0.7 ^a	0.7	0.7	0.5
Methamphetamine ³	0.3 ^a	0.3 ^b	0.2	0.3 ^a	0.2	0.1
Sedatives	0.2	0.2	0.1	0.1	0.2	0.1
ILLICIT DRUGS OTHER THAN MARIJUANA¹	5.7 ^b	5.7 ^b	5.3 ^a	4.9	4.9	4.7

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.7A Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	18,562	19,195	19,043	19,222	19,311 ^a	18,795
Marijuana and Hashish	16,680	17,103 ^a	16,983	17,032	17,157 ^a	16,620
Cocaine	4,786	4,755	4,893	4,905	5,130	4,917
Crack	1,182 ^b	1,193 ^b	1,135 ^a	1,145 ^a	1,176 ^b	980
Heroin	487	516	529	496	511	493
Hallucinogens	7,517 ^b	7,377 ^b	6,855 ^b	6,820 ^b	6,614	6,287
LSD	4,928 ^b	4,450 ^b	3,900 ^b	3,417 ^b	2,925 ^b	2,374
PCP	834 ^b	948 ^b	737 ^b	716 ^b	637	539
Ecstasy	4,674 ^b	4,683 ^b	4,439	4,464	4,382	4,191
Inhalants	4,867 ^b	4,729 ^b	4,516 ^b	4,333 ^b	4,089 ^b	3,690
Nonmedical Use of Psychotherapeutics ^{2,3}	8,778 ^b	9,360 ^a	9,564	9,990	10,051	9,790
Pain Relievers	6,854 ^b	7,513 ^b	7,813	8,279	8,342	8,128
OxyContin [®]	820 ^b	1,145 ^b	1,376 ^b	1,616	1,676	1,706
Tranquilizers	3,473 ^b	3,898	3,919	4,356	4,274	4,147
Stimulants ³	3,796	3,873 ^a	3,892 ^a	4,008 ^b	3,922 ^a	3,574
Methamphetamine ³	2,301 ^b	2,192 ^b	2,247 ^b	2,190 ^b	2,102 ^a	1,844
Sedatives	648	565	627	650	609	583
ILLICIT DRUGS OTHER THAN MARIJUANA¹	12,436	12,770	12,630	12,800	12,940	12,555

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.7B Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	59.8 ^b	60.5 ^b	59.2 ^a	59.2 ^a	59.0 ^a	57.4
Marijuana and Hashish	53.8 ^b	53.9 ^b	52.8 ^b	52.4 ^a	52.4 ^a	50.8
Cocaine	15.4	15.0	15.2	15.1	15.7	15.0
Crack	3.8 ^b	3.8 ^b	3.5 ^a	3.5 ^a	3.6 ^b	3.0
Heroin	1.6	1.6	1.6	1.5	1.6	1.5
Hallucinogens	24.2 ^b	23.3 ^b	21.3 ^b	21.0 ^b	20.2	19.2
LSD	15.9 ^b	14.0 ^b	12.1 ^b	10.5 ^b	8.9 ^b	7.3
PCP	2.7 ^b	3.0 ^b	2.3 ^b	2.2 ^b	1.9	1.6
Ecstasy	15.1 ^b	14.8 ^b	13.8 ^a	13.7	13.4	12.8
Inhalants	15.7 ^b	14.9 ^b	14.0 ^b	13.3 ^b	12.5 ^b	11.3
Nonmedical Use of Psychotherapeutics ^{2,3}	28.3 ^b	29.5	29.7	30.8	30.7	29.9
Pain Relievers	22.1 ^b	23.7 ^a	24.3	25.5	25.5	24.8
OxyContin [®]	2.6 ^b	3.6 ^b	4.3 ^b	5.0	5.1	5.2
Tranquilizers	11.2 ^b	12.3	12.2	13.4	13.1	12.7
Stimulants ³	12.2 ^b	12.2 ^b	12.1 ^b	12.3 ^b	12.0 ^a	10.9
Methamphetamine ³	7.4 ^b	6.9 ^b	7.0 ^b	6.7 ^b	6.4 ^a	5.6
Sedatives	2.1	1.8	1.9	2.0	1.9	1.8
ILLICIT DRUGS OTHER THAN MARIJUANA¹	40.1 ^a	40.2 ^b	39.2	39.4	39.5	38.4

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.8A Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	11,000	10,976	10,913	11,117	11,252	10,864
Marijuana and Hashish	9,238	9,044	8,963	9,111	9,169	8,985
Cocaine	2,087	2,098	2,134	2,247	2,259	2,084
Crack	266	275	263	328 ^a	293	248
Heroin	122	96	118	159	147	142
Hallucinogens	2,610 ^b	2,112	1,944	2,051	2,147	2,048
LSD	553 ^b	336	317	322	379	375
PCP	95 ^a	117 ^b	100 ^a	57	76	58
Ecstasy	1,784 ^b	1,164	999 ^a	998 ^a	1,233	1,154
Inhalants	685 ^b	662 ^a	674 ^b	685 ^b	577	526
Nonmedical Use of Psychotherapeutics ^{2,3}	4,452 ^b	4,637	4,807	4,915	5,121	4,913
Pain Relievers	3,540 ^b	3,803	3,834	4,030	4,070	3,970
OxyContin [®]	--	--	562	559	574	566
Tranquilizers	1,509 ^a	1,682	1,658	1,796	1,785	1,699
Stimulants ³	1,233	1,197	1,280	1,242	1,375 ^b	1,134
Methamphetamine ³	619 ^b	594 ^b	619 ^b	576 ^b	552 ^b	404
Sedatives	162	156	163	191	185	172
ILLICIT DRUGS OTHER THAN MARIJUANA¹	6,277	6,266	6,201	6,467	6,627	6,370

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.8B Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	35.5 ^b	34.6 ^a	33.9	34.2	34.4	33.2
Marijuana and Hashish	29.8 ^b	28.5	27.8	28.0	28.0	27.5
Cocaine	6.7	6.6	6.6	6.9	6.9	6.4
Crack	0.9	0.9	0.8	1.0 ^a	0.9	0.8
Heroin	0.4	0.3	0.4	0.5	0.4	0.4
Hallucinogens	8.4 ^b	6.7	6.0	6.3	6.6	6.3
LSD	1.8 ^b	1.1	1.0	1.0	1.2	1.1
PCP	0.3 ^a	0.4 ^b	0.3 ^a	0.2	0.2	0.2
Ecstasy	5.8 ^b	3.7	3.1	3.1	3.8	3.5
Inhalants	2.2 ^b	2.1 ^b	2.1 ^b	2.1 ^b	1.8	1.6
Nonmedical Use of Psychotherapeutics ^{2,3}	14.4	14.6	14.9	15.1	15.6	15.0
Pain Relievers	11.4	12.0	11.9	12.4	12.4	12.1
OxyContin [®]	--	--	1.7	1.7	1.8	1.7
Tranquilizers	4.9	5.3	5.2	5.5	5.5	5.2
Stimulants ³	4.0	3.8	4.0	3.8	4.2 ^b	3.5
Methamphetamine ³	2.0 ^b	1.9 ^b	1.9 ^b	1.8 ^b	1.7 ^b	1.2
Sedatives	0.5	0.5	0.5	0.6	0.6	0.5
ILLICIT DRUGS OTHER THAN MARIJUANA¹	20.2	19.7	19.3	19.9	20.2	19.5

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.9A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	6,264	6,435	6,239	6,543	6,482	6,464
Marijuana and Hashish	5,376	5,400	5,196	5,388	5,322	5,378
Cocaine	631	696 ^a	692 ^a	832 ^b	729 ^b	573
Crack	52	55	80	104 ^a	72	56
Heroin	39	25	43	59	54	48
Hallucinogens	589 ^a	545	477	503	563	475
LSD	36 ^a	67	83	60	58	70
PCP	15	30	17	11	14	15
Ecstasy	355 ^b	230	231	267	326 ^a	229
Inhalants	150	134	144	146	129	130
Nonmedical Use of Psychotherapeutics ^{2,3}	1,698 ^b	1,922	1,978	2,046	2,115	1,949
Pain Relievers	1,262 ^b	1,486	1,504	1,535	1,620	1,517
OxyContin [®]	--	--	142	146	139	155
Tranquilizers	487	525	566	606	647	571
Stimulants ³	409	412	479 ^b	468 ^a	456 ^a	352
Methamphetamine ³	183 ^a	197 ^b	220 ^b	225 ^b	183 ^a	116
Sedatives	49	58	49	74	54	72
ILLICIT DRUGS OTHER THAN MARIJUANA¹	2,459	2,665	2,619	2,850	2,904 ^a	2,643

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.9B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	20.2	20.3	19.4	20.1	19.8	19.7
Marijuana and Hashish	17.3	17.0	16.1	16.6	16.3	16.4
Cocaine	2.0	2.2 ^a	2.1 ^a	2.6 ^b	2.2 ^b	1.7
Crack	0.2	0.2	0.3	0.3 ^a	0.2	0.2
Heroin	0.1	0.1	0.1	0.2	0.2	0.1
Hallucinogens	1.9 ^b	1.7	1.5	1.5	1.7	1.5
LSD	0.1 ^a	0.2	0.3	0.2	0.2	0.2
PCP	0.0	0.1	0.1	0.0	0.0	0.0
Ecstasy	1.1 ^b	0.7	0.7	0.8	1.0 ^a	0.7
Inhalants	0.5	0.4	0.4	0.5	0.4	0.4
Nonmedical Use of Psychotherapeutics ^{2,3}	5.5	6.1	6.1	6.3	6.5	6.0
Pain Relievers	4.1 ^a	4.7	4.7	4.7	4.9	4.6
OxyContin [®]	--	--	0.4	0.4	0.4	0.5
Tranquilizers	1.6	1.7	1.8	1.9	2.0	1.7
Stimulants ³	1.3	1.3	1.5 ^b	1.4 ^a	1.4 ^a	1.1
Methamphetamine ³	0.6 ^b	0.6 ^b	0.7 ^b	0.7 ^b	0.6 ^a	0.4
Sedatives	0.2	0.2	0.2	0.2	0.2	0.2
ILLICIT DRUGS OTHER THAN MARIJUANA¹	7.9	8.4	8.1	8.8	8.9 ^a	8.1

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.10A Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	82,051 ^b	83,380 ^b	83,448 ^b	85,841 ^a	85,454 ^b	88,858
Marijuana and Hashish	73,162 ^b	74,620 ^b	75,001 ^b	76,111 ^b	76,275 ^b	79,815
Cocaine	28,453 ^a	29,488	28,649 ^a	28,185 ^b	29,598	30,423
Crack	7,057	6,599 ^a	6,580 ^a	6,675	7,250	7,495
Heroin	3,087	3,148	2,538 ^a	2,979	3,214	3,233
Hallucinogens	25,378 ^a	25,736	26,318	25,910	27,682	27,032
LSD	18,917	19,577	19,185	18,728	20,202	20,083
PCP	6,352 ^a	5,955	5,851	5,705	5,853	5,497
Ecstasy	4,656 ^b	5,619 ^b	6,168 ^b	6,632 ^b	7,406	7,788
Inhalants	15,398	15,596	15,521	15,754	16,229	16,365
Nonmedical Use of Psychotherapeutics ^{2,3}	35,779	36,269	36,190	36,562	37,743	37,676
Pain Relievers	19,983 ^b	20,896 ^a	21,076	21,896	22,484	22,481
OxyContin [®]	881 ^b	1,433 ^b	1,392 ^b	1,589 ^b	2,080	2,289
Tranquilizers	14,959	15,447	15,117	15,919	16,289	15,313
Stimulants ³	18,588	18,085	17,499	16,105	17,616	17,348
Methamphetamine ³	12,648 ^b	12,565 ^b	11,920	10,154	11,762	10,999
Sedatives	9,075 ^b	8,696 ^a	9,012 ^b	8,101	7,989	7,599
ILLICIT DRUGS OTHER THAN MARIJUANA¹	52,578 ^b	53,040 ^b	52,672 ^b	54,078 ^a	55,018	56,302

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.10B Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	45.7	46.1	45.6	46.3	45.5	46.8
Marijuana and Hashish	40.8	41.2	41.0	41.1	40.6 ^a	42.0
Cocaine	15.9	16.3	15.6	15.2	15.8	16.0
Crack	3.9	3.6	3.6	3.6	3.9	3.9
Heroin	1.7	1.7	1.4 ^a	1.6	1.7	1.7
Hallucinogens	14.1	14.2	14.4	14.0	14.7	14.2
LSD	10.5	10.8	10.5	10.1	10.8	10.6
PCP	3.5 ^b	3.3	3.2	3.1	3.1	2.9
Ecstasy	2.6 ^b	3.1 ^b	3.4 ^b	3.6 ^a	3.9	4.1
Inhalants	8.6	8.6	8.5	8.5	8.6	8.6
Nonmedical Use of Psychotherapeutics ^{2,3}	19.9	20.0	19.8	19.7	20.1	19.8
Pain Relievers	11.1	11.5	11.5	11.8	12.0	11.8
OxyContin [®]	0.5 ^b	0.8 ^b	0.8 ^b	0.9 ^b	1.1	1.2
Tranquilizers	8.3	8.5	8.3	8.6	8.7	8.1
Stimulants ³	10.4 ^b	10.0 ^a	9.6	8.7	9.4	9.1
Methamphetamine ³	7.1 ^b	6.9 ^b	6.5 ^a	5.5	6.3	5.8
Sedatives	5.1 ^b	4.8 ^b	4.9 ^b	4.4	4.3	4.0
ILLICIT DRUGS OTHER THAN MARIJUANA¹	29.3	29.3	28.8	29.2	29.3	29.7

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.11A Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	18,639 ^a	18,562 ^a	18,594 ^a	18,883	19,552	20,102
Marijuana and Hashish	12,612	12,441	12,833	12,880	12,860	12,953
Cocaine	3,307	3,372	3,114	2,852	3,399	3,271
Crack	1,188	1,036	978	1,000	1,113	1,137
Heroin	231	182	232	184	376	200
Hallucinogens	1,194	1,046	1,182	1,093	1,160	1,088
LSD	131	73	117	91	181	120
PCP	31	13	38	22	52	25
Ecstasy	836	626	606	705	591	650
Inhalants	320 ^a	295 ^a	413	358	531	560
Nonmedical Use of Psychotherapeutics ^{2,3}	8,057 ^b	8,231 ^a	7,814 ^b	8,331 ^a	9,180	9,334
Pain Relievers	5,582 ^b	5,950 ^a	5,556 ^b	6,044	6,761	6,815
OxyContin [®]	--	--	457	480	549	624
Tranquilizers	2,772	2,783	2,878	2,956	2,791	3,077
Stimulants ³	1,482	1,256	1,467	1,340	1,868 ^a	1,448
Methamphetamine ³	891	823	1,012	849	1,151 ^a	822
Sedatives	681	544	441	441	632	580
ILLICIT DRUGS OTHER THAN MARIJUANA¹	10,808	10,689 ^a	10,189 ^b	10,513 ^a	11,481	11,860

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.11B Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	10.4	10.3	10.2	10.2	10.4	10.6
Marijuana and Hashish	7.0	6.9	7.0	6.9	6.8	6.8
Cocaine	1.8	1.9	1.7	1.5	1.8	1.7
Crack	0.7	0.6	0.5	0.5	0.6	0.6
Heroin	0.1	0.1	0.1	0.1	0.2	0.1
Hallucinogens	0.7	0.6	0.6	0.6	0.6	0.6
LSD	0.1	0.0	0.1	0.0	0.1	0.1
PCP	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	0.5	0.3	0.3	0.4	0.3	0.3
Inhalants	0.2 ^a	0.2 ^a	0.2	0.2	0.3	0.3
Nonmedical Use of Psychotherapeutics ^{2,3}	4.5	4.5	4.3 ^b	4.5	4.9	4.9
Pain Relievers	3.1 ^a	3.3	3.0 ^b	3.3	3.6	3.6
OxyContin [®]	--	--	0.2	0.3	0.3	0.3
Tranquilizers	1.5	1.5	1.6	1.6	1.5	1.6
Stimulants ³	0.8	0.7	0.8	0.7	1.0 ^a	0.8
Methamphetamine ³	0.5	0.5	0.6	0.5	0.6 ^a	0.4
Sedatives	0.4	0.3	0.2	0.2	0.3	0.3
ILLICIT DRUGS OTHER THAN MARIJUANA¹	6.0	5.9	5.6 ^a	5.7 ^a	6.1	6.2

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.12A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	10,380	10,224	10,159	10,666	11,394	10,984
Marijuana and Hashish	7,185	7,267	7,471	7,508	7,801	7,384
Cocaine	1,243	1,431	1,204	1,423	1,582	1,399
Crack	488	517	370	553	618	537
Heroin	116	76	108	62	268 ^a	102
Hallucinogens	352	238	241	380	262	346
LSD	15	15	20	12	41	45
PCP	20	*	21	20	*	17
Ecstasy	197	149	142	161	120	209
Inhalants	183	117	181	152	291	191
Nonmedical Use of Psychotherapeutics ^{2,3}	3,602	3,532	3,218 ^b	3,607	4,136	4,117
Pain Relievers	2,321 ^a	2,406 ^a	2,149 ^b	2,437 ^a	2,909	2,987
OxyContin [®]	--	--	118	153	109	167
Tranquilizers	1,129	1,078	889	1,050	993	1,081
Stimulants ³	685	676	653	548	757	573
Methamphetamine ³	428	459	428	331	495	380
Sedatives	340	189	190	171	285	240
ILLICIT DRUGS OTHER THAN MARIJUANA¹	4,897	4,767	4,301 ^b	4,860	5,460	5,446

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.12B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	5.8	5.6	5.5	5.8	6.1	5.8
Marijuana and Hashish	4.0	4.0	4.1	4.1	4.2	3.9
Cocaine	0.7	0.8	0.7	0.8	0.8	0.7
Crack	0.3	0.3	0.2	0.3	0.3	0.3
Heroin	0.1	0.0	0.1	0.0	0.1 ^a	0.1
Hallucinogens	0.2	0.1	0.1	0.2	0.1	0.2
LSD	0.0	0.0	0.0	0.0	0.0	0.0
PCP	0.0	*	0.0	0.0	*	0.0
Ecstasy	0.1	0.1	0.1	0.1	0.1	0.1
Inhalants	0.1	0.1	0.1	0.1	0.2	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	2.0	2.0	1.8 ^a	1.9	2.2	2.2
Pain Relievers	1.3 ^a	1.3	1.2 ^b	1.3	1.5	1.6
OxyContin [®]	--	--	0.1	0.1	0.1	0.1
Tranquilizers	0.6	0.6	0.5	0.6	0.5	0.6
Stimulants ³	0.4	0.4	0.4	0.3	0.4	0.3
Methamphetamine ³	0.2	0.3	0.2	0.2	0.3	0.2
Sedatives	0.2	0.1	0.1	0.1	0.2	0.1
ILLICIT DRUGS OTHER THAN MARIJUANA¹	2.7	2.6	2.3 ^b	2.6	2.9	2.9

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.13A Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	100,612 ^b	102,574 ^b	102,491 ^b	105,063	104,765 ^a	107,654
Marijuana and Hashish	89,842 ^b	91,723 ^b	91,984 ^b	93,143 ^a	93,431 ^a	96,435
Cocaine	33,239 ^a	34,243	33,542 ^a	33,090 ^b	34,728	35,340
Crack	8,239	7,792	7,715	7,820	8,426	8,475
Heroin	3,574	3,664	3,067 ^a	3,475	3,725	3,726
Hallucinogens	32,895	33,113	33,173	32,730	34,296	33,319
LSD	23,845	24,027 ^a	23,085	22,145	23,128	22,457
PCP	7,185 ^b	6,903 ^a	6,587	6,421	6,490	6,035
Ecstasy	9,330 ^b	10,301 ^b	10,607 ^b	11,096	11,788	11,979
Inhalants	20,265	20,325	20,036	20,087	20,318	20,055
Nonmedical Use of Psychotherapeutics ^{2,3}	44,556 ^b	45,629	45,754	46,552	47,794	47,467
Pain Relievers	26,836 ^b	28,409 ^b	28,890 ^a	30,175	30,825	30,608
OxyContin [®]	1,700 ^b	2,579 ^b	2,767 ^b	3,205 ^b	3,756	3,995
Tranquilizers	18,433	19,346	19,036	20,275	20,563	19,460
Stimulants ³	22,384 ^a	21,958	21,391	20,113	21,538	20,922
Methamphetamine ³	14,949 ^b	14,756 ^b	14,166 ^a	12,344	13,865	12,843
Sedatives	9,723 ^b	9,261 ^a	9,640 ^b	8,751	8,598	8,183
ILLICIT DRUGS OTHER THAN MARIJUANA¹	65,014 ^b	65,809 ^b	65,302 ^b	66,879	67,957	68,857

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.13B Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	47.8	48.2	47.6	48.2	47.5	48.4
Marijuana and Hashish	42.7	43.1	42.7	42.8	42.3	43.3
Cocaine	15.8	16.1	15.6	15.2	15.7	15.9
Crack	3.9	3.7	3.6	3.6	3.8	3.8
Heroin	1.7	1.7	1.4	1.6	1.7	1.7
Hallucinogens	15.6	15.6	15.4	15.0	15.5	15.0
LSD	11.3 ^b	11.3 ^b	10.7	10.2	10.5	10.1
PCP	3.4 ^b	3.2 ^b	3.1	2.9	2.9	2.7
Ecstasy	4.4 ^b	4.8 ^b	4.9 ^a	5.1	5.3	5.4
Inhalants	9.6 ^a	9.6	9.3	9.2	9.2	9.0
Nonmedical Use of Psychotherapeutics ^{2,3}	21.2	21.5	21.3	21.4	21.7	21.3
Pain Relievers	12.8 ^b	13.4	13.4	13.9	14.0	13.8
OxyContin [®]	0.8 ^b	1.2 ^b	1.3 ^b	1.5 ^b	1.7	1.8
Tranquilizers	8.8	9.1	8.8	9.3	9.3 ^a	8.7
Stimulants ³	10.6 ^b	10.3 ^b	9.9	9.2	9.8	9.4
Methamphetamine ³	7.1 ^b	6.9 ^b	6.6 ^b	5.7	6.3 ^a	5.8
Sedatives	4.6 ^b	4.4 ^b	4.5 ^b	4.0	3.9	3.7
ILLICIT DRUGS OTHER THAN MARIJUANA¹	30.9	30.9	30.3	30.7	30.8	30.9

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.14A Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	29,638	29,538	29,506	29,999	30,804	30,966
Marijuana and Hashish	21,850	21,486	21,796	21,991	22,030	21,938
Cocaine	5,394	5,470	5,247	5,099	5,658	5,355
Crack	1,454	1,310	1,241	1,327	1,406	1,386
Heroin	353	278	350	343	523	342
Hallucinogens	3,804 ^b	3,158	3,125	3,144	3,307	3,135
LSD	684 ^a	409	434	413	560	495
PCP	126	130	138	79	128	82
Ecstasy	2,621 ^b	1,790	1,605	1,703	1,824	1,804
Inhalants	1,005	956	1,087	1,043	1,108	1,086
Nonmedical Use of Psychotherapeutics ^{2,3}	12,509 ^b	12,868 ^b	12,621 ^b	13,246 ^a	14,301	14,246
Pain Relievers	9,122 ^b	9,753 ^a	9,391 ^b	10,074	10,832	10,785
OxyContin [®]	--	--	1,019	1,039	1,124	1,190
Tranquilizers	4,281	4,465	4,536	4,752	4,575	4,776
Stimulants ³	2,716	2,453	2,747	2,581	3,243 ^b	2,582
Methamphetamine ³	1,510	1,417	1,631 ^a	1,425	1,704 ^b	1,226
Sedatives	843	700	604	632	817	752
ILLICIT DRUGS OTHER THAN MARIJUANA¹	17,086	16,954 ^a	16,389 ^b	16,980 ^a	18,108	18,230

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.14B Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	14.1	13.9	13.7	13.8	14.0	13.9
Marijuana and Hashish	10.4	10.1	10.1	10.1	10.0	9.9
Cocaine	2.6	2.6	2.4	2.3	2.6	2.4
Crack	0.7	0.6	0.6	0.6	0.6	0.6
Heroin	0.2	0.1	0.2	0.2	0.2	0.2
Hallucinogens	1.8 ^b	1.5	1.5	1.4	1.5	1.4
LSD	0.3 ^b	0.2	0.2	0.2	0.3	0.2
PCP	0.1	0.1 ^a	0.1 ^a	0.0	0.1	0.0
Ecstasy	1.2 ^b	0.8	0.7	0.8	0.8	0.8
Inhalants	0.5	0.4	0.5	0.5	0.5	0.5
Nonmedical Use of Psychotherapeutics ^{2,3}	5.9	6.1	5.9 ^a	6.1	6.5	6.4
Pain Relievers	4.3 ^a	4.6	4.4 ^a	4.6	4.9	4.8
OxyContin [®]	--	--	0.5	0.5	0.5	0.5
Tranquilizers	2.0	2.1	2.1	2.2	2.1	2.1
Stimulants ³	1.3	1.2	1.3	1.2	1.5 ^b	1.2
Methamphetamine ³	0.7 ^a	0.7	0.8 ^b	0.7	0.8 ^b	0.6
Sedatives	0.4	0.3	0.3	0.3	0.4	0.3
ILLICIT DRUGS OTHER THAN MARIJUANA¹	8.1	8.0	7.6 ^a	7.8	8.2	8.2

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.15A Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	16,644	16,659	16,397	17,209	17,876	17,448
Marijuana and Hashish	12,561	12,667	12,667	12,896	13,124	12,762
Cocaine	1,874	2,128	1,895	2,255	2,311	1,972
Crack	541	572	451	657	689	594
Heroin	155	101	151	121	322 ^a	150
Hallucinogens	941	783	719	883	825	821
LSD	51	82	103	72	99	115
PCP	35	35	37	31	18	32
Ecstasy	553	379	373	428	446	438
Inhalants	334	250	325	298	421	321
Nonmedical Use of Psychotherapeutics ^{2,3}	5,300 ^a	5,453	5,196 ^b	5,653	6,251	6,066
Pain Relievers	3,583 ^b	3,892 ^a	3,653 ^b	3,972	4,530	4,505
OxyContin [®]	--	--	260	299	248	322
Tranquilizers	1,617	1,604	1,455	1,657	1,640	1,652
Stimulants ³	1,094	1,088	1,132	1,016	1,214 ^a	926
Methamphetamine ³	612	655	648	556	677	496
Sedatives	389	247	239	245	340	312
ILLICIT DRUGS OTHER THAN MARIJUANA¹	7,356	7,432	6,920 ^b	7,710	8,364	8,089

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.15B Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	7.9	7.8	7.6	7.9	8.1	7.8
Marijuana and Hashish	6.0	6.0	5.9	5.9	5.9	5.7
Cocaine	0.9	1.0	0.9	1.0	1.0	0.9
Crack	0.3	0.3	0.2	0.3	0.3	0.3
Heroin	0.1	0.0	0.1	0.1	0.1 ^a	0.1
Hallucinogens	0.4	0.4	0.3	0.4	0.4	0.4
LSD	0.0	0.0	0.0	0.0	0.0	0.1
PCP	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	0.3	0.2	0.2	0.2	0.2	0.2
Inhalants	0.2	0.1	0.2	0.1	0.2	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	2.5	2.6	2.4 ^a	2.6	2.8	2.7
Pain Relievers	1.7 ^a	1.8	1.7 ^b	1.8	2.1	2.0
OxyContin [®]	--	--	0.1	0.1	0.1	0.1
Tranquilizers	0.8	0.8	0.7	0.8	0.7	0.7
Stimulants ³	0.5	0.5	0.5	0.5	0.6 ^a	0.4
Methamphetamine ³	0.3	0.3	0.3	0.3	0.3	0.2
Sedatives	0.2	0.1	0.1	0.1	0.2	0.1
ILLICIT DRUGS OTHER THAN MARIJUANA¹	3.5	3.5	3.2 ^a	3.5	3.8	3.6

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.16A Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	4,035 ^b	3,968 ^b	3,956 ^b	3,679	3,653	3,489
Marijuana and Hashish	2,714 ^b	2,569 ^b	2,552 ^b	2,348	2,310	2,226
Cocaine	337 ^a	319	339 ^a	283	256	257
Crack	61	89 ^b	60	48	51	43
Heroin	34	34	43	32	25	28
Hallucinogens	740 ^b	618 ^b	616 ^b	518	510	477
LSD	364 ^b	206 ^b	174 ^b	177 ^b	124	109
PCP	106 ^b	100 ^b	97 ^b	97 ^b	53	52
Ecstasy	376 ^b	257	243	181	201	215
Inhalants	1,426 ^b	1,390 ^a	1,429 ^b	1,360 ^a	1,301	1,220
Nonmedical Use of Psychotherapeutics ^{2,3}	1,643 ^b	1,639 ^b	1,616 ^a	1,444	1,557	1,436
Pain Relievers	1,362 ^a	1,391 ^b	1,378 ^b	1,211	1,312	1,195
OxyContin [®]	112 ^b	146	162	136	158	172
Tranquilizers	385	398 ^a	353	342	315	323
Stimulants ³	469 ^b	472 ^b	387 ^a	364	398 ^b	301
Methamphetamine ³	150 ^b	160 ^b	140 ^b	133 ^b	126 ^a	81
Sedatives	84	126	128	110	97	89
ILLCIT DRUGS OTHER THAN MARIJUANA¹	2,726 ^b	2,711 ^b	2,721 ^b	2,488	2,522	2,369

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.16B Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	31.9 ^b	31.1 ^b	30.7 ^b	28.4	28.2	27.1
Marijuana and Hashish	21.5 ^b	20.1 ^b	19.8 ^b	18.1	17.8	17.3
Cocaine	2.7 ^a	2.5	2.6 ^a	2.2	2.0	2.0
Crack	0.5	0.7 ^b	0.5	0.4	0.4	0.3
Heroin	0.3	0.3	0.3	0.2	0.2	0.2
Hallucinogens	5.8 ^b	4.8 ^b	4.8 ^b	4.0	3.9	3.7
LSD	2.9 ^b	1.6 ^b	1.4 ^b	1.4 ^b	1.0	0.8
PCP	0.8 ^b	0.8 ^b	0.8 ^b	0.7 ^a	0.4	0.4
Ecstasy	3.0 ^b	2.0	1.9	1.4	1.5	1.7
Inhalants	11.3 ^b	10.9 ^b	11.1 ^b	10.5 ^a	10.0	9.5
Nonmedical Use of Psychotherapeutics ^{2,3}	13.0 ^b	12.8 ^b	12.6 ^a	11.1	12.0	11.1
Pain Relievers	10.8 ^b	10.9 ^b	10.7 ^b	9.4	10.1	9.3
OxyContin [®]	0.9 ^b	1.1	1.3	1.0	1.2	1.3
Tranquilizers	3.0	3.1 ^a	2.7	2.6	2.4	2.5
Stimulants ³	3.7 ^b	3.7 ^b	3.0 ^a	2.8	3.1 ^a	2.3
Methamphetamine ³	1.2 ^b	1.3 ^b	1.1 ^b	1.0 ^a	1.0 ^a	0.6
Sedatives	0.7	1.0	1.0	0.8	0.8	0.7
ILLCIT DRUGS OTHER THAN MARIJUANA¹	21.6 ^b	21.2 ^b	21.1 ^b	19.2	19.4	18.4

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.17A Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	3,607 ^b	3,663 ^b	3,610 ^b	3,342 ^a	3,357 ^a	3,132
Marijuana and Hashish	2,391 ^b	2,318 ^b	2,236 ^b	2,055 ^a	2,084 ^b	1,858
Cocaine	333	330	272	300	314	285
Crack	102 ^a	68	66	60	77	64
Heroin	60 ^a	45	35	28	35	26
Hallucinogens	680 ^b	632 ^b	543 ^b	480	476	419
LSD	306 ^b	191 ^b	139 ^a	111	94	90
PCP	127 ^b	104 ^b	77	85 ^a	75	52
Ecstasy	444 ^b	346 ^b	280	218	273	232
Inhalants	1,179	1,281	1,333	1,298	1,261	1,202
Nonmedical Use of Psychotherapeutics ^{2,3}	1,759 ^b	1,733 ^b	1,787 ^b	1,575	1,613	1,513
Pain Relievers	1,412 ^a	1,407 ^a	1,500 ^b	1,305	1,335	1,256
OxyContin [®]	112 ^b	108 ^b	143	140 ^a	184	188
Tranquilizers	450	476	464	424	426	425
Stimulants ³	643 ^b	574 ^b	519 ^a	506	532 ^a	431
Methamphetamine ³	266 ^b	222 ^b	206 ^a	185	216 ^b	142
Sedatives	154	123	123	122	126	125
ILLCIT DRUGS OTHER THAN MARIJUANA¹	2,559 ^b	2,607 ^b	2,634 ^b	2,456 ^a	2,427	2,269

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.17B Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	29.8 ^b	30.0 ^b	29.3 ^b	26.9 ^a	27.0 ^a	25.4
Marijuana and Hashish	19.7 ^b	19.0 ^b	18.1 ^b	16.6 ^a	16.8 ^b	15.0
Cocaine	2.8	2.7	2.2	2.4	2.5	2.3
Crack	0.8 ^a	0.6	0.5	0.5	0.6	0.5
Heroin	0.5 ^a	0.4	0.3	0.2	0.3	0.2
Hallucinogens	5.6 ^b	5.2 ^b	4.4 ^b	3.9	3.8	3.4
LSD	2.5 ^b	1.6 ^b	1.1 ^a	0.9	0.8	0.7
PCP	1.0 ^b	0.8 ^b	0.6	0.7 ^a	0.6	0.4
Ecstasy	3.7 ^b	2.8 ^b	2.3	1.8	2.2	1.9
Inhalants	9.7	10.5	10.8	10.5	10.1	9.7
Nonmedical Use of Psychotherapeutics ^{2,3}	14.5 ^b	14.2 ^b	14.5 ^b	12.7	13.0	12.3
Pain Relievers	11.7 ^b	11.5 ^a	12.2 ^b	10.5	10.7	10.2
OxyContin [®]	0.9 ^b	0.9 ^b	1.2	1.1 ^a	1.5	1.5
Tranquilizers	3.7	3.9	3.8	3.4	3.4	3.4
Stimulants ³	5.3 ^b	4.7 ^b	4.2 ^a	4.1	4.3 ^a	3.5
Methamphetamine ³	2.2 ^b	1.8 ^b	1.7 ^a	1.5	1.7 ^b	1.1
Sedatives	1.3	1.0	1.0	1.0	1.0	1.0
ILLCIT DRUGS OTHER THAN MARIJUANA¹	21.1 ^b	21.3 ^b	21.4 ^b	19.8 ^a	19.5	18.4

*Low precision; no estimate reported.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.18A Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	2,842 ^b	2,776 ^b	2,653	2,557	2,525	2,499
Marijuana and Hashish	2,064 ^b	1,955 ^b	1,918 ^a	1,796	1,744	1,748
Cocaine	263 ^b	222	223	208	178	174
Crack	36	47 ^a	31	23	32	25
Heroin	20	17	32	17	14	16
Hallucinogens	501 ^b	386	389	352	318	339
LSD	183 ^b	73	94	92	51	76
PCP	46	44	39	44	26	32
Ecstasy	262 ^b	142	141	125	129	165
Inhalants	586	554	587	538	521	500
Nonmedical Use of Psychotherapeutics ^{2,3}	1,091 ^a	1,090	974	962	1,052	970
Pain Relievers	913	930 ^a	837	818	882	816
OxyContin [®]	--	--	99	101	95	107
Tranquilizers	249	258	226	229	195	215
Stimulants ³	294 ^b	253 ^b	210	194	224	173
Methamphetamine ³	97 ^b	82 ^b	69 ^a	78 ^a	74 ^a	39
Sedatives	45	67	59	51	56	42
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,683 ^b	1,637 ^a	1,537	1,479	1,540	1,444

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.18B Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	22.5 ^b	21.7 ^b	20.6	19.7	19.5	19.4
Marijuana and Hashish	16.3 ^b	15.3 ^b	14.9 ^a	13.9	13.4	13.6
Cocaine	2.1 ^b	1.7	1.7	1.6	1.4	1.3
Crack	0.3	0.4 ^a	0.2	0.2	0.2	0.2
Heroin	0.2	0.1	0.2	0.1	0.1	0.1
Hallucinogens	4.0 ^b	3.0	3.0	2.7	2.5	2.6
LSD	1.5 ^b	0.6	0.7	0.7	0.4	0.6
PCP	0.4	0.3	0.3	0.3	0.2	0.2
Ecstasy	2.1 ^b	1.1	1.1	1.0	1.0	1.3
Inhalants	4.6 ^a	4.3	4.6	4.2	4.0	3.9
Nonmedical Use of Psychotherapeutics ^{2,3}	8.6 ^a	8.5 ^a	7.6	7.4	8.1	7.5
Pain Relievers	7.2 ^a	7.3 ^a	6.5	6.3	6.8	6.3
OxyContin [®]	--	--	0.8	0.8	0.7	0.8
Tranquilizers	2.0	2.0	1.8	1.8	1.5	1.7
Stimulants ³	2.3 ^b	2.0 ^b	1.6	1.5	1.7	1.3
Methamphetamine ³	0.8 ^b	0.6 ^b	0.5 ^a	0.6 ^a	0.6 ^a	0.3
Sedatives	0.4	0.5	0.5	0.4	0.4	0.3
ILLCIT DRUGS OTHER THAN MARIJUANA¹	13.3 ^b	12.8 ^b	11.9	11.4	11.9	11.2

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.19A Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	2,652 ^b	2,679 ^b	2,648 ^b	2,484 ^b	2,447 ^b	2,228
Marijuana and Hashish	1,841 ^b	1,790 ^b	1,738 ^b	1,587 ^b	1,604 ^b	1,399
Cocaine	245	216	188	215	233	209
Crack	64	48	32	31	41	40
Heroin	31 ^a	19	16	20	23 ^a	8
Hallucinogens	444 ^b	392 ^b	364 ^a	313	332	288
LSD	131 ^b	76	63	59	55	50
PCP	64 ^b	44 ^a	33	41	33	23
Ecstasy	285 ^b	188	169	131	177	163
Inhalants	492	565	581	606 ^a	590 ^a	494
Nonmedical Use of Psychotherapeutics ^{2,3}	1,194 ^a	1,205 ^a	1,254 ^b	1,139	1,129	1,064
Pain Relievers	957	987 ^a	1,028 ^b	922	936	864
OxyContin [®]	--	--	95	87 ^a	104	125
Tranquilizers	319	328	307	268	288	291
Stimulants ³	371 ^b	325 ^b	297	312 ^a	324 ^a	242
Methamphetamine ³	148 ^b	103	108	100	111	79
Sedatives	93	64	75	67	53	69
ILLICIT DRUGS OTHER THAN MARIJUANA¹	1,655 ^b	1,714 ^b	1,732 ^b	1,650 ^a	1,605 ^a	1,470

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.19B Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	21.9 ^b	21.9 ^b	21.5 ^b	20.0 ^b	19.7 ^a	18.0
Marijuana and Hashish	15.2 ^b	14.6 ^b	14.1 ^b	12.8 ^b	12.9 ^b	11.3
Cocaine	2.0	1.8	1.5	1.7	1.9	1.7
Crack	0.5	0.4	0.3	0.3	0.3	0.3
Heroin	0.3 ^a	0.2	0.1	0.2	0.2 ^a	0.1
Hallucinogens	3.7 ^b	3.2 ^b	3.0 ^a	2.5	2.7	2.3
LSD	1.1 ^b	0.6	0.5	0.5	0.4	0.4
PCP	0.5 ^b	0.4 ^a	0.3	0.3	0.3	0.2
Ecstasy	2.4 ^b	1.5	1.4	1.1	1.4	1.3
Inhalants	4.1	4.6	4.7 ^a	4.9 ^a	4.7 ^a	4.0
Nonmedical Use of Psychotherapeutics ^{2,3}	9.9 ^a	9.9 ^a	10.2 ^b	9.2	9.1	8.6
Pain Relievers	7.9	8.1 ^a	8.3 ^b	7.4	7.5	7.0
OxyContin [®]	--	--	0.8	0.7 ^a	0.8	1.0
Tranquilizers	2.6	2.7	2.5	2.2	2.3	2.4
Stimulants ³	3.1 ^b	2.7 ^b	2.4	2.5 ^a	2.6 ^a	2.0
Methamphetamine ³	1.2 ^b	0.8	0.9	0.8	0.9	0.6
Sedatives	0.8	0.5	0.6	0.5	0.4	0.6
ILLICIT DRUGS OTHER THAN MARIJUANA¹	13.7 ^b	14.0 ^b	14.0 ^b	13.3 ^a	12.9	11.9

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.20A Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	1,560 ^b	1,457 ^a	1,360	1,313	1,272	1,291
Marijuana and Hashish	1,152 ^b	1,093 ^a	1,037	967	888	968
Cocaine	77	70	75	79 ^a	48	48
Crack	10	22 ^a	9	14	5	4
Heroin	6	8	11	11	3	3
Hallucinogens	130	138	120	98	86	102
LSD	37	27	23	24	10	24
PCP	11	14	7	8	6	9
Ecstasy	58	37	45	32	38	34
Inhalants	159	139	141	160	156	158
Nonmedical Use of Psychotherapeutics ^{2,3}	460	478 ^a	413	400	403	391
Pain Relievers	376	385	337	325	330	324
OxyContin [®]	--	--	29	17	18	25
Tranquilizers	70	111	76	84	46 ^a	84
Stimulants ³	106 ^b	107 ^b	89 ^b	79	80 ^a	48
Methamphetamine ³	40 ^a	32 ^a	24	39 ^b	24	10
Sedatives	6	27	4	9	21	15
ILLCIT DRUGS OTHER THAN MARIJUANA¹	705 ^a	682 ^a	626	616	603	582

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.20B Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	12.3 ^b	11.4 ^a	10.6	10.1	9.8	10.0
Marijuana and Hashish	9.1 ^b	8.6 ^a	8.1	7.5	6.8	7.5
Cocaine	0.6 ^a	0.5	0.6	0.6	0.4	0.4
Crack	0.1	0.2 ^a	0.1	0.1	0.0	0.0
Heroin	0.0	0.1	0.1	0.1	0.0	0.0
Hallucinogens	1.0	1.1	0.9	0.8	0.7	0.8
LSD	0.3	0.2	0.2	0.2	0.1	0.2
PCP	0.1	0.1	0.1	0.1	0.0	0.1
Ecstasy	0.5 ^a	0.3	0.4	0.3	0.3	0.3
Inhalants	1.3	1.1	1.1	1.2	1.2	1.2
Nonmedical Use of Psychotherapeutics ^{2,3}	3.6	3.7 ^a	3.2	3.1	3.1	3.0
Pain Relievers	3.0	3.0	2.6	2.5	2.5	2.5
OxyContin [®]	--	--	0.2	0.1	0.1	0.2
Tranquilizers	0.6	0.9	0.6	0.7	0.4 ^a	0.6
Stimulants ³	0.8 ^b	0.8 ^b	0.7 ^b	0.6	0.6 ^a	0.4
Methamphetamine ³	0.3 ^a	0.3 ^a	0.2	0.3 ^b	0.2	0.1
Sedatives	0.0	0.2	0.0	0.1	0.2	0.1
ILLICIT DRUGS OTHER THAN MARIJUANA¹	5.6 ^b	5.3 ^a	4.9	4.8	4.6	4.5

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.21A Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	1,318 ^b	1,355 ^b	1,314 ^b	1,198	1,210	1,118
Marijuana and Hashish	871 ^b	878 ^b	872 ^b	763	801	718
Cocaine	68	83	51	63	61	56
Crack	16	10	6	12	7	12
Heroin	5	10	4	4	13	*
Hallucinogens	126 ^b	122 ^b	91	107 ^a	95	73
LSD	23	23 ^a	15	8	21 ^a	6
PCP	11	6	4	9	6	*
Ecstasy	66 ^a	54	32	41	44	31
Inhalants	143	181	171	153	185	136
Nonmedical Use of Psychotherapeutics ^{2,3}	527 ^a	519	501	439	441	438
Pain Relievers	418	416	414	361	360	345
OxyContin [®]	--	--	37	17	10	22
Tranquilizers	117	115	86	76	80	98
Stimulants ³	102	115 ^a	91	93	90	80
Methamphetamine ³	31	38	34	32	29	24
Sedatives	41 ^a	20	22	18	24	19
ILLICIT DRUGS OTHER THAN MARIJUANA¹	715 ^a	735 ^b	702 ^a	637	648	599

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.21B Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	10.9 ^b	11.1 ^b	10.6 ^b	9.7	9.7	9.1
Marijuana and Hashish	7.2 ^b	7.2 ^b	7.1 ^b	6.2	6.4	5.8
Cocaine	0.6	0.7	0.4	0.5	0.5	0.5
Crack	0.1	0.1	0.1	0.1	0.1	0.1
Heroin	0.0	0.1	0.0	0.0	0.1	*
Hallucinogens	1.0 ^b	1.0 ^b	0.7	0.9 ^a	0.8	0.6
LSD	0.2	0.2 ^a	0.1	0.1	0.2 ^a	0.0
PCP	0.1	0.1	0.0	0.1	0.0	*
Ecstasy	0.5 ^a	0.4	0.3	0.3	0.4	0.3
Inhalants	1.2	1.5	1.4	1.2	1.5	1.1
Nonmedical Use of Psychotherapeutics ^{2,3}	4.4 ^a	4.2 ^a	4.1	3.5	3.6	3.5
Pain Relievers	3.5 ^a	3.4 ^a	3.4	2.9	2.9	2.8
OxyContin [®]	--	--	0.3	0.1	0.1 ^a	0.2
Tranquilizers	1.0	0.9	0.7	0.6	0.6	0.8
Stimulants ³	0.8	0.9 ^a	0.7	0.8	0.7	0.6
Methamphetamine ³	0.3	0.3	0.3	0.3	0.2	0.2
Sedatives	0.3 ^a	0.2	0.2	0.1	0.2	0.2
ILLCIT DRUGS OTHER THAN MARIJUANA¹	5.9 ^b	6.0 ^b	5.7 ^a	5.1	5.2	4.8

*Low precision; no estimate reported.

-- Not available.

^a Difference between estimate and 2007 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2007 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.