

Table 8.1C Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	963	909	969	940	897	971
Marijuana and Hashish	912	868	912	925	908	963
Cocaine	583	565	636	595	654	659
Crack	306	264	280	292	329	339
Heroin	223	205	193	226	238	239
Hallucinogens	602	589	618	608	644	638
LSD	514	494	506	521	520	548
PCP	284	271	298	289	294	297
Ecstasy	297	285	329	335	355	346
Inhalants	474	441	480	460	471	503
Nonmedical Use of Psychotherapeutics ^{2,3}	743	653	736	719	700	696
Pain Relievers	569	517	564	562	539	562
OxyContin [®]	116	140	134	142	167	180
Tranquilizers	497	435	490	480	478	468
Stimulants ³	515	475	498	491	506	471
Methamphetamine ³	417	403	401	375	412	367
Sedatives	370	325	403	347	352	360
ILLCIT DRUGS OTHER THAN MARIJUANA¹	815	756	827	835	807	855

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.1D Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.41	0.38	0.40	0.39	0.36	0.39
Marijuana and Hashish	0.39	0.37	0.38	0.38	0.37	0.39
Cocaine	0.25	0.24	0.26	0.24	0.27	0.27
Crack	0.13	0.11	0.12	0.12	0.13	0.14
Heroin	0.10	0.09	0.08	0.09	0.10	0.10
Hallucinogens	0.26	0.25	0.26	0.25	0.26	0.26
LSD	0.22	0.21	0.21	0.21	0.21	0.22
PCP	0.12	0.11	0.12	0.12	0.12	0.12
Ecstasy	0.13	0.12	0.14	0.14	0.14	0.14
Inhalants	0.20	0.19	0.20	0.19	0.19	0.20
Nonmedical Use of Psychotherapeutics ^{2,3}	0.32	0.27	0.31	0.30	0.28	0.28
Pain Relievers	0.24	0.22	0.23	0.23	0.22	0.23
OxyContin [®]	0.05	0.06	0.06	0.06	0.07	0.07
Tranquilizers	0.21	0.18	0.20	0.20	0.19	0.19
Stimulants ³	0.22	0.20	0.21	0.20	0.21	0.19
Methamphetamine ³	0.18	0.17	0.17	0.15	0.17	0.15
Sedatives	0.16	0.14	0.17	0.14	0.14	0.15
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.35	0.32	0.34	0.34	0.33	0.35

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.1P Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.9023	0.6358	0.5353	0.9656	0.2061	
Marijuana and Hashish	0.7445	0.8657	0.5541	0.4063	0.1262	
Cocaine	0.8758	0.5713	0.4593	0.0739	0.7302	
Crack	0.5575	0.5023	0.2591	0.2602	0.9378	
Heroin	0.7978	0.6985	0.0834	0.5762	0.9188	
Hallucinogens	0.0303	0.0682	0.1969	0.8571	0.1428	
LSD	0.0000	0.0002	0.0550	0.7851	0.2540	
PCP	0.0001	0.0020	0.0529	0.1508	0.2140	
Ecstasy	0.0002	0.0209	0.0488	0.1387	0.8839	
Inhalants	0.0217	0.0277	0.1500	0.3054	0.4154	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.8984	0.4845	0.8160	0.9225	0.3493	
Pain Relievers	0.0247	0.5057	0.6892	0.7508	0.4043	
OxyContin [®]	0.0000	0.0000	0.0000	0.0002	0.3541	
Tranquilizers	0.8868	0.1790	0.7173	0.0669	0.0565	
Stimulants ³	0.0000	0.0007	0.0578	0.6938	0.1560	
Methamphetamine ³	0.0000	0.0000	0.0007	0.7624	0.0242	
Sedatives	0.0001	0.0022	0.0011	0.1191	0.3533	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.6189	0.5615	0.5714	0.7972	0.9680	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.2C Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	588	558	535	550	566	596
Marijuana and Hashish	471	455	451	473	477	492
Cocaine	222	229	205	205	230	242
Crack	124	124	117	114	135	123
Heroin	55	48	56	43	86	53
Hallucinogens	151	147	153	146	149	140
LSD	63	44	47	48	56	55
PCP	25	24	28	21	38	18
Ecstasy	126	105	112	114	105	108
Inhalants	95	83	90	95	107	106
Nonmedical Use of Psychotherapeutics ^{2,3}	379	358	352	346	360	380
Pain Relievers	300	299	300	304	306	316
OxyContin [®]	--	--	74	81	93	96
Tranquilizers	225	195	208	207	196	221
Stimulants ³	154	136	157	134	180	152
Methamphetamine ³	116	100	128	99	137	115
Sedatives	116	85	72	74	99	93
ILLCIT DRUGS OTHER THAN MARIJUANA¹	432	420	410	398	418	449

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.2D Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.25	0.23	0.22	0.23	0.23	0.24
Marijuana and Hashish	0.20	0.19	0.19	0.19	0.19	0.20
Cocaine	0.09	0.10	0.09	0.08	0.09	0.10
Crack	0.05	0.05	0.05	0.05	0.05	0.05
Heroin	0.02	0.02	0.02	0.02	0.03	0.02
Hallucinogens	0.06	0.06	0.06	0.06	0.06	0.06
LSD	0.03	0.02	0.02	0.02	0.02	0.02
PCP	0.01	0.01	0.01	0.01	0.02	0.01
Ecstasy	0.05	0.04	0.05	0.05	0.04	0.04
Inhalants	0.04	0.03	0.04	0.04	0.04	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.16	0.15	0.15	0.14	0.15	0.15
Pain Relievers	0.13	0.13	0.12	0.12	0.12	0.13
OxyContin [®]	--	--	0.03	0.03	0.04	0.04
Tranquilizers	0.10	0.08	0.09	0.08	0.08	0.09
Stimulants ³	0.07	0.06	0.07	0.06	0.07	0.06
Methamphetamine ³	0.05	0.04	0.05	0.04	0.06	0.05
Sedatives	0.05	0.04	0.03	0.03	0.04	0.04
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.18	0.18	0.17	0.16	0.17	0.18

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.2P Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.1199	0.3388	0.8290	0.9851	0.6550	
Marijuana and Hashish	0.0033	0.0738	0.0922	0.2570	0.4708	
Cocaine	0.1516	0.2140	0.7732	0.7260	0.2511	
Crack	0.2967	0.9320	0.5346	0.7984	0.8263	
Heroin	0.4456	0.5989	0.5666	0.7591	0.0423	
Hallucinogens	0.0000	0.1002	0.2678	0.5548	0.2720	
LSD	0.0000	0.5947	0.8878	0.5304	0.5278	
PCP	0.0005	0.0032	0.0210	0.2933	0.2242	
Ecstasy	0.0000	0.6136	0.3144	0.3874	0.9297	
Inhalants	0.4268	0.5410	0.0846	0.3153	0.3174	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.2135	0.3793	0.0630	0.1987	0.5185	
Pain Relievers	0.0492	0.5046	0.0498	0.3204	0.5138	
OxyContin [®]	--	--	0.1595	0.1682	0.5026	
Tranquilizers	0.5967	0.9597	0.8461	0.8221	0.5367	
Stimulants ³	0.0112	0.4345	0.1102	0.4632	0.0006	
Methamphetamine ³	0.0026	0.0352	0.0031	0.0560	0.0019	
Sedatives	0.2700	0.9793	0.3835	0.4045	0.6086	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.5500	0.9631	0.1507	0.2660	0.6518	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.3C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	388	404	415	432	426	445
Marijuana and Hashish	320	327	360	360	356	360
Cocaine	128	147	119	142	153	149
Crack	68	91	66	87	101	80
Heroin	42	28	37	19	77	36
Hallucinogens	80	72	58	83	70	74
LSD	18	18	26	16	24	33
PCP	15	13	17	13	9	12
Ecstasy	64	55	47	44	51	56
Inhalants	64	45	64	57	73	67
Nonmedical Use of Psychotherapeutics ^{2,3}	230	256	212	232	243	251
Pain Relievers	186	207	170	194	216	215
OxyContin [®]	--	--	36	38	35	53
Tranquilizers	136	118	103	118	116	129
Stimulants ³	94	102	99	81	105	94
Methamphetamine ³	78	81	76	62	79	80
Sedatives	64	55	48	47	69	68
ILLICIT DRUGS OTHER THAN MARIJUANA¹	276	289	255	279	284	307

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.3D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.17	0.17	0.17	0.18	0.17	0.18
Marijuana and Hashish	0.14	0.14	0.15	0.15	0.14	0.15
Cocaine	0.05	0.06	0.05	0.06	0.06	0.06
Crack	0.03	0.04	0.03	0.04	0.04	0.03
Heroin	0.02	0.01	0.02	0.01	0.03	0.01
Hallucinogens	0.03	0.03	0.02	0.03	0.03	0.03
LSD	0.01	0.01	0.01	0.01	0.01	0.01
PCP	0.01	0.01	0.01	0.01	0.00	0.00
Ecstasy	0.03	0.02	0.02	0.02	0.02	0.02
Inhalants	0.03	0.02	0.03	0.02	0.03	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.10	0.11	0.09	0.10	0.10	0.10
Pain Relievers	0.08	0.09	0.07	0.08	0.09	0.09
OxyContin [®]	--	--	0.02	0.02	0.01	0.02
Tranquilizers	0.06	0.05	0.04	0.05	0.05	0.05
Stimulants ³	0.04	0.04	0.04	0.03	0.04	0.04
Methamphetamine ³	0.03	0.03	0.03	0.03	0.03	0.03
Sedatives	0.03	0.02	0.02	0.02	0.03	0.03
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.12	0.12	0.11	0.11	0.12	0.12

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.3P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.2346	0.4677	0.7405	0.6936	0.2782	
Marijuana and Hashish	0.0613	0.1003	0.2686	0.3652	0.3387	
Cocaine	0.7895	0.1566	0.9703	0.0713	0.0799	
Crack	0.9093	0.8708	0.2186	0.4805	0.4485	
Heroin	0.6952	0.5325	0.7271	0.7173	0.0222	
Hallucinogens	0.0186	0.3887	0.6921	0.3122	0.8641	
LSD	0.4825	0.8793	0.9942	0.3003	0.7390	
PCP	0.3359	0.3490	0.6777	0.6879	0.4788	
Ecstasy	0.0170	0.8673	0.5953	0.9080	0.7098	
Inhalants	0.5749	0.7961	0.6590	0.9371	0.1264	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.4419	0.6461	0.0727	0.3985	0.4643	
Pain Relievers	0.0545	0.3571	0.0218	0.1395	0.7810	
OxyContin [®]	--	--	0.6019	0.6613	0.1552	
Tranquilizers	0.7276	0.6808	0.3112	0.9178	0.7447	
Stimulants ³	0.0194	0.0284	0.0319	0.1987	0.0149	
Methamphetamine ³	0.0972	0.0500	0.0769	0.2663	0.0633	
Sedatives	0.2353	0.6617	0.3904	0.3977	0.6700	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.9641	0.9204	0.0566	0.7365	0.3049	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.4C Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	104	107	96	100	104	102
Marijuana and Hashish	88	91	87	85	87	88
Cocaine	36	36	33	34	32	32
Crack	17	17	14	14	15	13
Heroin	14	11	12	10	11	10
Hallucinogens	49	48	45	44	42	41
LSD	34	26	24	23	21	18
PCP	20	20	18	19	16	13
Ecstasy	40	32	31	26	28	30
Inhalants	67	68	67	67	65	68
Nonmedical Use of Psychotherapeutics ^{2,3}	75	76	70	72	75	74
Pain Relievers	69	70	67	65	68	69
OxyContin [®]	21	20	24	21	24	25
Tranquilizers	38	40	36	38	36	37
Stimulants ³	46	41	38	41	42	34
Methamphetamine ³	29	24	25	26	27	19
Sedatives	22	22	23	22	19	20
ILLCIT DRUGS OTHER THAN MARIJUANA¹	89	97	84	87	87	92

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.4D Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.42	0.43	0.38	0.39	0.41	0.41
Marijuana and Hashish	0.36	0.37	0.34	0.33	0.34	0.35
Cocaine	0.15	0.15	0.13	0.14	0.13	0.13
Crack	0.07	0.07	0.06	0.05	0.06	0.05
Heroin	0.05	0.04	0.05	0.04	0.04	0.04
Hallucinogens	0.20	0.19	0.18	0.17	0.16	0.16
LSD	0.14	0.10	0.09	0.09	0.08	0.07
PCP	0.08	0.08	0.07	0.08	0.06	0.05
Ecstasy	0.16	0.13	0.12	0.10	0.11	0.12
Inhalants	0.27	0.27	0.27	0.26	0.26	0.27
Nonmedical Use of Psychotherapeutics ^{2,3}	0.30	0.30	0.28	0.28	0.30	0.29
Pain Relievers	0.28	0.28	0.27	0.26	0.27	0.27
OxyContin [®]	0.09	0.08	0.09	0.08	0.09	0.10
Tranquilizers	0.16	0.16	0.14	0.15	0.14	0.15
Stimulants ³	0.19	0.16	0.15	0.16	0.17	0.13
Methamphetamine ³	0.12	0.10	0.10	0.10	0.11	0.07
Sedatives	0.09	0.09	0.09	0.09	0.08	0.08
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.36	0.39	0.33	0.34	0.34	0.36

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.4P Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0092	0.0169	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0146	0.0189	
Cocaine	0.0036	0.0204	0.1276	0.4206	0.5871	
Crack	0.0058	0.0140	0.3154	0.9618	0.3057	
Heroin	0.0167	0.0838	0.1351	0.7092	0.7213	
Hallucinogens	0.0000	0.0000	0.0000	0.1044	0.1443	
LSD	0.0000	0.0000	0.0002	0.0038	0.5244	
PCP	0.0000	0.0000	0.0020	0.0012	0.2604	
Ecstasy	0.0000	0.0002	0.0717	0.2200	0.5419	
Inhalants	0.0144	0.0046	0.0003	0.0172	0.1845	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.5747	0.0522	
Pain Relievers	0.0001	0.0002	0.0000	0.5672	0.0639	
OxyContin [®]	0.0001	0.0011	0.1069	0.0107	0.5581	
Tranquilizers	0.0563	0.0140	0.1812	0.7871	0.8118	
Stimulants ³	0.0000	0.0000	0.0007	0.0098	0.0004	
Methamphetamine ³	0.0000	0.0000	0.0001	0.0020	0.0004	
Sedatives	0.3431	0.2071	0.2142	0.5841	0.7634	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0257	0.0254	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.5C Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	95	91	87	88	94	88
Marijuana and Hashish	79	79	77	75	78	75
Cocaine	32	28	27	28	28	27
Crack	14	13	10	10	12	11
Heroin	11	8	10	8	8	6
Hallucinogens	40	37	36	36	34	34
LSD	25	15	17	17	14	15
PCP	13	12	12	14	11	9
Ecstasy	32	23	23	21	23	26
Inhalants	44	48	45	47	45	43
Nonmedical Use of Psychotherapeutics ^{2,3}	64	64	59	61	62	63
Pain Relievers	59	59	56	56	56	59
OxyContin [®]	--	--	18	18	18	19
Tranquilizers	34	33	29	29	30	31
Stimulants ³	35	30	28	31	33	27
Methamphetamine ³	22	17	17	20	21	14
Sedatives	16	16	15	16	13	15
ILLCIT DRUGS OTHER THAN MARIJUANA¹	76	79	71	71	73	73

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.5D Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.38	0.36	0.34	0.35	0.37	0.35
Marijuana and Hashish	0.32	0.31	0.31	0.30	0.31	0.30
Cocaine	0.13	0.11	0.11	0.11	0.11	0.11
Crack	0.06	0.05	0.04	0.04	0.05	0.04
Heroin	0.04	0.03	0.04	0.03	0.03	0.02
Hallucinogens	0.16	0.15	0.14	0.14	0.13	0.14
LSD	0.10	0.06	0.07	0.07	0.05	0.06
PCP	0.05	0.05	0.05	0.06	0.04	0.04
Ecstasy	0.13	0.09	0.09	0.08	0.09	0.10
Inhalants	0.18	0.19	0.18	0.19	0.18	0.17
Nonmedical Use of Psychotherapeutics ^{2,3}	0.26	0.26	0.23	0.24	0.24	0.25
Pain Relievers	0.24	0.24	0.22	0.22	0.22	0.23
OxyContin [®]	--	--	0.07	0.07	0.07	0.07
Tranquilizers	0.14	0.13	0.12	0.11	0.12	0.12
Stimulants ³	0.14	0.12	0.11	0.12	0.13	0.11
Methamphetamine ³	0.09	0.07	0.07	0.08	0.08	0.06
Sedatives	0.07	0.06	0.06	0.06	0.05	0.06
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.31	0.32	0.28	0.28	0.29	0.29

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.5P Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0188	0.0941	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0349	0.0888	
Cocaine	0.0014	0.1266	0.4590	0.3293	0.5205	
Crack	0.0400	0.0630	0.9130	0.4502	0.6325	
Heroin	0.0275	0.1823	0.0357	0.1925	0.1997	
Hallucinogens	0.0000	0.0019	0.0106	0.4832	0.7027	
LSD	0.0000	0.2425	0.1561	0.2949	0.3255	
PCP	0.0005	0.0220	0.2693	0.0909	0.8316	
Ecstasy	0.0000	0.9068	0.5939	0.0296	0.4707	
Inhalants	0.0903	0.0350	0.0048	0.0257	0.0770	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0011	0.0017	0.0227	0.5051	0.1296	
Pain Relievers	0.0073	0.0024	0.0218	0.5086	0.1218	
OxyContin [®]	--	--	0.1424	0.0777	0.1766	
Tranquilizers	0.1176	0.0586	0.5293	0.7851	0.5517	
Stimulants ³	0.0000	0.0000	0.0178	0.0306	0.0025	
Methamphetamine ³	0.0000	0.0023	0.0090	0.0119	0.0078	
Sedatives	0.1860	0.3391	0.2935	0.7548	0.9038	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0005	0.0512	0.0420	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.6C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	71	67	67	64	67	68
Marijuana and Hashish	58	60	57	56	54	56
Cocaine	18	16	15	16	13	13
Crack	9	8	5	7	4	5
Heroin	5	6	5	5	5	2
Hallucinogens	20	20	19	19	17	17
LSD	12	10	8	8	7	8
PCP	6	6	5	6	5	5
Ecstasy	16	12	13	11	11	11
Inhalants	22	25	26	23	26	26
Nonmedical Use of Psychotherapeutics ^{2,3}	43	42	40	37	40	40
Pain Relievers	39	39	36	33	36	36
OxyContin [®]	--	--	10	7	6	8
Tranquilizers	18	22	15	17	15	19
Stimulants ³	22	19	19	18	17	14
Methamphetamine ³	14	11	12	13	10	8
Sedatives	9	10	6	6	8	9
ILLCIT DRUGS OTHER THAN MARIJUANA¹	52	48	49	44	48	49

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.6D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.29	0.27	0.27	0.25	0.27	0.27
Marijuana and Hashish	0.24	0.24	0.23	0.22	0.21	0.22
Cocaine	0.07	0.06	0.06	0.06	0.05	0.05
Crack	0.03	0.03	0.02	0.03	0.02	0.02
Heroin	0.02	0.02	0.02	0.02	0.02	0.01
Hallucinogens	0.08	0.08	0.07	0.07	0.07	0.07
LSD	0.05	0.04	0.03	0.03	0.03	0.03
PCP	0.02	0.02	0.02	0.02	0.02	0.02
Ecstasy	0.06	0.05	0.05	0.04	0.04	0.04
Inhalants	0.09	0.10	0.10	0.09	0.10	0.10
Nonmedical Use of Psychotherapeutics ^{2,3}	0.17	0.17	0.16	0.14	0.16	0.16
Pain Relievers	0.16	0.15	0.14	0.13	0.14	0.14
OxyContin [®]	--	--	0.04	0.03	0.02	0.03
Tranquilizers	0.07	0.09	0.06	0.07	0.06	0.07
Stimulants ³	0.09	0.08	0.08	0.07	0.07	0.06
Methamphetamine ³	0.06	0.04	0.05	0.05	0.04	0.03
Sedatives	0.03	0.04	0.02	0.03	0.03	0.04
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.21	0.19	0.20	0.17	0.19	0.19

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.6P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.0000	0.0000	0.0052	0.3266	0.5464	
Marijuana and Hashish	0.0000	0.0002	0.0049	0.6403	0.9281	
Cocaine	0.0484	0.0124	0.2628	0.0699	0.7760	
Crack	0.2916	0.0690	0.9679	0.3023	0.5422	
Heroin	0.1469	0.0235	0.0200	0.0265	0.0205	
Hallucinogens	0.0016	0.0012	0.1576	0.2577	0.8346	
LSD	0.0303	0.0911	0.4504	0.8236	0.8740	
PCP	0.0595	0.1315	0.7715	0.2888	0.7057	
Ecstasy	0.0017	0.1044	0.4636	0.5917	0.2888	
Inhalants	0.7151	0.4360	0.6296	0.6251	0.2352	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0030	0.0025	0.1301	0.9160	0.8590	
Pain Relievers	0.0089	0.0083	0.1078	0.7824	0.7402	
OxyContin [®]	--	--	0.1511	0.2535	0.0738	
Tranquilizers	0.7274	0.1088	0.3977	0.3875	0.0153	
Stimulants ³	0.0011	0.0001	0.0275	0.0540	0.0583	
Methamphetamine ³	0.0208	0.0062	0.0841	0.0124	0.1379	
Sedatives	0.2663	0.3226	0.4599	0.4837	0.3987	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0002	0.0003	0.0330	0.3132	0.3657	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.7C Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	156	155	165	161	166	161
Marijuana and Hashish	157	157	176	168	175	166
Cocaine	114	107	109	115	116	116
Crack	51	54	50	54	55	49
Heroin	35	37	36	36	38	34
Hallucinogens	140	134	130	132	140	130
LSD	115	108	98	96	89	78
PCP	45	49	42	41	38	35
Ecstasy	112	109	108	113	112	111
Inhalants	111	104	111	102	101	95
Nonmedical Use of Psychotherapeutics ^{2,3}	135	136	143	143	153	145
Pain Relievers	119	130	129	131	144	135
OxyContin [®]	40	56	54	64	65	62
Tranquilizers	94	98	98	107	111	104
Stimulants ³	93	101	104	97	104	98
Methamphetamine ³	71	76	72	77	79	71
Sedatives	39	37	40	40	38	40
ILLICIT DRUGS OTHER THAN MARIJUANA¹	157	151	157	154	165	158

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.7D Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.50	0.49	0.51	0.49	0.51	0.49
Marijuana and Hashish	0.51	0.50	0.55	0.52	0.53	0.51
Cocaine	0.37	0.34	0.34	0.35	0.36	0.36
Crack	0.16	0.17	0.16	0.17	0.17	0.15
Heroin	0.11	0.12	0.11	0.11	0.12	0.10
Hallucinogens	0.45	0.42	0.40	0.41	0.43	0.40
LSD	0.37	0.34	0.31	0.30	0.27	0.24
PCP	0.15	0.16	0.13	0.13	0.12	0.11
Ecstasy	0.36	0.34	0.34	0.35	0.34	0.34
Inhalants	0.36	0.33	0.34	0.31	0.31	0.29
Nonmedical Use of Psychotherapeutics ^{2,3}	0.44	0.43	0.44	0.44	0.47	0.44
Pain Relievers	0.39	0.41	0.40	0.40	0.44	0.41
OxyContin [®]	0.13	0.18	0.17	0.20	0.20	0.19
Tranquilizers	0.30	0.31	0.31	0.33	0.34	0.32
Stimulants ³	0.30	0.32	0.32	0.30	0.32	0.30
Methamphetamine ³	0.23	0.24	0.23	0.24	0.24	0.22
Sedatives	0.13	0.12	0.12	0.12	0.12	0.12
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.51	0.47	0.49	0.48	0.50	0.48

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.7P Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.0007	0.0000	0.0155	0.0144	0.0165	
Marijuana and Hashish	0.0000	0.0000	0.0082	0.0248	0.0158	
Cocaine	0.4298	0.9402	0.7245	0.8787	0.1881	
Crack	0.0002	0.0007	0.0142	0.0168	0.0081	
Heroin	0.6765	0.4435	0.3703	0.9046	0.7348	
Hallucinogens	0.0000	0.0000	0.0003	0.0023	0.0852	
LSD	0.0000	0.0000	0.0000	0.0000	0.0000	
PCP	0.0000	0.0000	0.0001	0.0008	0.0623	
Ecstasy	0.0000	0.0001	0.0395	0.0607	0.2264	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0034	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0093	0.5059	0.7441	0.1817	0.2212	
Pain Relievers	0.0000	0.0479	0.3299	0.2668	0.2810	
OxyContin [®]	0.0000	0.0000	0.0002	0.3760	0.7304	
Tranquilizers	0.0008	0.3883	0.2590	0.1150	0.4042	
Stimulants ³	0.0019	0.0033	0.0077	0.0007	0.0137	
Methamphetamine ³	0.0000	0.0001	0.0000	0.0008	0.0149	
Sedatives	0.0801	0.9877	0.3370	0.2046	0.6445	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0135	0.0053	0.2032	0.1223	0.0865	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.8C Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	143	153	154	152	156	156
Marijuana and Hashish	135	146	152	145	149	150
Cocaine	74	72	80	74	80	78
Crack	23	23	24	29	27	24
Heroin	17	14	15	21	18	20
Hallucinogens	81	77	72	74	79	77
LSD	44	30	27	30	32	30
PCP	14	19	17	11	14	11
Ecstasy	67	50	48	52	61	58
Inhalants	41	39	41	42	40	38
Nonmedical Use of Psychotherapeutics ^{2,3}	97	104	110	109	118	110
Pain Relievers	86	97	94	98	102	97
OxyContin [®]	--	--	35	37	39	36
Tranquilizers	57	66	66	68	74	69
Stimulants ³	57	56	66	58	61	61
Methamphetamine ³	41	39	41	41	38	35
Sedatives	18	18	18	22	22	21
ILLICIT DRUGS OTHER THAN MARIJUANA¹	116	127	126	121	129	125

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.8D Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.46	0.48	0.48	0.47	0.48	0.48
Marijuana and Hashish	0.43	0.46	0.47	0.45	0.46	0.46
Cocaine	0.24	0.23	0.25	0.23	0.24	0.24
Crack	0.08	0.07	0.07	0.09	0.08	0.07
Heroin	0.05	0.04	0.05	0.06	0.05	0.06
Hallucinogens	0.26	0.24	0.22	0.23	0.24	0.24
LSD	0.14	0.09	0.08	0.09	0.10	0.09
PCP	0.04	0.06	0.05	0.03	0.04	0.03
Ecstasy	0.22	0.16	0.15	0.16	0.19	0.18
Inhalants	0.13	0.12	0.13	0.13	0.12	0.12
Nonmedical Use of Psychotherapeutics ^{2,3}	0.31	0.33	0.34	0.33	0.36	0.34
Pain Relievers	0.28	0.30	0.29	0.30	0.31	0.30
OxyContin [®]	--	--	0.11	0.11	0.12	0.11
Tranquilizers	0.18	0.21	0.20	0.21	0.23	0.21
Stimulants ³	0.18	0.18	0.20	0.18	0.19	0.19
Methamphetamine ³	0.13	0.12	0.13	0.13	0.12	0.11
Sedatives	0.06	0.06	0.06	0.07	0.07	0.06
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.37	0.40	0.39	0.37	0.39	0.38

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.8P Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.0007	0.0386	0.2967	0.1207	0.0667	
Marijuana and Hashish	0.0002	0.1043	0.5551	0.3584	0.3646	
Cocaine	0.2897	0.4605	0.4507	0.0912	0.1197	
Crack	0.3389	0.2992	0.5834	0.0264	0.1974	
Heroin	0.6062	0.0775	0.3929	0.5454	0.8639	
Hallucinogens	0.0000	0.2388	0.5023	0.8600	0.3630	
LSD	0.0002	0.5215	0.2008	0.2518	0.9301	
PCP	0.0219	0.0056	0.0315	0.9844	0.3009	
Ecstasy	0.0000	0.5474	0.0669	0.0601	0.3580	
Inhalants	0.0006	0.0048	0.0047	0.0045	0.3370	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1516	0.3995	0.8701	0.8041	0.2054	
Pain Relievers	0.0763	0.7344	0.5952	0.5144	0.4852	
OxyContin [®]	--	--	0.9110	0.9515	0.8719	
Tranquilizers	0.2450	0.7111	0.8905	0.2695	0.3918	
Stimulants ³	0.0516	0.2290	0.0653	0.1671	0.0056	
Methamphetamine ³	0.0000	0.0001	0.0000	0.0011	0.0042	
Sedatives	0.9792	0.7098	0.8097	0.4959	0.6577	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.1484	0.6052	0.7140	0.4005	0.1488	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.9C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	116	128	130	130	122	127
Marijuana and Hashish	110	116	119	121	115	120
Cocaine	37	42	43	47	41	38
Crack	9	13	13	16	13	11
Heroin	10	7	9	10	12	11
Hallucinogens	38	37	33	36	43	35
LSD	8	13	14	12	12	12
PCP	6	10	5	5	6	6
Ecstasy	31	23	23	26	34	24
Inhalants	18	19	18	21	17	19
Nonmedical Use of Psychotherapeutics ^{2,3}	60	71	69	72	76	69
Pain Relievers	51	61	60	61	65	60
OxyContin [®]	--	--	19	19	17	18
Tranquilizers	35	36	38	40	43	39
Stimulants ³	31	30	34	37	34	31
Methamphetamine ³	21	21	24	27	20	18
Sedatives	9	11	10	15	13	13
ILLICIT DRUGS OTHER THAN MARIJUANA¹	75	82	82	87	89	82

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.9D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.37	0.40	0.40	0.40	0.37	0.39
Marijuana and Hashish	0.36	0.37	0.37	0.37	0.35	0.37
Cocaine	0.12	0.13	0.13	0.15	0.12	0.12
Crack	0.03	0.04	0.04	0.05	0.04	0.03
Heroin	0.03	0.02	0.03	0.03	0.04	0.03
Hallucinogens	0.12	0.12	0.10	0.11	0.13	0.11
LSD	0.03	0.04	0.04	0.04	0.04	0.04
PCP	0.02	0.03	0.02	0.02	0.02	0.02
Ecstasy	0.10	0.07	0.07	0.08	0.10	0.07
Inhalants	0.06	0.06	0.06	0.06	0.05	0.06
Nonmedical Use of Psychotherapeutics ^{2,3}	0.19	0.22	0.21	0.22	0.23	0.21
Pain Relievers	0.16	0.19	0.19	0.19	0.20	0.18
OxyContin [®]	--	--	0.06	0.06	0.05	0.06
Tranquilizers	0.11	0.11	0.12	0.12	0.13	0.12
Stimulants ³	0.10	0.10	0.11	0.11	0.10	0.10
Methamphetamine ³	0.07	0.07	0.07	0.08	0.06	0.06
Sedatives	0.03	0.04	0.03	0.05	0.04	0.04
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.24	0.26	0.26	0.27	0.27	0.25

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.9P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.4124	0.3426	0.5084	0.4853	0.9222	
Marijuana and Hashish	0.0801	0.2592	0.5742	0.7743	0.7207	
Cocaine	0.0897	0.0117	0.0253	0.0000	0.0056	
Crack	0.9415	0.9965	0.1425	0.0121	0.3403	
Heroin	0.6696	0.0925	0.7652	0.4550	0.6915	
Hallucinogens	0.0059	0.0937	0.8296	0.5265	0.1260	
LSD	0.0316	0.9616	0.4755	0.5736	0.4757	
PCP	0.8902	0.1729	0.7671	0.6529	0.9574	
Ecstasy	0.0003	0.8164	0.8600	0.2645	0.0248	
Inhalants	0.2802	0.7574	0.5250	0.5167	0.9847	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0922	0.7426	0.5298	0.2609	0.1042	
Pain Relievers	0.0220	0.8621	0.8895	0.7401	0.2370	
OxyContin [®]	--	--	0.6667	0.7529	0.4923	
Tranquilizers	0.2955	0.5922	0.9380	0.4676	0.1842	
Stimulants ³	0.0793	0.1022	0.0039	0.0154	0.0248	
Methamphetamine ³	0.0078	0.0024	0.0004	0.0009	0.0162	
Sedatives	0.2226	0.5078	0.1794	0.8826	0.3277	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.6718	0.3646	0.8655	0.0527	0.0321	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.10C Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	935	874	928	903	853	933
Marijuana and Hashish	888	831	875	887	862	919
Cocaine	574	552	621	580	634	654
Crack	303	257	274	283	321	336
Heroin	220	201	188	223	235	236
Hallucinogens	572	549	583	573	613	614
LSD	496	469	494	499	508	539
PCP	282	262	292	284	289	293
Ecstasy	247	255	286	294	322	317
Inhalants	457	407	448	436	445	487
Nonmedical Use of Psychotherapeutics ^{2,3}	715	629	706	693	663	659
Pain Relievers	539	477	529	527	496	524
OxyContin [®]	103	125	120	120	151	164
Tranquilizers	481	414	471	460	452	452
Stimulants ³	495	456	480	474	480	458
Methamphetamine ³	402	392	394	361	396	359
Sedatives	366	316	396	344	346	356
ILLCIT DRUGS OTHER THAN MARIJUANA¹	789	728	788	797	770	827

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.10D Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.52	0.48	0.51	0.49	0.45	0.49
Marijuana and Hashish	0.50	0.46	0.48	0.48	0.46	0.48
Cocaine	0.32	0.30	0.34	0.31	0.34	0.34
Crack	0.17	0.14	0.15	0.15	0.17	0.18
Heroin	0.12	0.11	0.10	0.12	0.12	0.12
Hallucinogens	0.32	0.30	0.32	0.31	0.33	0.32
LSD	0.28	0.26	0.27	0.27	0.27	0.28
PCP	0.16	0.14	0.16	0.15	0.15	0.15
Ecstasy	0.14	0.14	0.16	0.16	0.17	0.17
Inhalants	0.25	0.22	0.24	0.24	0.24	0.26
Nonmedical Use of Psychotherapeutics ^{2,3}	0.40	0.35	0.39	0.37	0.35	0.35
Pain Relievers	0.30	0.26	0.29	0.28	0.26	0.28
OxyContin [®]	0.06	0.07	0.07	0.06	0.08	0.09
Tranquilizers	0.27	0.23	0.26	0.25	0.24	0.24
Stimulants ³	0.28	0.25	0.26	0.26	0.26	0.24
Methamphetamine ³	0.22	0.22	0.22	0.19	0.21	0.19
Sedatives	0.20	0.17	0.22	0.19	0.18	0.19
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.44	0.40	0.43	0.43	0.41	0.44

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.10P Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.1416	0.2949	0.0830	0.4703	0.0502	
Marijuana and Hashish	0.0721	0.2308	0.1142	0.1459	0.0274	
Cocaine	0.7344	0.5538	0.4361	0.0700	0.5769	
Crack	0.9577	0.1857	0.1274	0.1323	0.7102	
Heroin	0.9152	0.8225	0.0498	0.5647	0.9618	
Hallucinogens	0.8464	0.9734	0.7638	0.5451	0.2797	
LSD	0.9391	0.5294	0.7999	0.2090	0.6559	
PCP	0.0034	0.0616	0.1763	0.3877	0.3189	
Ecstasy	0.0000	0.0000	0.0014	0.0231	0.4977	
Inhalants	0.9241	1.0000	0.6873	0.7293	0.9586	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.8433	0.6841	0.8801	0.8149	0.6209	
Pain Relievers	0.0871	0.4435	0.4098	0.9438	0.7434	
OxyContin [®]	0.0000	0.0002	0.0000	0.0008	0.4086	
Tranquilizers	0.4425	0.1534	0.5855	0.1234	0.0706	
Stimulants ³	0.0009	0.0142	0.2389	0.2045	0.4959	
Methamphetamine ³	0.0000	0.0001	0.0125	0.2491	0.0986	
Sedatives	0.0001	0.0018	0.0014	0.1469	0.3613	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.5842	0.5643	0.1482	0.4242	0.5332	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.11C Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	514	489	473	493	493	528
Marijuana and Hashish	407	387	395	418	409	417
Cocaine	200	207	180	180	210	222
Crack	121	120	112	109	132	120
Heroin	52	45	52	36	83	49
Hallucinogens	109	109	132	112	113	105
LSD	35	28	29	31	43	42
PCP	16	6	18	10	34	11
Ecstasy	93	86	97	98	81	85
Inhalants	66	54	69	65	86	88
Nonmedical Use of Psychotherapeutics ^{2,3}	345	335	313	315	323	345
Pain Relievers	275	275	265	274	272	289
OxyContin [®]	--	--	61	69	82	85
Tranquilizers	210	175	189	189	180	207
Stimulants ³	129	115	136	114	163	129
Methamphetamine ³	99	91	116	89	131	102
Sedatives	113	81	69	69	94	88
ILLICIT DRUGS OTHER THAN MARIJUANA¹	384	375	364	354	366	406

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.11D Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.29	0.27	0.26	0.27	0.26	0.28
Marijuana and Hashish	0.23	0.21	0.22	0.23	0.22	0.22
Cocaine	0.11	0.11	0.10	0.10	0.11	0.12
Crack	0.07	0.07	0.06	0.06	0.07	0.06
Heroin	0.03	0.02	0.03	0.02	0.04	0.03
Hallucinogens	0.06	0.06	0.07	0.06	0.06	0.06
LSD	0.02	0.02	0.02	0.02	0.02	0.02
PCP	0.01	0.00	0.01	0.01	0.02	0.01
Ecstasy	0.05	0.05	0.05	0.05	0.04	0.04
Inhalants	0.04	0.03	0.04	0.03	0.05	0.05
Nonmedical Use of Psychotherapeutics ^{2,3}	0.19	0.18	0.17	0.17	0.17	0.18
Pain Relievers	0.15	0.15	0.14	0.15	0.14	0.15
OxyContin [®]	--	--	0.03	0.04	0.04	0.04
Tranquilizers	0.12	0.10	0.10	0.10	0.10	0.11
Stimulants ³	0.07	0.06	0.07	0.06	0.09	0.07
Methamphetamine ³	0.06	0.05	0.06	0.05	0.07	0.05
Sedatives	0.06	0.04	0.04	0.04	0.05	0.05
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.21	0.21	0.20	0.19	0.19	0.21

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.11P Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.6244	0.3957	0.2549	0.2856	0.6252	
Marijuana and Hashish	0.5073	0.8620	0.5452	0.6843	0.9417	
Cocaine	0.4539	0.3904	0.8847	0.2225	0.5825	
Crack	0.4950	0.7710	0.4621	0.4876	0.9410	
Heroin	0.5436	0.8875	0.5795	0.8508	0.0550	
Hallucinogens	0.2609	0.9486	0.4249	0.8423	0.5862	
LSD	0.7393	0.3939	0.9818	0.6045	0.2990	
PCP	0.6739	0.3903	0.4933	0.8706	0.4373	
Ecstasy	0.0703	0.9542	0.8728	0.5823	0.6573	
Inhalants	0.0497	0.0167	0.2454	0.0825	0.8538	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1099	0.1570	0.0095	0.0846	0.8994	
Pain Relievers	0.0274	0.1616	0.0083	0.1182	0.9627	
OxyContin [®]	--	--	0.1568	0.2384	0.5653	
Tranquilizers	0.6382	0.5713	0.7436	0.8548	0.3605	
Stimulants ³	0.5184	0.4631	0.6977	0.6629	0.0372	
Methamphetamine ³	0.4074	0.7649	0.1493	0.7303	0.0416	
Sedatives	0.3468	0.9370	0.2782	0.2479	0.6527	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.4664	0.2541	0.0196	0.0437	0.6246	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.12C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	353	363	366	395	376	394
Marijuana and Hashish	279	284	312	323	310	308
Cocaine	119	137	110	129	147	143
Crack	66	90	64	85	101	78
Heroin	40	26	35	15	76	34
Hallucinogens	67	54	44	73	51	63
LSD	11	8	13	7	20	30
PCP	13	*	15	10	*	10
Ecstasy	53	46	37	34	36	49
Inhalants	56	32	55	48	64	58
Nonmedical Use of Psychotherapeutics ^{2,3}	216	243	190	218	221	237
Pain Relievers	172	193	152	179	198	199
OxyContin [®]	--	--	28	31	30	50
Tranquilizers	127	112	91	109	105	124
Stimulants ³	85	93	87	69	97	86
Methamphetamine ³	71	77	67	56	77	76
Sedatives	63	53	47	44	67	67
ILLICIT DRUGS OTHER THAN MARIJUANA¹	259	274	226	257	256	288

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.12D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.20	0.20	0.20	0.21	0.20	0.21
Marijuana and Hashish	0.16	0.16	0.17	0.17	0.17	0.16
Cocaine	0.07	0.08	0.06	0.07	0.08	0.08
Crack	0.04	0.05	0.03	0.05	0.05	0.04
Heroin	0.02	0.01	0.02	0.01	0.04	0.02
Hallucinogens	0.04	0.03	0.02	0.04	0.03	0.03
LSD	0.01	0.00	0.01	0.00	0.01	0.02
PCP	0.01	*	0.01	0.01	*	0.01
Ecstasy	0.03	0.03	0.02	0.02	0.02	0.03
Inhalants	0.03	0.02	0.03	0.03	0.03	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.12	0.13	0.10	0.12	0.12	0.12
Pain Relievers	0.10	0.11	0.08	0.10	0.11	0.11
OxyContin [®]	--	--	0.02	0.02	0.02	0.03
Tranquilizers	0.07	0.06	0.05	0.06	0.06	0.07
Stimulants ³	0.05	0.05	0.05	0.04	0.05	0.05
Methamphetamine ³	0.04	0.04	0.04	0.03	0.04	0.04
Sedatives	0.04	0.03	0.03	0.02	0.04	0.04
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.14	0.15	0.12	0.14	0.14	0.15

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.12P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.9942	0.6403	0.4115	0.9138	0.3307	
Marijuana and Hashish	0.6032	0.5736	0.4163	0.4900	0.2557	
Cocaine	0.6625	0.6124	0.4080	0.7571	0.3212	
Crack	0.8460	0.9641	0.1352	0.8077	0.4976	
Heroin	0.7045	0.6172	0.8350	0.3106	0.0356	
Hallucinogens	0.7747	0.2549	0.2181	0.6567	0.3258	
LSD	0.3608	0.3450	0.4601	0.2848	0.9189	
PCP	0.8354	*	0.8250	0.8571	*	
Ecstasy	1.0000	0.4441	0.3171	0.4630	0.1525	
Inhalants	0.9738	0.3085	0.9699	0.6375	0.2382	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.3570	0.2385	0.0115	0.1730	0.8443	
Pain Relievers	0.0498	0.1036	0.0029	0.0667	0.8654	
OxyContin [®]	--	--	0.4407	0.8690	0.3299	
Tranquilizers	0.5332	0.7699	0.3064	0.9720	0.6291	
Stimulants ³	0.2241	0.2962	0.4048	0.9123	0.1396	
Methamphetamine ³	0.4912	0.3575	0.5360	0.6671	0.2675	
Sedatives	0.2033	0.6326	0.6055	0.4074	0.6101	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.5098	0.2752	0.0081	0.2171	0.8501	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.13C Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	963	902	965	937	894	964
Marijuana and Hashish	915	865	918	924	902	951
Cocaine	584	564	635	597	655	659
Crack	307	263	280	293	328	339
Heroin	222	204	193	227	238	239
Hallucinogens	599	584	613	608	642	636
LSD	513	494	504	521	520	548
PCP	281	270	297	288	294	297
Ecstasy	296	281	326	334	354	344
Inhalants	472	435	471	456	466	496
Nonmedical Use of Psychotherapeutics ^{2,3}	737	648	731	721	695	691
Pain Relievers	565	510	559	560	532	557
OxyContin [®]	114	140	133	139	164	177
Tranquilizers	493	433	484	478	476	466
Stimulants ³	508	472	497	492	501	470
Methamphetamine ³	414	403	400	375	411	366
Sedatives	370	322	399	346	351	359
ILLICIT DRUGS OTHER THAN MARIJUANA¹	813	748	820	831	804	854

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.13D Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.46	0.42	0.45	0.43	0.41	0.43
Marijuana and Hashish	0.44	0.41	0.43	0.42	0.41	0.43
Cocaine	0.28	0.27	0.30	0.27	0.30	0.30
Crack	0.15	0.12	0.13	0.13	0.15	0.15
Heroin	0.11	0.10	0.09	0.10	0.11	0.11
Hallucinogens	0.28	0.27	0.28	0.28	0.29	0.29
LSD	0.24	0.23	0.23	0.24	0.24	0.25
PCP	0.13	0.13	0.14	0.13	0.13	0.13
Ecstasy	0.14	0.13	0.15	0.15	0.16	0.15
Inhalants	0.22	0.20	0.22	0.21	0.21	0.22
Nonmedical Use of Psychotherapeutics ^{2,3}	0.35	0.30	0.34	0.33	0.32	0.31
Pain Relievers	0.27	0.24	0.26	0.26	0.24	0.25
OxyContin [®]	0.05	0.07	0.06	0.06	0.07	0.08
Tranquilizers	0.23	0.20	0.22	0.22	0.22	0.21
Stimulants ³	0.24	0.22	0.23	0.23	0.23	0.21
Methamphetamine ³	0.20	0.19	0.19	0.17	0.19	0.16
Sedatives	0.18	0.15	0.19	0.16	0.16	0.16
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.39	0.35	0.38	0.38	0.36	0.38

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.13P Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.3926	0.8264	0.2247	0.8201	0.1393	
Marijuana and Hashish	0.3105	0.7406	0.3224	0.3414	0.0901	
Cocaine	0.8496	0.5729	0.4778	0.0824	0.7483	
Crack	0.6060	0.4638	0.2628	0.2776	0.9541	
Heroin	0.8671	0.7326	0.0749	0.5833	0.9199	
Hallucinogens	0.0985	0.1297	0.2759	0.8859	0.1571	
LSD	0.0003	0.0004	0.0624	0.8195	0.2464	
PCP	0.0002	0.0038	0.0700	0.1981	0.2281	
Ecstasy	0.0000	0.0083	0.0358	0.1810	0.8626	
Inhalants	0.0491	0.0708	0.3420	0.4882	0.5220	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.7563	0.7644	0.8754	0.9228	0.4434	
Pain Relievers	0.0069	0.2571	0.3574	0.7797	0.5304	
OxyContin [®]	0.0000	0.0000	0.0000	0.0008	0.3936	
Tranquilizers	0.9507	0.2257	0.7455	0.0612	0.0498	
Stimulants ³	0.0001	0.0026	0.0866	0.5911	0.2406	
Methamphetamine ³	0.0000	0.0000	0.0011	0.6662	0.0377	
Sedatives	0.0001	0.0022	0.0012	0.1183	0.3501	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.9553	0.9852	0.2660	0.6593	0.8036	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.14C Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	565	540	519	541	547	592
Marijuana and Hashish	459	437	437	463	465	484
Cocaine	217	225	202	202	228	239
Crack	124	122	115	114	133	123
Heroin	54	47	55	42	85	52
Hallucinogens	144	140	147	140	142	134
LSD	58	41	41	45	55	53
PCP	21	20	25	15	37	16
Ecstasy	122	101	108	111	101	104
Inhalants	80	66	78	79	93	96
Nonmedical Use of Psychotherapeutics ^{2,3}	368	356	341	345	353	377
Pain Relievers	293	298	289	300	298	312
OxyContin [®]	--	--	72	80	90	93
Tranquilizers	219	192	203	206	193	219
Stimulants ³	147	133	153	130	177	150
Methamphetamine ³	110	99	125	97	136	113
Sedatives	115	83	70	73	98	92
ILLCIT DRUGS OTHER THAN MARIJUANA¹	415	408	399	393	404	443

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.14D Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.27	0.25	0.24	0.25	0.25	0.27
Marijuana and Hashish	0.22	0.21	0.20	0.21	0.21	0.22
Cocaine	0.10	0.11	0.09	0.09	0.10	0.11
Crack	0.06	0.06	0.05	0.05	0.06	0.06
Heroin	0.03	0.02	0.03	0.02	0.04	0.02
Hallucinogens	0.07	0.07	0.07	0.06	0.06	0.06
LSD	0.03	0.02	0.02	0.02	0.02	0.02
PCP	0.01	0.01	0.01	0.01	0.02	0.01
Ecstasy	0.06	0.05	0.05	0.05	0.05	0.05
Inhalants	0.04	0.03	0.04	0.04	0.04	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.17	0.17	0.16	0.16	0.16	0.17
Pain Relievers	0.14	0.14	0.13	0.14	0.13	0.14
OxyContin [®]	--	--	0.03	0.04	0.04	0.04
Tranquilizers	0.10	0.09	0.09	0.09	0.09	0.10
Stimulants ³	0.07	0.06	0.07	0.06	0.08	0.07
Methamphetamine ³	0.05	0.05	0.06	0.04	0.06	0.05
Sedatives	0.05	0.04	0.03	0.03	0.04	0.04
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.20	0.19	0.19	0.18	0.18	0.20

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.14P Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.6405	0.9501	0.5659	0.6862	0.8825	
Marijuana and Hashish	0.0854	0.4093	0.3675	0.4258	0.6597	
Cocaine	0.2892	0.2709	0.8251	0.6428	0.2764	
Crack	0.3935	0.9359	0.5483	0.8621	0.8534	
Heroin	0.6897	0.4742	0.7956	0.9084	0.0563	
Hallucinogens	0.0000	0.3915	0.6361	0.6921	0.3007	
LSD	0.0049	0.3275	0.5002	0.2964	0.3635	
PCP	0.0633	0.0432	0.0448	0.9488	0.2450	
Ecstasy	0.0000	0.6377	0.3450	0.6805	0.8050	
Inhalants	0.8613	0.4710	0.7647	0.8724	0.8192	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0624	0.1418	0.0205	0.1548	0.7134	
Pain Relievers	0.0101	0.1909	0.0129	0.2503	0.7301	
OxyContin [®]	--	--	0.2533	0.2963	0.6674	
Tranquilizers	0.4404	0.7288	0.7751	0.7879	0.5913	
Stimulants ³	0.1770	0.9437	0.2353	0.7785	0.0034	
Methamphetamine ³	0.0223	0.0933	0.0074	0.1216	0.0058	
Sedatives	0.3620	0.8794	0.2759	0.3653	0.5924	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.8069	0.4306	0.0341	0.1322	0.9448	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.15C Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	379	396	404	430	415	441
Marijuana and Hashish	313	317	349	357	350	353
Cocaine	126	146	119	141	152	149
Crack	67	91	66	87	101	80
Heroin	41	27	36	18	77	36
Hallucinogens	78	68	55	82	68	72
LSD	13	15	22	14	23	32
PCP	14	11	16	11	7	11
Ecstasy	62	53	45	43	50	54
Inhalants	59	37	58	52	66	62
Nonmedical Use of Psychotherapeutics ^{2,3}	227	255	206	232	236	249
Pain Relievers	182	205	164	191	210	212
OxyContin [®]	--	--	35	38	35	53
Tranquilizers	133	116	102	116	114	128
Stimulants ³	92	100	96	79	103	93
Methamphetamine ³	75	80	75	60	79	79
Sedatives	64	54	48	46	68	68
ILLCIT DRUGS OTHER THAN MARIJUANA¹	270	286	247	278	275	303

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.15D Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.18	0.19	0.19	0.20	0.19	0.20
Marijuana and Hashish	0.15	0.15	0.16	0.16	0.16	0.16
Cocaine	0.06	0.07	0.06	0.06	0.07	0.07
Crack	0.03	0.04	0.03	0.04	0.05	0.04
Heroin	0.02	0.01	0.02	0.01	0.03	0.02
Hallucinogens	0.04	0.03	0.03	0.04	0.03	0.03
LSD	0.01	0.01	0.01	0.01	0.01	0.01
PCP	0.01	0.01	0.01	0.01	0.00	0.01
Ecstasy	0.03	0.03	0.02	0.02	0.02	0.02
Inhalants	0.03	0.02	0.03	0.02	0.03	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.11	0.12	0.10	0.11	0.11	0.11
Pain Relievers	0.09	0.10	0.08	0.09	0.10	0.10
OxyContin [®]	--	--	0.02	0.02	0.02	0.02
Tranquilizers	0.06	0.05	0.05	0.05	0.05	0.06
Stimulants ³	0.04	0.05	0.04	0.04	0.05	0.04
Methamphetamine ³	0.04	0.04	0.03	0.03	0.04	0.04
Sedatives	0.03	0.03	0.02	0.02	0.03	0.03
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.13	0.13	0.11	0.13	0.12	0.14

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.15P Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.7853	0.9834	0.4157	0.8215	0.3237	
Marijuana and Hashish	0.2760	0.3069	0.5084	0.4069	0.3291	
Cocaine	0.9549	0.2316	0.9497	0.1008	0.0824	
Crack	0.8404	0.9685	0.2239	0.5214	0.4270	
Heroin	0.8000	0.3368	0.8996	0.5183	0.0323	
Hallucinogens	0.1102	0.9880	0.3967	0.4544	0.9084	
LSD	0.0819	0.4206	0.8211	0.2377	0.6943	
PCP	0.8032	0.7592	0.7402	0.9630	0.3265	
Ecstasy	0.0856	0.5916	0.4653	0.9895	0.8771	
Inhalants	0.7153	0.4219	0.8562	0.8400	0.2563	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1861	0.3268	0.0344	0.3786	0.4772	
Pain Relievers	0.0128	0.1521	0.0075	0.1178	0.8252	
OxyContin [®]	--	--	0.3976	0.8011	0.2548	
Tranquilizers	0.7603	0.8837	0.3726	0.8117	0.9914	
Stimulants ³	0.0845	0.1283	0.0705	0.3533	0.0315	
Methamphetamine ³	0.1782	0.0980	0.1157	0.4587	0.0920	
Sedatives	0.2960	0.5499	0.4413	0.4495	0.7475	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.4634	0.4660	0.0186	0.5999	0.3826	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.16C Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	75	71	67	75	74	73
Marijuana and Hashish	64	63	61	64	63	64
Cocaine	26	24	24	24	21	23
Crack	11	13	10	9	10	8
Heroin	7	8	9	7	7	8
Hallucinogens	35	33	32	31	30	31
LSD	25	19	17	18	16	13
PCP	13	13	13	14	11	10
Ecstasy	27	21	20	17	19	21
Inhalants	46	49	47	48	47	46
Nonmedical Use of Psychotherapeutics ^{2,3}	51	49	48	51	52	52
Pain Relievers	47	47	46	47	48	47
OxyContin [®]	14	16	17	14	16	17
Tranquilizers	27	26	22	25	23	23
Stimulants ³	30	27	25	27	29	23
Methamphetamine ³	18	17	16	18	17	12
Sedatives	13	16	15	16	13	13
ILLICIT DRUGS OTHER THAN MARIJUANA¹	63	63	61	63	61	66

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.16D Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.59	0.56	0.52	0.58	0.57	0.57
Marijuana and Hashish	0.50	0.49	0.47	0.49	0.48	0.50
Cocaine	0.21	0.18	0.18	0.18	0.16	0.18
Crack	0.09	0.10	0.08	0.07	0.08	0.06
Heroin	0.05	0.06	0.07	0.06	0.05	0.06
Hallucinogens	0.27	0.26	0.25	0.24	0.23	0.24
LSD	0.20	0.15	0.13	0.14	0.12	0.10
PCP	0.10	0.10	0.10	0.11	0.08	0.08
Ecstasy	0.21	0.16	0.16	0.13	0.15	0.16
Inhalants	0.37	0.39	0.37	0.37	0.37	0.36
Nonmedical Use of Psychotherapeutics ^{2,3}	0.41	0.38	0.37	0.39	0.40	0.40
Pain Relievers	0.37	0.37	0.36	0.36	0.37	0.36
OxyContin [®]	0.11	0.12	0.13	0.11	0.12	0.13
Tranquilizers	0.21	0.20	0.17	0.19	0.18	0.18
Stimulants ³	0.24	0.21	0.19	0.21	0.22	0.18
Methamphetamine ³	0.14	0.13	0.13	0.14	0.13	0.09
Sedatives	0.10	0.13	0.12	0.12	0.10	0.10
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.50	0.50	0.47	0.49	0.47	0.51

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.16P Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.0000	0.0000	0.0000	0.1029	0.1702	
Marijuana and Hashish	0.0000	0.0001	0.0002	0.2196	0.4356	
Cocaine	0.0142	0.0501	0.0130	0.4622	0.9324	
Crack	0.1592	0.0030	0.1804	0.6941	0.5540	
Heroin	0.5292	0.5460	0.2062	0.7306	0.7637	
Hallucinogens	0.0000	0.0012	0.0015	0.3959	0.4700	
LSD	0.0000	0.0000	0.0033	0.0043	0.4811	
PCP	0.0007	0.0026	0.0055	0.0100	0.9865	
Ecstasy	0.0000	0.1334	0.3183	0.2337	0.5885	
Inhalants	0.0004	0.0074	0.0015	0.0496	0.2807	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0012	0.0023	0.0101	0.9841	0.1192	
Pain Relievers	0.0039	0.0017	0.0051	0.8721	0.0985	
OxyContin [®]	0.0091	0.2920	0.6738	0.1036	0.5301	
Tranquilizers	0.0539	0.0242	0.3548	0.6097	0.7533	
Stimulants ³	0.0000	0.0000	0.0107	0.0767	0.0104	
Methamphetamine ³	0.0008	0.0001	0.0030	0.0103	0.0323	
Sedatives	0.8489	0.0750	0.0551	0.3522	0.6943	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0001	0.0001	0.2478	0.1232	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.17C Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	66	73	66	67	68	67
Marijuana and Hashish	59	62	59	55	57	56
Cocaine	24	26	24	23	23	22
Crack	13	10	12	10	12	10
Heroin	12	8	8	6	9	7
Hallucinogens	34	35	31	29	29	28
LSD	22	18	16	14	13	12
PCP	14	14	12	12	12	9
Ecstasy	28	24	22	20	22	21
Inhalants	45	45	50	49	45	47
Nonmedical Use of Psychotherapeutics ^{2,3}	52	54	49	50	50	51
Pain Relievers	48	50	47	46	45	49
OxyContin [®]	16	13	16	16	18	17
Tranquilizers	27	28	29	27	28	27
Stimulants ³	35	31	29	31	30	26
Methamphetamine ³	22	19	20	18	21	15
Sedatives	17	15	15	15	14	15
ILLICIT DRUGS OTHER THAN MARIJUANA¹	59	66	58	61	57	60

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.17D Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.54	0.60	0.54	0.54	0.54	0.54
Marijuana and Hashish	0.49	0.51	0.48	0.45	0.46	0.45
Cocaine	0.20	0.21	0.19	0.18	0.19	0.18
Crack	0.11	0.08	0.09	0.08	0.10	0.08
Heroin	0.10	0.07	0.06	0.05	0.07	0.05
Hallucinogens	0.28	0.28	0.25	0.23	0.23	0.22
LSD	0.18	0.15	0.13	0.11	0.10	0.10
PCP	0.12	0.12	0.10	0.10	0.09	0.08
Ecstasy	0.23	0.20	0.18	0.16	0.18	0.17
Inhalants	0.37	0.36	0.41	0.39	0.36	0.38
Nonmedical Use of Psychotherapeutics ^{2,3}	0.43	0.44	0.40	0.40	0.40	0.41
Pain Relievers	0.40	0.41	0.38	0.37	0.36	0.39
OxyContin [®]	0.13	0.10	0.13	0.13	0.14	0.14
Tranquilizers	0.23	0.23	0.23	0.22	0.22	0.22
Stimulants ³	0.29	0.25	0.24	0.25	0.24	0.21
Methamphetamine ³	0.18	0.16	0.16	0.15	0.17	0.12
Sedatives	0.14	0.12	0.12	0.12	0.11	0.13
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.49	0.54	0.47	0.49	0.46	0.48

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.17P Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.0000	0.0000	0.0000	0.0370	0.0307	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0165	0.0057	
Cocaine	0.0971	0.1618	0.7054	0.6778	0.3915	
Crack	0.0154	0.7162	0.8888	0.7700	0.3967	
Heroin	0.0142	0.0629	0.4100	0.8608	0.4416	
Hallucinogens	0.0000	0.0000	0.0027	0.1385	0.1735	
LSD	0.0000	0.0000	0.0140	0.2762	0.8475	
PCP	0.0000	0.0023	0.0930	0.0388	0.1244	
Ecstasy	0.0000	0.0003	0.1150	0.6081	0.1893	
Inhalants	0.9809	0.1578	0.0535	0.1658	0.4254	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0001	0.0014	0.0001	0.4296	0.1917	
Pain Relievers	0.0077	0.0186	0.0003	0.5153	0.2851	
OxyContin [®]	0.0021	0.0003	0.0591	0.0401	0.8343	
Tranquilizers	0.3877	0.1591	0.3262	0.9376	0.9625	
Stimulants ³	0.0000	0.0003	0.0244	0.0701	0.0125	
Methamphetamine ³	0.0000	0.0009	0.0103	0.0622	0.0045	
Sedatives	0.1609	0.9949	0.9510	0.8852	0.9593	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0001	0.0000	0.0000	0.0367	0.0815	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.18C Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	65	64	62	66	65	67
Marijuana and Hashish	55	53	53	56	54	57
Cocaine	23	19	20	19	18	18
Crack	8	9	7	7	8	7
Heroin	5	6	8	6	6	5
Hallucinogens	29	25	26	25	22	26
LSD	18	11	13	14	10	11
PCP	8	9	9	11	8	7
Ecstasy	22	15	16	14	14	19
Inhalants	31	33	34	33	32	31
Nonmedical Use of Psychotherapeutics ^{2,3}	42	43	39	41	43	45
Pain Relievers	38	40	37	38	40	40
OxyContin [®]	--	--	13	13	12	13
Tranquilizers	22	22	19	21	18	19
Stimulants ³	24	20	18	19	21	18
Methamphetamine ³	16	12	12	13	14	8
Sedatives	10	13	10	11	11	9
ILLICIT DRUGS OTHER THAN MARIJUANA¹	52	53	49	52	51	55

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.18D Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.52	0.50	0.48	0.51	0.50	0.52
Marijuana and Hashish	0.43	0.42	0.41	0.43	0.42	0.44
Cocaine	0.18	0.15	0.15	0.15	0.14	0.14
Crack	0.06	0.07	0.05	0.05	0.06	0.05
Heroin	0.04	0.05	0.06	0.04	0.04	0.04
Hallucinogens	0.23	0.20	0.20	0.19	0.17	0.20
LSD	0.15	0.09	0.10	0.10	0.07	0.09
PCP	0.06	0.07	0.07	0.09	0.06	0.06
Ecstasy	0.18	0.12	0.12	0.11	0.11	0.14
Inhalants	0.25	0.26	0.26	0.26	0.25	0.24
Nonmedical Use of Psychotherapeutics ^{2,3}	0.33	0.33	0.30	0.32	0.33	0.35
Pain Relievers	0.30	0.31	0.29	0.30	0.31	0.31
OxyContin [®]	--	--	0.10	0.10	0.09	0.10
Tranquilizers	0.17	0.17	0.14	0.16	0.14	0.15
Stimulants ³	0.19	0.15	0.14	0.14	0.16	0.14
Methamphetamine ³	0.12	0.09	0.09	0.10	0.11	0.06
Sedatives	0.08	0.10	0.08	0.08	0.08	0.07
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.41	0.41	0.38	0.40	0.39	0.42

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.18P Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.0000	0.0011	0.0846	0.6226	0.9061	
Marijuana and Hashish	0.0000	0.0041	0.0271	0.6164	0.8507	
Cocaine	0.0014	0.0590	0.0663	0.2246	0.9140	
Crack	0.2363	0.0408	0.4926	0.8166	0.5165	
Heroin	0.5454	0.8260	0.0917	0.9147	0.8359	
Hallucinogens	0.0000	0.1632	0.1708	0.7603	0.4893	
LSD	0.0000	0.8841	0.2755	0.3902	0.0922	
PCP	0.1685	0.2567	0.5179	0.3684	0.5500	
Ecstasy	0.0006	0.3541	0.3144	0.0980	0.1130	
Inhalants	0.0303	0.1996	0.0579	0.4429	0.6936	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0213	0.0347	0.9306	0.8429	0.2151	
Pain Relievers	0.0428	0.0321	0.6948	0.9759	0.2804	
OxyContin [®]	--	--	0.6549	0.7119	0.4611	
Tranquilizers	0.1906	0.1201	0.6852	0.6561	0.4216	
Stimulants ³	0.0000	0.0025	0.1509	0.4321	0.0795	
Methamphetamine ³	0.0008	0.0021	0.0394	0.0122	0.0307	
Sedatives	0.7770	0.1060	0.2107	0.5151	0.3203	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0004	0.0064	0.1985	0.7088	0.2467	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.19C Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	63	64	63	60	61	58
Marijuana and Hashish	53	55	54	50	51	48
Cocaine	23	19	19	19	20	20
Crack	11	9	8	7	8	9
Heroin	10	5	6	5	6	3
Hallucinogens	27	26	26	24	25	23
LSD	16	11	10	10	10	9
PCP	10	8	7	9	8	6
Ecstasy	22	17	17	15	18	18
Inhalants	30	31	34	33	32	30
Nonmedical Use of Psychotherapeutics ^{2,3}	43	46	45	44	43	42
Pain Relievers	40	42	43	39	39	40
OxyContin [®]	--	--	13	12	13	14
Tranquilizers	24	24	24	21	24	24
Stimulants ³	25	23	21	24	25	20
Methamphetamine ³	17	13	14	14	15	12
Sedatives	13	11	11	12	8	12
ILLICIT DRUGS OTHER THAN MARIJUANA¹	51	56	52	50	49	48

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.19D Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.52	0.52	0.51	0.48	0.49	0.47
Marijuana and Hashish	0.44	0.45	0.44	0.40	0.41	0.39
Cocaine	0.19	0.16	0.15	0.15	0.16	0.16
Crack	0.09	0.07	0.06	0.06	0.07	0.07
Heroin	0.08	0.04	0.05	0.04	0.05	0.03
Hallucinogens	0.23	0.22	0.21	0.19	0.20	0.18
LSD	0.13	0.09	0.08	0.08	0.08	0.07
PCP	0.08	0.06	0.06	0.07	0.06	0.05
Ecstasy	0.18	0.14	0.14	0.12	0.14	0.14
Inhalants	0.25	0.25	0.27	0.27	0.26	0.24
Nonmedical Use of Psychotherapeutics ^{2,3}	0.36	0.38	0.36	0.35	0.35	0.34
Pain Relievers	0.33	0.34	0.35	0.32	0.31	0.33
OxyContin [®]	--	--	0.10	0.09	0.11	0.12
Tranquilizers	0.20	0.19	0.19	0.17	0.19	0.19
Stimulants ³	0.21	0.19	0.17	0.20	0.20	0.16
Methamphetamine ³	0.14	0.10	0.11	0.11	0.12	0.09
Sedatives	0.10	0.09	0.09	0.10	0.06	0.10
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.42	0.46	0.43	0.40	0.39	0.39

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.19P Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0033	0.0154	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0082	0.0051	
Cocaine	0.1801	0.7428	0.4527	0.8432	0.4254	
Crack	0.0923	0.5126	0.5049	0.4141	0.9369	
Heroin	0.0245	0.0600	0.2079	0.0554	0.0380	
Hallucinogens	0.0000	0.0021	0.0278	0.4753	0.2087	
LSD	0.0000	0.0570	0.3209	0.5236	0.6974	
PCP	0.0003	0.0294	0.3147	0.1104	0.3249	
Ecstasy	0.0000	0.2875	0.8086	0.1617	0.6167	
Inhalants	0.8536	0.0745	0.0498	0.0161	0.0350	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0120	0.0148	0.0020	0.2426	0.3245	
Pain Relievers	0.0504	0.0229	0.0051	0.3204	0.2326	
OxyContin [®]	--	--	0.1202	0.0341	0.2658	
Tranquilizers	0.3227	0.2387	0.6363	0.4487	0.8958	
Stimulants ³	0.0000	0.0054	0.0627	0.0324	0.0130	
Methamphetamine ³	0.0005	0.1418	0.1153	0.2271	0.0825	
Sedatives	0.1399	0.7900	0.7306	0.8949	0.2598	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0023	0.0004	0.0002	0.0137	0.0667	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.20C Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	52	47	44	49	46	53
Marijuana and Hashish	44	43	39	43	39	44
Cocaine	12	10	12	13	9	9
Crack	4	7	4	6	2	2
Heroin	3	5	4	4	2	2
Hallucinogens	14	15	15	13	11	13
LSD	8	7	7	7	4	7
PCP	4	5	4	4	3	5
Ecstasy	10	8	10	7	8	8
Inhalants	16	16	16	18	18	19
Nonmedical Use of Psychotherapeutics ^{2,3}	30	28	26	26	27	29
Pain Relievers	26	26	24	24	25	26
OxyContin [®]	--	--	7	6	5	6
Tranquilizers	11	14	12	13	9	12
Stimulants ³	17	13	13	14	12	9
Methamphetamine ³	13	8	8	10	7	4
Sedatives	3	8	2	4	7	6
ILLICIT DRUGS OTHER THAN MARIJUANA¹	36	32	32	33	33	37

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.20D Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.41	0.37	0.34	0.38	0.36	0.41
Marijuana and Hashish	0.35	0.34	0.30	0.33	0.30	0.34
Cocaine	0.10	0.08	0.09	0.10	0.07	0.07
Crack	0.03	0.05	0.03	0.04	0.02	0.02
Heroin	0.02	0.04	0.03	0.03	0.01	0.01
Hallucinogens	0.11	0.11	0.11	0.10	0.08	0.10
LSD	0.07	0.06	0.05	0.06	0.03	0.06
PCP	0.03	0.04	0.03	0.03	0.02	0.04
Ecstasy	0.08	0.06	0.08	0.05	0.06	0.06
Inhalants	0.13	0.13	0.12	0.14	0.14	0.15
Nonmedical Use of Psychotherapeutics ^{2,3}	0.23	0.22	0.20	0.20	0.21	0.22
Pain Relievers	0.21	0.20	0.18	0.18	0.20	0.20
OxyContin [®]	--	--	0.05	0.04	0.04	0.05
Tranquilizers	0.08	0.11	0.09	0.10	0.07	0.09
Stimulants ³	0.13	0.11	0.10	0.10	0.09	0.07
Methamphetamine ³	0.10	0.06	0.06	0.08	0.06	0.03
Sedatives	0.02	0.06	0.01	0.03	0.05	0.04
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.28	0.25	0.25	0.26	0.25	0.28

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.20P Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.0001	0.0125	0.3029	0.8207	0.7044	
Marijuana and Hashish	0.0011	0.0294	0.2344	0.9274	0.1486	
Cocaine	0.0424	0.0814	0.0677	0.0516	0.9687	
Crack	0.2095	0.0149	0.2632	0.1355	0.8935	
Heroin	0.3320	0.3814	0.0812	0.1292	0.7749	
Hallucinogens	0.1281	0.0640	0.3736	0.7989	0.3215	
LSD	0.1992	0.7007	0.9804	0.9667	0.0983	
PCP	0.6893	0.4641	0.7753	0.7688	0.5739	
Ecstasy	0.0466	0.7254	0.3828	0.8872	0.7322	
Inhalants	0.8923	0.4659	0.4753	0.9815	0.8839	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0629	0.0218	0.5660	0.8613	0.8137	
Pain Relievers	0.1080	0.0753	0.7078	0.9954	0.9062	
OxyContin [®]	--	--	0.6604	0.3398	0.4182	
Tranquilizers	0.4442	0.1218	0.6267	0.9830	0.0114	
Stimulants ³	0.0019	0.0002	0.0078	0.0580	0.0281	
Methamphetamine ³	0.0240	0.0101	0.1157	0.0075	0.0860	
Sedatives	0.1578	0.2093	0.0785	0.4210	0.4975	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0085	0.0310	0.3623	0.5469	0.7290	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.21C Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	44	45	50	43	45	44
Marijuana and Hashish	35	39	38	35	36	35
Cocaine	13	12	9	10	10	10
Crack	7	3	3	5	3	4
Heroin	5	4	2	2	5	*
Hallucinogens	15	13	12	14	14	11
LSD	9	7	4	3	6	3
PCP	4	3	3	4	3	*
Ecstasy	12	10	7	9	9	8
Inhalants	16	19	20	16	18	17
Nonmedical Use of Psychotherapeutics ^{2,3}	30	31	31	26	28	28
Pain Relievers	28	28	28	24	25	25
OxyContin [®]	--	--	8	5	3	5
Tranquilizers	14	16	12	10	11	15
Stimulants ³	13	14	14	12	12	11
Methamphetamine ³	7	8	9	8	8	7
Sedatives	8	6	6	5	5	7
ILLICIT DRUGS OTHER THAN MARIJUANA¹	35	37	38	31	33	33

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.21D Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2007

Drug	2002	2003	2004	2005	2006	2007
ILLICIT DRUGS¹	0.37	0.37	0.40	0.35	0.36	0.35
Marijuana and Hashish	0.29	0.32	0.31	0.29	0.29	0.29
Cocaine	0.11	0.10	0.07	0.08	0.08	0.08
Crack	0.06	0.03	0.03	0.04	0.03	0.03
Heroin	0.04	0.03	0.02	0.01	0.04	*
Hallucinogens	0.12	0.11	0.10	0.11	0.11	0.09
LSD	0.07	0.06	0.04	0.03	0.05	0.02
PCP	0.03	0.02	0.02	0.03	0.03	*
Ecstasy	0.10	0.08	0.06	0.07	0.07	0.06
Inhalants	0.13	0.15	0.16	0.13	0.15	0.14
Nonmedical Use of Psychotherapeutics ^{2,3}	0.25	0.25	0.25	0.21	0.22	0.23
Pain Relievers	0.23	0.23	0.23	0.19	0.20	0.20
OxyContin [®]	--	--	0.07	0.04	0.03	0.04
Tranquilizers	0.11	0.13	0.09	0.08	0.09	0.12
Stimulants ³	0.10	0.11	0.11	0.10	0.10	0.09
Methamphetamine ³	0.05	0.06	0.07	0.06	0.06	0.05
Sedatives	0.07	0.05	0.04	0.04	0.04	0.06
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.29	0.30	0.31	0.25	0.26	0.26

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.

Table 8.21P Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2007 Versus 2002, 2003, 2004, 2005, and 2006

Drug	2002	2003	2004	2005	2006	2007
ILLCIT DRUGS¹	0.0003	0.0001	0.0030	0.2429	0.1700	
Marijuana and Hashish	0.0008	0.0014	0.0029	0.4106	0.1180	
Cocaine	0.4063	0.0733	0.7018	0.6217	0.7286	
Crack	0.6186	0.8073	0.3193	0.9926	0.4231	
Heroin	*	*	*	*	*	
Hallucinogens	0.0031	0.0044	0.2649	0.0484	0.1949	
LSD	0.0665	0.0164	0.0900	0.6207	0.0208	
PCP	*	*	*	*	*	
Ecstasy	0.0156	0.0616	0.9333	0.3927	0.2510	
Inhalants	0.7015	0.0708	0.1858	0.4850	0.0604	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0182	0.0402	0.1306	0.9767	0.9834	
Pain Relievers	0.0317	0.0441	0.0653	0.6886	0.7180	
OxyContin [®]	--	--	0.1220	0.5162	0.0486	
Tranquilizers	0.2969	0.4263	0.4997	0.2132	0.2899	
Stimulants ³	0.1507	0.0428	0.5230	0.4229	0.5488	
Methamphetamine ³	0.4146	0.1481	0.3457	0.4110	0.6144	
Sedatives	0.0362	0.9060	0.7803	0.8172	0.6060	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0072	0.0037	0.0377	0.4255	0.3193	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in prior NSDUH reports. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with the 2006 and 2007 estimates. See Section B.4.6 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, and 2007.