

Table 8.37C Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2004-2007

Demographic Characteristic	2004	2005	2006	2007
TOTAL	614	431	405	424
AGE				
18-25	117	87	79	81
26-49	444	278	305	268
50 or Older	377	287	271	316
GENDER				
Male	359	249	251	265
Female	512	336	307	326
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	569	392	385	399
White	531	351	362	377
Black or African American	197	158	147	136
American Indian or Alaska Native	30	21	31	36
Native Hawaiian or Other Pacific Islander	*	*	16	*
Asian	119	62	58	53
Two or More Races	86	37	61	55
Hispanic or Latino	212	164	125	159

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

Respondents with unknown past year MDE data were excluded.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older, while 2005, 2006, and 2007 estimates are based on all respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, 2006, and 2007.

Table 8.37D Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2004-2007

Demographic Characteristic	2004	2005	2006	2007
TOTAL	0.29	0.20	0.18	0.19
AGE				
18-25	0.37	0.27	0.24	0.25
26-49	0.45	0.28	0.31	0.27
50 or Older	0.46	0.34	0.31	0.36
GENDER				
Male	0.35	0.24	0.24	0.25
Female	0.46	0.30	0.27	0.29
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.30	0.21	0.20	0.21
White	0.34	0.23	0.22	0.23
Black or African American	0.82	0.59	0.55	0.51
American Indian or Alaska Native	2.99	1.88	2.98	3.15
Native Hawaiian or Other Pacific Islander	*	*	1.98	*
Asian	1.36	0.70	0.62	0.57
Two or More Races	4.18	1.68	2.56	2.23
Hispanic or Latino	0.80	0.60	0.44	0.54

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

Respondents with unknown past year MDE data were excluded.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older, while 2005, 2006, and 2007 estimates are based on all respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, 2006, and 2007.

Table 8.37P Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2007 Versus 2004, 2005, and 2006

Demographic Characteristic	2004	2005	2006	2007
TOTAL	0.1155	0.5494	0.3541	
AGE				
18-25	0.0055	0.0244	0.7877	
26-49	0.0095	0.8533	0.9485	
50 or Older	0.1569	0.1377	0.1217	
GENDER				
Male	0.4757	0.8112	0.9005	
Female	0.1650	0.5298	0.1920	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.1113	0.3266	0.6024	
White	0.3790	0.1562	0.4292	
Black or African American	0.2735	0.5986	0.7277	
American Indian or Alaska Native	0.7972	0.9485	0.4993	
Native Hawaiian or Other Pacific Islander	*	*	*	
Asian	0.1574	0.4239	0.9450	
Two or More Races	0.2240	0.4599	0.5274	
Hispanic or Latino	0.8805	0.4162	0.1976	

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

Respondents with unknown past year MDE data were excluded.

NOTE: Estimates for 2004 in this table are based on a subsample of respondents aged 18 or older, while 2005, 2006, and 2007 estimates are based on all respondents aged 18 or older. See Section B.4.5 in Appendix B of the *Results from the 2007 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, 2006, and 2007.

**Table 8.38C Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2004-2007**

Demographic Characteristic	2004	2005	2006	2007
TOTAL	62	63	60	63
AGE				
12-13	29	27	27	25
14-15	37	40	34	36
16-17	48	42	45	44
GENDER				
Male	32	32	32	33
Female	51	52	50	51
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	56	56	51	57
White	53	53	45	52
Black or African American	26	27	22	26
American Indian or Alaska Native	3	3	3	2
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	17	12	21	15
Two or More Races	10	7	12	7
Hispanic or Latino	28	29	29	26

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. Respondents with unknown past year MDE data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, 2006, and 2007.

Table 8.38D Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2004-2007

Demographic Characteristic	2004	2005	2006	2007
TOTAL	0.25	0.25	0.24	0.25
AGE				
12-13	0.33	0.33	0.34	0.32
14-15	0.42	0.44	0.38	0.41
16-17	0.54	0.47	0.48	0.49
GENDER				
Male	0.25	0.25	0.25	0.26
Female	0.42	0.42	0.41	0.43
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.27	0.27	0.25	0.28
White	0.31	0.32	0.27	0.33
Black or African American	0.63	0.64	0.52	0.63
American Indian or Alaska Native	2.03	1.44	2.44	1.60
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	1.64	1.17	1.97	1.43
Two or More Races	2.15	1.62	2.53	1.61
Hispanic or Latino	0.67	0.68	0.65	0.58

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. Respondents with unknown past year MDE data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, 2006, and 2007.

**Table 8.38P Had at Least One Major Depressive Episode (MDE) in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2007 Versus 2004, 2005, and 2006**

Demographic Characteristic	2004	2005	2006	2007
TOTAL	0.0239	0.0880	0.4757	
AGE				
12-13	0.0105	0.0458	0.1795	
14-15	0.2265	0.0929	0.3247	
16-17	0.2622	0.9241	0.2523	
GENDER				
Male	0.2435	0.7323	0.3143	
Female	0.0486	0.0192	0.8258	
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.1604	0.4148	0.1824	
White	0.2179	0.3359	0.2060	
Black or African American	0.9202	0.8616	0.0935	
American Indian or Alaska Native	0.2202	0.5027	0.1025	
Native Hawaiian or Other Pacific Islander	*	*	*	
Asian	0.4723	0.6833	0.7257	
Two or More Races	0.5277	0.8126	0.3294	
Hispanic or Latino	0.0272	0.0235	0.2901	

*Low precision; no estimate reported.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. Respondents with unknown past year MDE data were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, 2006, and 2007.