

Table 1.64C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	964	917	493	474	359	377
GEOGRAPHIC DIVISION						
Northeast	375	391	192	181	133	133
New England	183	183	89	91	64	68
Middle Atlantic	324	345	170	156	115	114
Midwest	369	366	180	175	136	134
East North Central	282	304	145	150	110	118
West North Central	228	206	103	90	78	64
South	626	554	295	277	212	214
South Atlantic	497	419	242	215	174	172
East South Central	216	199	104	107	77	76
West South Central	281	291	139	138	100	102
West	508	546	287	300	205	245
Mountain	215	236	129	122	102	105
Pacific	459	495	257	273	179	221
COUNTY TYPE						
Large Metro	1,062	1,107	392	396	266	291
Small Metro	738	747	283	278	212	221
250K – 1 Mil. Pop.	652	658	235	241	182	191
< 250K Pop.	458	432	152	144	109	104
Nonmetro	492	567	161	184	124	139
Urbanized	367	427	122	129	83	89
Less Urbanized	334	380	112	108	89	75
Completely Rural	184	177	35	82	29	78

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.64D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.39	0.37	0.20	0.19	0.14	0.15
GEOGRAPHIC DIVISION						
Northeast	0.82	0.85	0.42	0.39	0.29	0.29
New England	1.52	1.52	0.74	0.76	0.53	0.57
Middle Atlantic	0.96	1.01	0.50	0.46	0.34	0.34
Midwest	0.67	0.67	0.33	0.32	0.25	0.24
East North Central	0.74	0.79	0.38	0.39	0.29	0.31
West North Central	1.38	1.24	0.62	0.54	0.47	0.38
South	0.70	0.61	0.33	0.30	0.24	0.23
South Atlantic	1.05	0.87	0.51	0.45	0.37	0.36
East South Central	1.47	1.34	0.71	0.72	0.52	0.51
West South Central	1.02	1.04	0.50	0.49	0.36	0.36
West	0.89	0.95	0.50	0.52	0.36	0.42
Mountain	1.24	1.34	0.75	0.69	0.59	0.59
Pacific	1.15	1.23	0.64	0.68	0.45	0.55
COUNTY TYPE						
Large Metro	0.57	0.55	0.28	0.27	0.20	0.21
Small Metro	0.62	0.61	0.36	0.34	0.28	0.28
250K – 1 Mil. Pop.	0.78	0.73	0.43	0.42	0.34	0.35
< 250K Pop.	1.11	1.14	0.59	0.54	0.45	0.40
Nonmetro	0.87	0.87	0.37	0.39	0.29	0.31
Urbanized	1.31	1.26	0.61	0.63	0.45	0.48
Less Urbanized	1.16	1.31	0.53	0.45	0.43	0.33
Completely Rural	2.77	2.22	0.63	1.88	0.52	1.83

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.64P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.3192		0.4084		0.1846	
GEOGRAPHIC DIVISION						
Northeast	0.9045		0.9933		0.4615	
New England	0.4176		0.9419		0.5871	
Middle Atlantic	0.7734		0.9751		0.5871	
Midwest	0.9402		0.5870		0.6480	
East North Central	0.9342		0.9671		0.8820	
West North Central	0.9888		0.2683		0.2399	
South	0.3576		0.6214		0.7319	
South Atlantic	0.1100		0.5410		0.8190	
East South Central	0.0612		1.0000		0.8403	
West South Central	0.4782		0.9768		0.8471	
West	0.4565		0.1981		0.0886	
Mountain	0.4164		0.5907		0.4411	
Pacific	0.2341		0.2398		0.1270	
COUNTY TYPE						
Large Metro	0.9852		0.2416		0.0928	
Small Metro	0.3273		0.9966		0.7311	
250K – 1 Mil. Pop.	0.2542		0.8952		0.7847	
< 250K Pop.	0.9830		0.8557		0.8118	
Nonmetro	0.1618		0.8928		0.7803	
Urbanized	0.5391		0.4368		0.6113	
Less Urbanized	0.4235		0.6751		0.4140	
Completely Rural	0.2114		0.1157		0.2341	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.65C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	88	82	75	73	56	54
GEOGRAPHIC DIVISION						
Northeast	32	32	28	29	21	24
New England	17	14	15	13	13	12
Middle Atlantic	27	28	24	26	17	21
Midwest	34	32	31	29	23	21
East North Central	29	27	27	24	20	18
West North Central	17	18	15	16	12	12
South	53	51	44	42	32	31
South Atlantic	40	42	31	34	24	25
East South Central	20	15	17	12	11	8
West South Central	29	27	25	23	19	17
West	49	47	43	44	34	32
Mountain	22	23	20	21	14	14
Pacific	43	41	38	39	32	29
COUNTY TYPE						
Large Metro	78	78	64	67	48	46
Small Metro	54	53	45	45	30	34
250K – 1 Mil. Pop.	43	43	36	37	25	28
< 250K Pop.	32	32	27	27	17	19
Nonmetro	33	36	27	30	19	18
Urbanized	21	27	19	23	14	13
Less Urbanized	25	21	20	19	12	11
Completely Rural	8	10	7	7	5	3

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.65D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.35	0.33	0.30	0.29	0.22	0.22
GEOGRAPHIC DIVISION						
Northeast	0.71	0.73	0.63	0.66	0.47	0.56
New England	1.46	1.26	1.30	1.19	1.09	1.06
Middle Atlantic	0.81	0.88	0.71	0.79	0.50	0.65
Midwest	0.61	0.58	0.54	0.52	0.41	0.38
East North Central	0.75	0.69	0.69	0.62	0.50	0.46
West North Central	1.01	1.09	0.87	0.98	0.69	0.71
South	0.58	0.57	0.48	0.47	0.35	0.34
South Atlantic	0.86	0.91	0.67	0.75	0.52	0.54
East South Central	1.33	1.01	1.12	0.79	0.75	0.57
West South Central	0.95	0.88	0.84	0.76	0.64	0.56
West	0.82	0.79	0.71	0.74	0.57	0.54
Mountain	1.20	1.30	1.11	1.16	0.77	0.77
Pacific	1.03	1.00	0.89	0.94	0.74	0.70
COUNTY TYPE						
Large Metro	0.48	0.48	0.40	0.42	0.33	0.32
Small Metro	0.63	0.61	0.55	0.53	0.38	0.42
250K – 1 Mil. Pop.	0.77	0.77	0.66	0.65	0.48	0.53
< 250K Pop.	1.07	1.02	0.96	0.92	0.65	0.69
Nonmetro	0.68	0.70	0.60	0.62	0.45	0.39
Urbanized	0.94	1.23	0.94	1.11	0.76	0.68
Less Urbanized	1.03	0.90	0.86	0.82	0.57	0.52
Completely Rural	1.72	2.05	1.54	1.69	1.28	0.81

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.65P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.4079		0.1667		0.9802	
GEOGRAPHIC DIVISION						
Northeast	0.4711		0.3712		0.1461	
New England	0.2986		0.5234		0.8054	
Middle Atlantic	0.1476		0.1470		0.0485	
Midwest	0.4188		0.5486		0.5273	
East North Central	0.2634		0.5092		0.7627	
West North Central	0.7629		0.9600		0.4865	
South	0.6134		0.8278		0.0613	
South Atlantic	0.0891		0.0211		0.7019	
East South Central	0.0192		0.0060		0.1316	
West South Central	0.0209		0.0249		0.0437	
West	0.0348		0.0169		0.2548	
Mountain	0.3384		0.1697		0.2435	
Pacific	0.0590		0.0497		0.4799	
COUNTY TYPE						
Large Metro	0.4853		0.0722		0.9052	
Small Metro	0.2211		0.3237		0.3579	
250K – 1 Mil. Pop.	0.0446		0.0999		0.5348	
< 250K Pop.	0.4607		0.5784		0.4592	
Nonmetro	0.2781		0.1415		0.1933	
Urbanized	0.9833		0.4987		0.2341	
Less Urbanized	0.0355		0.1152		0.6554	
Completely Rural	0.4447		0.9128		0.3920	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.66C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	166	160	150	150	120	123
GEOGRAPHIC DIVISION						
Northeast	78	65	66	62	51	52
New England	35	35	31	29	27	24
Middle Atlantic	69	55	57	55	43	46
Midwest	63	62	54	53	44	41
East North Central	48	47	44	45	35	34
West North Central	39	39	30	29	27	23
South	101	101	92	89	66	71
South Atlantic	71	82	68	73	51	59
East South Central	37	32	31	27	25	22
West South Central	56	54	46	46	32	35
West	96	89	84	85	73	70
Mountain	49	45	41	41	31	32
Pacific	83	77	74	73	66	62
COUNTY TYPE						
Large Metro	218	217	153	150	104	108
Small Metro	173	158	121	115	85	78
250K – 1 Mil. Pop.	143	127	97	86	70	57
< 250K Pop.	102	103	71	76	48	54
Nonmetro	106	143	79	88	59	52
Urbanized	70	126	47	76	34	41
Less Urbanized	83	71	63	46	47	32
Completely Rural	27	23	15	13	12	10

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.66D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.51	0.49	0.46	0.46	0.37	0.37
GEOGRAPHIC DIVISION						
Northeast	1.32	1.09	1.11	1.03	0.86	0.87
New England	2.26	2.27	2.03	1.87	1.74	1.57
Middle Atlantic	1.57	1.24	1.30	1.23	0.98	1.03
Midwest	0.87	0.85	0.74	0.72	0.61	0.57
East North Central	0.96	0.94	0.88	0.89	0.69	0.68
West North Central	1.73	1.73	1.31	1.28	1.18	1.02
South	0.86	0.86	0.79	0.76	0.57	0.60
South Atlantic	1.20	1.37	1.15	1.22	0.86	0.99
East South Central	2.00	1.72	1.64	1.42	1.34	1.16
West South Central	1.44	1.37	1.18	1.18	0.81	0.88
West	1.22	1.13	1.07	1.08	0.93	0.88
Mountain	2.06	1.89	1.73	1.74	1.33	1.33
Pacific	1.50	1.38	1.34	1.33	1.20	1.11
COUNTY TYPE						
Large Metro	0.73	0.67	0.63	0.62	0.49	0.52
Small Metro	0.93	0.88	0.83	0.85	0.67	0.68
250K – 1 Mil. Pop.	1.19	1.07	1.03	0.95	0.83	0.78
< 250K Pop.	1.43	1.49	1.31	1.54	1.07	1.19
Nonmetro	1.16	1.28	1.08	1.03	0.92	0.75
Urbanized	1.84	2.03	1.43	1.67	1.23	1.18
Less Urbanized	1.66	1.64	1.78	1.36	1.53	1.06
Completely Rural	4.15	3.37	3.14	2.51	2.64	1.99

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.66P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.8578		0.6612		0.8433	
GEOGRAPHIC DIVISION						
Northeast	0.1833		0.3400		0.0927	
New England	0.5761		0.4725		0.8211	
Middle Atlantic	0.0559		0.1429		0.0675	
Midwest	0.1368		0.1907		0.3379	
East North Central	0.0090		0.1490		0.2009	
West North Central	0.4911		0.8695		0.8910	
South	0.2777		0.8371		0.8575	
South Atlantic	0.2033		0.3170		0.1462	
East South Central	0.4733		0.5507		0.3662	
West South Central	0.7899		0.5107		0.1953	
West	0.3914		0.2824		0.8607	
Mountain	0.3737		0.3958		0.9880	
Pacific	0.6305		0.4436		0.8505	
COUNTY TYPE						
Large Metro	0.8292		0.5707		0.7954	
Small Metro	0.9467		0.8334		0.7010	
250K – 1 Mil. Pop.	0.5741		0.6668		0.4356	
< 250K Pop.	0.5031		0.2980		0.0750	
Nonmetro	0.4966		0.7127		0.4851	
Urbanized	0.7075		0.9018		0.3192	
Less Urbanized	0.0691		0.6141		0.7449	
Completely Rural	0.5270		0.8298		0.3173	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.67C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	921	887	418	422	309	342
GEOGRAPHIC DIVISION						
Northeast	363	381	164	154	112	112
New England	178	178	71	76	53	55
Middle Atlantic	313	336	147	133	98	97
Midwest	349	351	153	152	118	120
East North Central	270	294	122	129	94	105
West North Central	216	191	89	81	70	57
South	612	538	247	235	187	187
South Atlantic	485	408	202	180	154	148
East South Central	214	195	91	95	72	68
West South Central	270	281	116	121	83	90
West	475	521	248	276	172	231
Mountain	208	228	118	106	95	93
Pacific	427	470	218	254	144	212
COUNTY TYPE						
Large Metro	1,003	1,025	336	344	227	260
Small Metro	666	686	234	233	184	194
250K – 1 Mil. Pop.	590	601	191	204	159	171
< 250K Pop.	408	390	121	114	90	84
Nonmetro	444	506	125	146	96	120
Urbanized	324	371	101	89	72	72
Less Urbanized	294	343	76	83	60	58
Completely Rural	167	160	26	79	24	76

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.67D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.48	0.46	0.22	0.22	0.16	0.18
GEOGRAPHIC DIVISION						
Northeast	1.02	1.07	0.46	0.43	0.32	0.31
New England	1.91	1.90	0.76	0.82	0.57	0.59
Middle Atlantic	1.20	1.27	0.56	0.50	0.37	0.37
Midwest	0.83	0.83	0.37	0.36	0.28	0.28
East North Central	0.92	1.00	0.42	0.44	0.32	0.36
West North Central	1.72	1.50	0.71	0.64	0.56	0.45
South	0.89	0.77	0.36	0.33	0.27	0.27
South Atlantic	1.31	1.09	0.54	0.48	0.42	0.40
East South Central	1.88	1.69	0.80	0.82	0.63	0.59
West South Central	1.30	1.33	0.56	0.57	0.40	0.43
West	1.10	1.19	0.57	0.63	0.40	0.53
Mountain	1.58	1.70	0.90	0.79	0.73	0.69
Pacific	1.41	1.54	0.72	0.83	0.48	0.69
COUNTY TYPE						
Large Metro	0.72	0.68	0.32	0.31	0.22	0.25
Small Metro	0.77	0.77	0.40	0.38	0.32	0.32
250K – 1 Mil. Pop.	0.96	0.92	0.48	0.49	0.40	0.42
< 250K Pop.	1.39	1.45	0.63	0.57	0.48	0.43
Nonmetro	1.06	1.07	0.38	0.43	0.30	0.36
Urbanized	1.63	1.49	0.73	0.63	0.54	0.55
Less Urbanized	1.42	1.64	0.48	0.49	0.38	0.35
Completely Rural	3.27	2.71	0.64	2.30	0.60	2.23

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.67P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.3788		0.5404		0.1471	
GEOGRAPHIC DIVISION						
Northeast	0.8083		0.5763		0.8612	
New England	0.3134		0.7777		0.5645	
Middle Atlantic	0.4285		0.4433		0.6087	
Midwest	0.8462		0.9938		0.9758	
East North Central	0.6969		0.4800		0.5101	
West North Central	0.8381		0.2920		0.2625	
South	0.2576		0.4556		0.4206	
South Atlantic	0.0971		0.4995		0.3934	
East South Central	0.1065		0.8346		0.8930	
West South Central	0.3694		0.7738		0.8623	
West	0.7102		0.5078		0.0837	
Mountain	0.2419		0.9282		0.4749	
Pacific	0.3446		0.4805		0.1128	
COUNTY TYPE						
Large Metro	0.8233		0.5319		0.0989	
Small Metro	0.3521		0.9538		0.7666	
250K – 1 Mil. Pop.	0.2737		0.7793		0.5300	
< 250K Pop.	0.9861		0.7446		0.6191	
Nonmetro	0.0856		0.6794		0.7724	
Urbanized	0.5276		0.5012		0.8994	
Less Urbanized	0.1901		0.7644		0.5328	
Completely Rural	0.2669		0.1306		0.2833	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.68C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	952	915	484	466	353	374
GEOGRAPHIC DIVISION						
Northeast	373	395	188	178	132	131
New England	182	186	85	91	64	68
Middle Atlantic	323	348	168	153	114	112
Midwest	364	363	176	172	133	133
East North Central	283	303	142	148	107	117
West North Central	222	201	100	87	77	64
South	624	553	288	270	207	211
South Atlantic	496	418	236	209	171	170
East South Central	215	199	103	107	78	76
West South Central	277	289	134	136	95	100
West	495	539	279	295	200	243
Mountain	212	238	125	122	100	104
Pacific	447	486	251	267	174	218
COUNTY TYPE						
Large Metro	1,042	1,088	382	385	260	287
Small Metro	722	731	275	263	207	214
250K – 1 Mil. Pop.	640	645	228	230	178	185
< 250K Pop.	444	422	146	135	106	100
Nonmetro	484	555	157	178	121	137
Urbanized	359	416	118	124	81	87
Less Urbanized	327	373	109	104	88	73
Completely Rural	179	172	33	81	28	77

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.68D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.43	0.41	0.22	0.21	0.16	0.17
GEOGRAPHIC DIVISION						
Northeast	0.90	0.95	0.45	0.43	0.32	0.31
New England	1.67	1.70	0.78	0.83	0.59	0.62
Middle Atlantic	1.06	1.13	0.55	0.50	0.37	0.36
Midwest	0.74	0.73	0.36	0.35	0.27	0.27
East North Central	0.82	0.88	0.41	0.43	0.31	0.34
West North Central	1.50	1.34	0.67	0.59	0.52	0.43
South	0.77	0.67	0.36	0.33	0.26	0.26
South Atlantic	1.16	0.96	0.55	0.48	0.40	0.39
East South Central	1.62	1.49	0.78	0.80	0.59	0.57
West South Central	1.13	1.15	0.55	0.54	0.39	0.40
West	0.97	1.04	0.55	0.57	0.39	0.47
Mountain	1.37	1.51	0.81	0.78	0.65	0.66
Pacific	1.25	1.35	0.70	0.74	0.49	0.60
COUNTY TYPE						
Large Metro	0.63	0.60	0.31	0.29	0.22	0.23
Small Metro	0.68	0.67	0.39	0.36	0.30	0.30
250K – 1 Mil. Pop.	0.85	0.80	0.47	0.45	0.37	0.38
< 250K Pop.	1.23	1.27	0.64	0.57	0.48	0.44
Nonmetro	0.96	0.96	0.40	0.42	0.32	0.35
Urbanized	1.44	1.35	0.67	0.69	0.49	0.53
Less Urbanized	1.29	1.46	0.59	0.50	0.48	0.36
Completely Rural	3.04	2.47	0.67	2.07	0.57	2.02

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.68P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.4157		0.5177		0.1757	
GEOGRAPHIC DIVISION						
Northeast	0.9937		0.8984		0.6076	
New England	0.3893		0.9661		0.5503	
Middle Atlantic	0.6582		0.8689		0.8022	
Midwest	0.9419		0.6590		0.7203	
East North Central	0.9727		0.8632		0.8353	
West North Central	0.9372		0.2639		0.2833	
South	0.3610		0.5809		0.5217	
South Atlantic	0.1599		0.7764		0.7704	
East South Central	0.0884		0.7394		0.7054	
West South Central	0.3646		0.6629		0.5565	
West	0.6131		0.3511		0.1204	
Mountain	0.3418		0.7499		0.5351	
Pacific	0.3180		0.3720		0.1487	
COUNTY TYPE						
Large Metro	0.8735		0.3567		0.0823	
Small Metro	0.4148		0.8884		0.8256	
250K – 1 Mil. Pop.	0.3725		0.9145		0.8504	
< 250K Pop.	0.9122		0.9246		0.8955	
Nonmetro	0.1324		0.9112		0.9312	
Urbanized	0.5082		0.4985		0.7549	
Less Urbanized	0.3501		0.8863		0.4422	
Completely Rural	0.2318		0.1101		0.2065	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.