

Table 1.69C (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	660	672	242	207	149	131
GEOGRAPHIC DIVISION						
Northeast	260	303	72	90	50	59
New England	118	157	36	33	17	22
Middle Atlantic	232	261	63	84	47	54
Midwest	242	251	83	76	48	49
East North Central	203	207	77	65	46	39
West North Central	127	139	36	41	18	29
South	370	412	159	124	91	72
South Atlantic	301	333	137	102	77	56
East South Central	139	126	41	39	23	15
West South Central	170	181	65	57	42	44
West	381	411	142	123	92	78
Mountain	173	180	88	48	64	22
Pacific	337	370	112	112	67	74
COUNTY TYPE						
Large Metro	590	616	193	166	116	111
Small Metro	378	433	126	109	86	66
250K – 1 Mil. Pop.	335	385	107	93	74	62
< 250K Pop.	213	222	65	61	42	23
Nonmetro	261	267	87	65	39	36
Urbanized	203	173	74	47	33	27
Less Urbanized	160	181	45	42	18	23
Completely Rural	54	103	11	12	8	8

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.69D (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.27	0.27	0.10	0.08	0.06	0.05
GEOGRAPHIC DIVISION						
Northeast	0.57	0.66	0.16	0.20	0.11	0.13
New England	0.98	1.30	0.30	0.27	0.14	0.18
Middle Atlantic	0.69	0.77	0.19	0.25	0.14	0.16
Midwest	0.44	0.46	0.15	0.14	0.09	0.09
East North Central	0.53	0.54	0.20	0.17	0.12	0.10
West North Central	0.77	0.84	0.22	0.25	0.11	0.18
South	0.41	0.45	0.18	0.14	0.10	0.08
South Atlantic	0.63	0.69	0.29	0.21	0.16	0.12
East South Central	0.94	0.85	0.28	0.26	0.16	0.10
West South Central	0.61	0.65	0.24	0.20	0.15	0.16
West	0.67	0.71	0.25	0.21	0.16	0.13
Mountain	1.00	1.03	0.51	0.27	0.37	0.13
Pacific	0.84	0.92	0.28	0.28	0.17	0.18
COUNTY TYPE						
Large Metro	0.40	0.40	0.14	0.12	0.09	0.08
Small Metro	0.42	0.49	0.17	0.14	0.12	0.09
250K – 1 Mil. Pop.	0.53	0.62	0.21	0.18	0.15	0.12
< 250K Pop.	0.72	0.77	0.26	0.23	0.17	0.09
Nonmetro	0.55	0.53	0.20	0.16	0.09	0.09
Urbanized	0.97	0.79	0.42	0.27	0.19	0.16
Less Urbanized	0.67	0.74	0.21	0.21	0.09	0.11
Completely Rural	0.99	2.18	0.22	0.31	0.16	0.19

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.69P (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.4674		0.1084		0.2463	
GEOGRAPHIC DIVISION						
Northeast	0.6281		0.3949		0.4896	
New England	0.0947		0.6172		0.7364	
Middle Atlantic	0.7518		0.2452		0.5431	
Midwest	0.2185		0.6761		0.9751	
East North Central	0.2530		0.5841		0.8096	
West North Central	0.6034		0.8430		0.6322	
South	0.5886		0.0387		0.2283	
South Atlantic	0.4336		0.0753		0.2267	
East South Central	0.3294		0.2767		0.1499	
West South Central	0.5565		0.4961		0.8989	
West	0.6865		0.4279		0.2370	
Mountain	0.8046		0.1546		0.1130	
Pacific	0.5584		0.9829		0.7203	
COUNTY TYPE						
Large Metro	0.9167		0.4263		0.8900	
Small Metro	0.4542		0.3578		0.1084	
250K – 1 Mil. Pop.	0.6428		0.0719		0.1626	
< 250K Pop.	0.4763		0.3242		0.4130	
Nonmetro	0.4271		0.1239		0.4975	
Urbanized	0.6013		0.1448		0.5411	
Less Urbanized	0.4865		0.4355		0.7689	
Completely Rural	0.0589		0.9098		0.8511	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.70C (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	32	32	27	24	13	13
GEOGRAPHIC DIVISION						
Northeast	10	11	9	9	5	5
New England	6	6	4	6	2	3
Middle Atlantic	8	9	8	7	5	4
Midwest	13	11	10	9	6	4
East North Central	11	8	8	7	5	4
West North Central	7	7	6	5	4	2
South	19	20	16	13	7	7
South Atlantic	12	16	10	9	4	4
East South Central	8	4	7	3	3	2
West South Central	13	10	12	8	6	6
West	20	19	16	16	7	8
Mountain	11	10	10	8	4	5
Pacific	17	16	14	14	5	6
COUNTY TYPE						
Large Metro	26	26	22	19	10	9
Small Metro	17	16	14	13	8	8
250K – 1 Mil. Pop.	13	12	11	10	6	8
< 250K Pop.	10	11	9	7	5	3
Nonmetro	12	8	10	6	4	3
Urbanized	8	6	7	5	4	3
Less Urbanized	8	5	6	3	2	2
Completely Rural	3	2	2	2	0	0

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.70D (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.13	0.13	0.11	0.10	0.05	0.05
GEOGRAPHIC DIVISION						
Northeast	0.22	0.24	0.19	0.20	0.12	0.11
New England	0.53	0.50	0.33	0.49	0.20	0.27
Middle Atlantic	0.24	0.28	0.24	0.21	0.15	0.11
Midwest	0.23	0.20	0.18	0.17	0.12	0.08
East North Central	0.28	0.21	0.21	0.19	0.13	0.10
West North Central	0.40	0.44	0.35	0.32	0.22	0.14
South	0.20	0.22	0.18	0.14	0.08	0.08
South Atlantic	0.25	0.35	0.22	0.19	0.09	0.09
East South Central	0.52	0.29	0.45	0.19	0.17	0.12
West South Central	0.43	0.34	0.39	0.28	0.19	0.19
West	0.33	0.33	0.27	0.26	0.11	0.13
Mountain	0.60	0.58	0.53	0.43	0.24	0.28
Pacific	0.39	0.40	0.32	0.33	0.13	0.15
COUNTY TYPE						
Large Metro	0.18	0.19	0.15	0.14	0.07	0.07
Small Metro	0.22	0.22	0.19	0.17	0.11	0.11
250K – 1 Mil. Pop.	0.25	0.25	0.22	0.21	0.11	0.16
< 250K Pop.	0.42	0.44	0.37	0.28	0.20	0.12
Nonmetro	0.28	0.20	0.24	0.14	0.10	0.08
Urbanized	0.47	0.34	0.42	0.26	0.22	0.14
Less Urbanized	0.38	0.27	0.31	0.16	0.10	0.11
Completely Rural	0.63	0.62	0.50	0.43	0.09	0.12

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.70P (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.1539		0.0406		0.7666	
GEOGRAPHIC DIVISION						
Northeast	0.8651		0.6720		0.8112	
New England	0.6231		0.9077		0.9922	
Middle Atlantic	0.5779		0.5607		0.7818	
Midwest	0.3858		0.6360		0.6506	
East North Central	0.3768		0.9961		0.9748	
West North Central	0.8186		0.3813		0.3919	
South	0.2708		0.0114		0.5425	
South Atlantic	0.3545		0.5542		0.9422	
East South Central	0.0548		0.0234		0.3062	
West South Central	0.0566		0.0599		0.6591	
West	0.4184		0.6394		0.5653	
Mountain	0.5212		0.3206		0.4912	
Pacific	0.5768		0.9281		0.8705	
COUNTY TYPE						
Large Metro	0.3199		0.1862		0.3280	
Small Metro	0.8807		0.8182		0.3820	
250K – 1 Mil. Pop.	0.6868		0.8716		0.0640	
< 250K Pop.	0.5215		0.5854		0.1965	
Nonmetro	0.0207		0.0062		0.6853	
Urbanized	0.0422		0.0216		0.4154	
Less Urbanized	0.1815		0.1287		0.6720	
Completely Rural	0.9313		0.5174		0.9495	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.71C (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	117	112	78	70	38	39
GEOGRAPHIC DIVISION						
Northeast	50	44	31	29	16	20
New England	25	22	17	12	7	6
Middle Atlantic	43	37	26	26	15	19
Midwest	44	42	29	28	13	12
East North Central	36	32	26	23	12	10
West North Central	25	26	15	16	7	7
South	70	65	42	38	20	22
South Atlantic	50	50	32	28	16	18
East South Central	25	18	17	14	7	7
West South Central	40	35	22	21	10	11
West	68	62	47	43	24	21
Mountain	32	38	24	19	11	12
Pacific	60	49	40	38	22	17
COUNTY TYPE						
Large Metro	102	96	62	55	28	30
Small Metro	74	69	47	43	24	23
250K – 1 Mil. Pop.	59	56	41	30	22	21
< 250K Pop.	46	40	23	30	9	10
Nonmetro	53	46	33	24	13	11
Urbanized	29	33	18	17	8	8
Less Urbanized	41	32	26	17	9	9
Completely Rural	20	9	9	3	5	1

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.71D (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.36	0.34	0.24	0.21	0.12	0.12
GEOGRAPHIC DIVISION						
Northeast	0.85	0.73	0.53	0.48	0.27	0.33
New England	1.66	1.44	1.12	0.76	0.44	0.38
Middle Atlantic	0.98	0.84	0.60	0.59	0.33	0.43
Midwest	0.60	0.58	0.40	0.38	0.18	0.17
East North Central	0.72	0.64	0.52	0.45	0.23	0.20
West North Central	1.12	1.18	0.65	0.69	0.32	0.30
South	0.60	0.55	0.36	0.32	0.17	0.19
South Atlantic	0.85	0.83	0.54	0.47	0.27	0.31
East South Central	1.34	0.96	0.93	0.76	0.39	0.38
West South Central	1.01	0.89	0.56	0.53	0.24	0.28
West	0.87	0.78	0.59	0.54	0.31	0.27
Mountain	1.38	1.58	1.01	0.80	0.46	0.52
Pacific	1.10	0.88	0.73	0.68	0.40	0.31
COUNTY TYPE						
Large Metro	0.51	0.47	0.34	0.29	0.16	0.16
Small Metro	0.62	0.61	0.41	0.40	0.22	0.23
250K – 1 Mil. Pop.	0.73	0.73	0.52	0.45	0.30	0.32
< 250K Pop.	1.16	1.01	0.61	0.76	0.27	0.27
Nonmetro	0.89	0.72	0.57	0.43	0.25	0.23
Urbanized	1.22	1.14	0.70	0.64	0.37	0.34
Less Urbanized	1.35	1.09	0.93	0.69	0.34	0.36
Completely Rural	4.36	2.15	2.31	0.69	1.34	0.39

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.71P (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.2386		0.0139		0.2540	
GEOGRAPHIC DIVISION						
Northeast	0.7087		0.2953		0.8238	
New England	0.3961		0.1338		0.1874	
Middle Atlantic	0.8992		0.7433		0.4329	
Midwest	0.9004		0.3164		0.3421	
East North Central	0.5291		0.1714		0.3736	
West North Central	0.3158		0.7460		0.7182	
South	0.0236		0.0106		0.7616	
South Atlantic	0.0898		0.0026		0.3990	
East South Central	0.0329		0.1994		0.9098	
West South Central	0.5775		0.7310		0.4027	
West	0.6462		0.6728		0.2078	
Mountain	0.1085		0.4882		0.6920	
Pacific	0.6701		0.8832		0.2234	
COUNTY TYPE						
Large Metro	0.2527		0.1597		0.7752	
Small Metro	0.9714		0.2179		0.4723	
250K – 1 Mil. Pop.	0.6228		0.0238		0.4404	
< 250K Pop.	0.4958		0.3326		1.0000	
Nonmetro	0.4457		0.0337		0.1271	
Urbanized	0.7929		0.1575		0.2932	
Less Urbanized	0.5956		0.2497		0.5467	
Completely Rural	0.4916		0.1718		0.1971	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.72C (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	655	660	223	192	143	122
GEOGRAPHIC DIVISION						
Northeast	255	300	65	84	46	55
New England	112	153	33	28	16	21
Middle Atlantic	229	259	56	80	43	51
Midwest	234	245	75	71	47	48
East North Central	197	204	68	60	45	37
West North Central	124	133	34	38	17	31
South	368	403	147	120	89	68
South Atlantic	300	325	129	98	75	52
East South Central	135	124	39	34	23	14
West South Central	165	174	59	55	42	42
West	380	404	132	113	89	71
Mountain	171	179	84	42	63	18
Pacific	338	363	103	104	62	69
COUNTY TYPE						
Large Metro	577	597	178	155	112	104
Small Metro	359	424	113	99	81	61
250K – 1 Mil. Pop.	320	376	95	86	71	57
< 250K Pop.	198	216	57	53	39	20
Nonmetro	245	250	81	60	37	33
Urbanized	192	162	73	46	32	25
Less Urbanized	146	166	34	37	16	20
Completely Rural	47	99	6	11	6	7

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.72D (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.35	0.34	0.12	0.10	0.08	0.06
GEOGRAPHIC DIVISION						
Northeast	0.72	0.84	0.18	0.24	0.13	0.15
New England	1.20	1.63	0.35	0.30	0.17	0.22
Middle Atlantic	0.87	0.98	0.21	0.30	0.17	0.19
Midwest	0.56	0.58	0.18	0.17	0.11	0.11
East North Central	0.67	0.69	0.23	0.21	0.15	0.13
West North Central	0.99	1.05	0.27	0.30	0.13	0.24
South	0.53	0.57	0.21	0.17	0.13	0.10
South Atlantic	0.81	0.87	0.35	0.26	0.20	0.14
East South Central	1.18	1.08	0.35	0.30	0.20	0.12
West South Central	0.80	0.82	0.28	0.26	0.20	0.20
West	0.88	0.92	0.30	0.26	0.20	0.16
Mountain	1.31	1.34	0.64	0.31	0.48	0.13
Pacific	1.12	1.19	0.34	0.34	0.21	0.23
COUNTY TYPE						
Large Metro	0.52	0.52	0.17	0.15	0.11	0.10
Small Metro	0.54	0.63	0.20	0.17	0.14	0.10
250K – 1 Mil. Pop.	0.69	0.79	0.25	0.22	0.19	0.15
< 250K Pop.	0.91	1.02	0.31	0.27	0.21	0.11
Nonmetro	0.69	0.66	0.25	0.19	0.11	0.10
Urbanized	1.24	1.00	0.55	0.35	0.25	0.20
Less Urbanized	0.83	0.89	0.22	0.23	0.10	0.13
Completely Rural	1.12	2.61	0.14	0.33	0.14	0.23

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.72P (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.3590		0.5420		0.3855	
GEOGRAPHIC DIVISION						
Northeast	0.6072		0.1805		0.5010	
New England	0.0523		0.9117		0.4158	
Middle Atlantic	0.6994		0.1570		0.6947	
Midwest	0.2212		0.9837		0.7331	
East North Central	0.2072		0.9261		0.9862	
West North Central	0.7553		0.7978		0.4834	
South	0.3381		0.2489		0.2625	
South Atlantic	0.3304		0.3133		0.2958	
East South Central	0.5565		0.7915		0.1937	
West South Central	0.4051		0.6048		0.9847	
West	0.6252		0.5338		0.3466	
Mountain	0.9700		0.2596		0.1186	
Pacific	0.5929		0.9848		0.9714	
COUNTY TYPE						
Large Metro	0.7846		0.7516		0.9792	
Small Metro	0.4760		0.7250		0.1239	
250K – 1 Mil. Pop.	0.6021		0.3328		0.1680	
< 250K Pop.	0.5850		0.4012		0.4890	
Nonmetro	0.2725		0.6036		0.9173	
Urbanized	0.7204		0.3879		0.8301	
Less Urbanized	0.3717		0.9336		0.9740	
Completely Rural	0.0354		0.2683		0.6731	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.73C (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	660	674	239	207	149	130
GEOGRAPHIC DIVISION						
Northeast	261	305	72	91	50	58
New England	118	159	35	33	17	22
Middle Atlantic	232	263	62	85	47	54
Midwest	242	251	83	76	48	49
East North Central	204	208	76	65	46	39
West North Central	127	138	35	41	18	29
South	370	412	158	123	91	72
South Atlantic	299	331	137	101	77	56
East South Central	139	126	40	38	23	14
West South Central	168	182	63	57	43	44
West	380	410	140	123	92	77
Mountain	173	181	87	48	64	21
Pacific	337	369	110	112	67	74
COUNTY TYPE						
Large Metro	587	615	190	165	117	110
Small Metro	377	433	125	109	85	65
250K – 1 Mil. Pop.	334	384	106	93	74	61
< 250K Pop.	211	223	64	60	42	23
Nonmetro	261	265	87	65	39	35
Urbanized	202	172	74	47	33	27
Less Urbanized	159	180	44	42	18	22
Completely Rural	54	102	11	12	8	8

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 1.73D (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.30	0.30	0.11	0.09	0.07	0.06
GEOGRAPHIC DIVISION						
Northeast	0.63	0.73	0.17	0.22	0.12	0.14
New England	1.09	1.45	0.32	0.30	0.16	0.20
Middle Atlantic	0.76	0.85	0.20	0.28	0.15	0.18
Midwest	0.49	0.51	0.17	0.15	0.10	0.10
East North Central	0.59	0.60	0.22	0.19	0.13	0.11
West North Central	0.85	0.93	0.24	0.27	0.12	0.20
South	0.46	0.50	0.19	0.15	0.11	0.09
South Atlantic	0.70	0.76	0.32	0.23	0.18	0.13
East South Central	1.05	0.94	0.30	0.29	0.17	0.11
West South Central	0.68	0.72	0.25	0.23	0.17	0.17
West	0.74	0.79	0.27	0.24	0.18	0.15
Mountain	1.12	1.15	0.56	0.30	0.41	0.14
Pacific	0.94	1.02	0.31	0.31	0.19	0.20
COUNTY TYPE						
Large Metro	0.44	0.45	0.16	0.14	0.10	0.09
Small Metro	0.46	0.54	0.18	0.16	0.13	0.10
250K – 1 Mil. Pop.	0.59	0.68	0.23	0.20	0.16	0.13
< 250K Pop.	0.80	0.87	0.29	0.26	0.19	0.10
Nonmetro	0.62	0.59	0.23	0.17	0.10	0.10
Urbanized	1.08	0.87	0.46	0.31	0.22	0.17
Less Urbanized	0.75	0.82	0.23	0.23	0.10	0.12
Completely Rural	1.11	2.39	0.24	0.33	0.17	0.21

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 1.73P (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.4760		0.1635		0.2523	
GEOGRAPHIC DIVISION						
Northeast	0.6598		0.3739		0.4788	
New England	0.0988		0.5981		0.7348	
Middle Atlantic	0.7179		0.2244		0.5314	
Midwest	0.2215		0.7133		0.9388	
East North Central	0.2523		0.5775		0.8026	
West North Central	0.6143		0.7286		0.5558	
South	0.5790		0.0665		0.2468	
South Atlantic	0.4819		0.0816		0.2208	
East South Central	0.3697		0.4294		0.1953	
West South Central	0.4888		0.7070		0.8574	
West	0.6829		0.4563		0.2139	
Mountain	0.7916		0.1946		0.0961	
Pacific	0.5479		0.9683		0.7050	
COUNTY TYPE						
Large Metro	0.9485		0.5042		0.9437	
Small Metro	0.4770		0.3732		0.0869	
250K – 1 Mil. Pop.	0.6610		0.0702		0.1081	
< 250K Pop.	0.4945		0.2871		0.5058	
Nonmetro	0.3692		0.2138		0.5260	
Urbanized	0.6879		0.2199		0.6050	
Less Urbanized	0.4634		0.5404		0.7311	
Completely Rural	0.0583		0.8385		0.8483	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.