

Table 2.52C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	880	872	849	862	809	810
GEOGRAPHIC DIVISION						
Northeast	367	381	330	344	325	325
New England	179	176	154	160	138	159
Middle Atlantic	319	338	291	305	294	284
Midwest	305	330	353	351	332	332
East North Central	260	271	283	288	267	268
West North Central	159	189	207	192	192	190
South	554	532	534	549	499	527
South Atlantic	427	408	420	407	394	394
East South Central	176	187	187	222	179	208
West South Central	295	265	271	288	255	274
West	477	496	410	418	388	382
Mountain	216	198	211	195	197	183
Pacific	426	456	355	371	337	335
COUNTY TYPE						
Large Metro	1,415	1,472	790	783	715	712
Small Metro	1,130	1,131	604	553	547	490
250K – 1 Mil. Pop.	966	989	527	459	483	411
< 250K Pop.	681	694	333	344	293	296
Nonmetro	809	836	461	485	418	443
Urbanized	550	604	318	321	283	303
Less Urbanized	628	585	341	359	313	315
Completely Rural	346	318	186	161	167	152

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.52D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.36	0.35	0.34	0.34	0.33	0.32
GEOGRAPHIC DIVISION						
Northeast	0.80	0.83	0.72	0.75	0.71	0.70
New England	1.49	1.46	1.28	1.33	1.15	1.32
Middle Atlantic	0.94	0.99	0.86	0.90	0.87	0.83
Midwest	0.56	0.60	0.64	0.64	0.61	0.60
East North Central	0.68	0.71	0.74	0.75	0.70	0.70
West North Central	0.97	1.14	1.25	1.16	1.16	1.15
South	0.62	0.58	0.59	0.60	0.56	0.58
South Atlantic	0.90	0.85	0.88	0.85	0.83	0.82
East South Central	1.20	1.26	1.27	1.49	1.22	1.40
West South Central	1.07	0.94	0.98	1.03	0.92	0.98
West	0.83	0.86	0.72	0.72	0.68	0.66
Mountain	1.25	1.13	1.22	1.11	1.14	1.04
Pacific	1.07	1.13	0.89	0.92	0.84	0.83
COUNTY TYPE						
Large Metro	0.51	0.52	0.48	0.47	0.46	0.45
Small Metro	0.64	0.60	0.61	0.62	0.58	0.57
250K – 1 Mil. Pop.	0.78	0.77	0.75	0.73	0.71	0.68
< 250K Pop.	1.13	0.97	1.08	1.06	0.98	0.93
Nonmetro	0.76	0.68	0.79	0.81	0.74	0.79
Urbanized	1.13	1.03	1.14	1.27	1.09	1.30
Less Urbanized	1.04	1.05	1.25	1.20	1.16	1.10
Completely Rural	2.48	2.49	2.43	2.18	2.25	2.14

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.52P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.6935		0.3203		0.4492	
GEOGRAPHIC DIVISION						
Northeast	0.9631		0.7621		0.8532	
New England	0.6135		0.5705		0.5935	
Middle Atlantic	0.8290		0.9708		0.9436	
Midwest	0.1848		0.0718		0.1038	
East North Central	0.6337		0.5838		0.4732	
West North Central	0.0917		0.0143		0.0669	
South	0.4848		0.5760		0.8717	
South Atlantic	0.5441		0.2809		0.4414	
East South Central	0.6793		0.3435		0.5190	
West South Central	0.8500		0.8715		0.7114	
West	0.3287		0.9878		0.9137	
Mountain	0.4350		0.5459		0.4359	
Pacific	0.4847		0.7271		0.7269	
COUNTY TYPE						
Large Metro	0.9145		0.8694		0.8898	
Small Metro	0.5566		0.0910		0.1060	
250K – 1 Mil. Pop.	0.5691		0.2464		0.3548	
< 250K Pop.	0.8211		0.1843		0.1221	
Nonmetro	0.9964		0.8701		0.6199	
Urbanized	0.2811		0.5018		0.8994	
Less Urbanized	0.2784		0.7023		0.8270	
Completely Rural	0.7083		0.4753		0.2121	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.53C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	102	95	87	79	67	61
GEOGRAPHIC DIVISION						
Northeast	37	38	32	28	25	22
New England	18	16	16	13	14	9
Middle Atlantic	32	34	28	25	21	20
Midwest	42	42	37	34	29	26
East North Central	33	34	30	28	24	22
West North Central	24	25	20	20	15	16
South	62	64	56	49	45	39
South Atlantic	45	45	41	36	34	28
East South Central	24	25	19	20	16	15
West South Central	37	36	31	29	25	23
West	54	47	43	43	32	34
Mountain	23	23	21	19	17	16
Pacific	49	42	38	39	27	30
COUNTY TYPE						
Large Metro	93	87	72	68	50	49
Small Metro	70	64	55	49	42	36
250K – 1 Mil. Pop.	55	50	43	40	33	30
< 250K Pop.	44	42	33	30	24	21
Nonmetro	52	56	42	42	32	29
Urbanized	35	37	26	27	20	20
Less Urbanized	38	37	32	27	25	21
Completely Rural	17	24	12	18	7	10

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.53D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.40	0.38	0.34	0.32	0.27	0.25
GEOGRAPHIC DIVISION						
Northeast	0.83	0.87	0.72	0.64	0.57	0.50
New England	1.59	1.42	1.37	1.14	1.24	0.82
Middle Atlantic	0.97	1.06	0.84	0.77	0.63	0.62
Midwest	0.74	0.76	0.65	0.61	0.51	0.48
East North Central	0.85	0.89	0.76	0.71	0.60	0.56
West North Central	1.42	1.51	1.21	1.23	0.93	0.99
South	0.68	0.70	0.61	0.54	0.50	0.43
South Atlantic	0.96	0.99	0.88	0.79	0.74	0.61
East South Central	1.65	1.72	1.26	1.36	1.08	1.03
West South Central	1.23	1.20	1.04	0.96	0.82	0.75
West	0.90	0.79	0.72	0.73	0.53	0.57
Mountain	1.30	1.30	1.18	1.06	0.93	0.87
Pacific	1.15	1.00	0.89	0.95	0.64	0.73
COUNTY TYPE						
Large Metro	0.54	0.53	0.45	0.45	0.33	0.36
Small Metro	0.77	0.69	0.64	0.57	0.52	0.45
250K – 1 Mil. Pop.	0.93	0.83	0.78	0.69	0.62	0.58
< 250K Pop.	1.30	1.26	1.08	1.01	0.87	0.72
Nonmetro	0.90	0.95	0.81	0.81	0.67	0.60
Urbanized	1.33	1.53	1.16	1.27	0.98	0.98
Less Urbanized	1.25	1.26	1.16	1.07	0.99	0.86
Completely Rural	2.99	3.46	2.42	3.09	1.69	1.83

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.53P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.2665		0.1697		0.0433	
GEOGRAPHIC DIVISION						
Northeast	0.5294		0.7107		0.4372	
New England	0.7893		0.5553		0.0251	
Middle Atlantic	0.4063		0.9150		0.7004	
Midwest	0.1620		0.1349		0.4516	
East North Central	0.1634		0.1378		0.2568	
West North Central	0.6387		0.6203		0.7386	
South	0.0917		0.0309		0.0078	
South Atlantic	0.7464		0.4864		0.1724	
East South Central	0.0943		0.2454		0.1836	
West South Central	0.1558		0.0333		0.0327	
West	0.5718		0.1579		0.5174	
Mountain	0.6280		0.5911		0.8154	
Pacific	0.7179		0.1935		0.3844	
COUNTY TYPE						
Large Metro	0.7509		0.6910		0.5177	
Small Metro	0.2666		0.3958		0.2430	
250K – 1 Mil. Pop.	0.6611		0.7637		0.4400	
< 250K Pop.	0.1652		0.0407		0.3373	
Nonmetro	0.3390		0.0893		0.0190	
Urbanized	0.2715		0.1765		0.1094	
Less Urbanized	0.1872		0.0459		0.0095	
Completely Rural	0.0304		0.0470		0.0254	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.54C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	151	162	161	160	159	149
GEOGRAPHIC DIVISION						
Northeast	64	61	69	61	67	62
New England	30	30	30	32	27	30
Middle Atlantic	56	54	62	53	61	54
Midwest	60	57	63	61	63	60
East North Central	45	47	47	49	47	50
West North Central	40	31	40	35	41	35
South	92	100	102	96	98	90
South Atlantic	64	79	69	75	70	69
East South Central	38	31	42	33	42	33
West South Central	55	53	60	50	55	50
West	93	96	87	92	86	78
Mountain	47	46	44	46	39	38
Pacific	79	83	75	79	76	67
COUNTY TYPE						
Large Metro	250	239	195	180	168	151
Small Metro	189	183	150	143	122	113
250K – 1 Mil. Pop.	151	147	118	114	100	93
< 250K Pop.	121	122	97	96	75	72
Nonmetro	136	167	104	126	86	103
Urbanized	85	142	62	101	53	78
Less Urbanized	106	95	81	79	65	71
Completely Rural	41	32	36	25	31	22

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.54D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.46	0.49	0.49	0.48	0.49	0.45
GEOGRAPHIC DIVISION						
Northeast	1.09	1.02	1.17	1.02	1.14	1.04
New England	1.97	1.90	1.97	2.03	1.75	1.95
Middle Atlantic	1.29	1.21	1.41	1.19	1.40	1.23
Midwest	0.83	0.78	0.86	0.84	0.87	0.83
East North Central	0.89	0.94	0.94	0.98	0.93	0.99
West North Central	1.77	1.37	1.77	1.56	1.83	1.56
South	0.79	0.85	0.87	0.81	0.84	0.76
South Atlantic	1.09	1.32	1.17	1.25	1.19	1.15
East South Central	2.02	1.64	2.25	1.77	2.27	1.76
West South Central	1.41	1.34	1.52	1.28	1.41	1.26
West	1.18	1.21	1.11	1.16	1.10	0.98
Mountain	2.01	1.96	1.88	1.94	1.67	1.61
Pacific	1.45	1.50	1.36	1.42	1.38	1.21
COUNTY TYPE						
Large Metro	0.67	0.71	0.69	0.68	0.70	0.64
Small Metro	0.86	0.82	0.89	0.85	0.87	0.77
250K – 1 Mil. Pop.	1.08	1.02	1.09	1.03	1.05	0.96
< 250K Pop.	1.41	1.37	1.53	1.46	1.50	1.29
Nonmetro	1.10	1.02	1.16	1.07	1.22	1.07
Urbanized	1.79	1.33	1.83	1.46	1.87	1.48
Less Urbanized	1.42	1.60	1.62	1.66	1.78	1.63
Completely Rural	2.73	3.34	3.94	3.49	4.22	3.39

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.54P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2008 Versus 2007

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.4985		0.9443		0.4913	
GEOGRAPHIC DIVISION						
Northeast	0.1456		0.1202		0.4370	
New England	0.1991		0.2792		0.7111	
Middle Atlantic	0.3232		0.2268		0.4941	
Midwest	0.7410		0.9968		0.9335	
East North Central	0.1989		0.1831		0.3560	
West North Central	0.3133		0.0832		0.2907	
South	0.1343		0.4455		0.3597	
South Atlantic	0.0563		0.3723		0.3707	
East South Central	0.7649		0.9278		0.5766	
West South Central	0.9605		0.9025		0.9669	
West	0.7856		0.7235		0.4702	
Mountain	0.7459		0.2894		0.0572	
Pacific	0.6103		0.8485		0.9064	
COUNTY TYPE						
Large Metro	0.2195		0.5108		0.1989	
Small Metro	0.7034		0.7046		0.9933	
250K – 1 Mil. Pop.	0.7071		0.5939		0.7826	
< 250K Pop.	0.9014		0.9346		0.7076	
Nonmetro	0.6180		0.3628		0.2848	
Urbanized	0.2484		0.4452		0.8696	
Less Urbanized	0.7855		0.3433		0.1235	
Completely Rural	0.4720		0.3352		0.8302	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.55C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	838	841	802	822	763	785
GEOGRAPHIC DIVISION						
Northeast	349	376	314	332	309	315
New England	172	173	149	158	134	157
Middle Atlantic	303	334	276	293	278	273
Midwest	287	305	337	333	317	317
East North Central	249	249	271	273	254	256
West North Central	148	178	198	180	183	179
South	526	506	509	520	476	500
South Atlantic	403	389	398	379	375	368
East South Central	169	179	179	210	172	200
West South Central	278	251	257	279	240	269
West	451	476	390	401	368	374
Mountain	200	191	191	187	181	176
Pacific	406	437	341	355	322	330
COUNTY TYPE						
Large Metro	1,343	1,409	722	730	655	682
Small Metro	1,056	1,054	542	499	496	454
250K – 1 Mil. Pop.	897	916	471	406	437	375
< 250K Pop.	634	637	298	304	267	267
Nonmetro	749	760	408	426	376	395
Urbanized	496	542	285	274	255	266
Less Urbanized	580	525	290	315	274	275
Completely Rural	309	280	154	135	143	133

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.55D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.44	0.44	0.42	0.43	0.40	0.41
GEOGRAPHIC DIVISION						
Northeast	0.98	1.05	0.88	0.93	0.87	0.88
New England	1.84	1.84	1.59	1.69	1.44	1.67
Middle Atlantic	1.16	1.27	1.05	1.11	1.06	1.04
Midwest	0.69	0.72	0.81	0.79	0.76	0.75
East North Central	0.85	0.84	0.92	0.93	0.87	0.87
West North Central	1.17	1.40	1.57	1.42	1.46	1.41
South	0.76	0.72	0.74	0.74	0.69	0.71
South Atlantic	1.09	1.04	1.08	1.01	1.01	0.98
East South Central	1.49	1.55	1.58	1.83	1.51	1.74
West South Central	1.34	1.19	1.24	1.32	1.16	1.27
West	1.04	1.08	0.90	0.91	0.85	0.85
Mountain	1.53	1.42	1.46	1.39	1.38	1.32
Pacific	1.34	1.43	1.13	1.16	1.06	1.08
COUNTY TYPE						
Large Metro	0.63	0.65	0.59	0.60	0.56	0.57
Small Metro	0.78	0.75	0.76	0.76	0.72	0.71
250K – 1 Mil. Pop.	0.93	0.96	0.93	0.89	0.89	0.84
< 250K Pop.	1.41	1.20	1.33	1.31	1.25	1.16
Nonmetro	0.95	0.81	0.98	0.99	0.91	0.96
Urbanized	1.44	1.23	1.47	1.57	1.37	1.60
Less Urbanized	1.26	1.26	1.49	1.44	1.44	1.30
Completely Rural	3.08	2.91	2.78	2.58	2.64	2.56

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.55P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.7055		0.3525		0.5844	
GEOGRAPHIC DIVISION						
Northeast	0.7253		0.9911		0.9686	
New England	0.7727		0.6920		0.5336	
Middle Atlantic	0.5804		0.8078		0.7675	
Midwest	0.1898		0.0791		0.0977	
East North Central	0.8233		0.8341		0.6142	
West North Central	0.0404		0.0036		0.0263	
South	0.7127		0.8157		0.8311	
South Atlantic	0.7296		0.3599		0.5826	
East South Central	0.8509		0.2571		0.3768	
West South Central	0.9355		0.9174		0.5605	
West	0.3763		0.9071		0.9686	
Mountain	0.5288		0.6429		0.6531	
Pacific	0.4978		0.8870		0.8237	
COUNTY TYPE						
Large Metro	0.9587		0.8737		0.9765	
Small Metro	0.5038		0.0967		0.1313	
250K – 1 Mil. Pop.	0.4485		0.1936		0.3599	
< 250K Pop.	0.9328		0.2723		0.1718	
Nonmetro	0.9913		0.8087		0.5802	
Urbanized	0.2721		0.5153		0.9846	
Less Urbanized	0.3066		0.6054		0.8325	
Completely Rural	0.8400		0.5409		0.2631	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.56C (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2007 and 2008

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	854	851	840	855	803	809
GEOGRAPHIC DIVISION						
Northeast	358	376	327	342	321	324
New England	177	176	150	161	134	160
Middle Atlantic	310	332	289	303	291	282
Midwest	298	316	350	349	328	331
East North Central	257	258	282	286	264	268
West North Central	155	183	205	188	188	186
South	536	516	530	544	496	522
South Atlantic	414	397	418	402	393	387
East South Central	177	183	188	222	181	208
West South Central	284	256	267	286	250	274
West	459	481	407	413	388	379
Mountain	207	197	205	194	194	181
Pacific	411	440	354	365	338	333
COUNTY TYPE						
Large Metro	1,393	1,453	781	771	710	708
Small Metro	1,106	1,111	588	541	536	484
250K – 1 Mil. Pop.	947	972	513	448	475	406
< 250K Pop.	662	679	323	334	285	291
Nonmetro	790	817	451	474	412	436
Urbanized	537	591	311	316	277	299
Less Urbanized	610	569	329	349	304	307
Completely Rural	335	304	179	151	164	147

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 2.56D (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
Standard Errors of Percentages, 2007 and 2008**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.38	0.38	0.38	0.38	0.36	0.36
GEOGRAPHIC DIVISION						
Northeast	0.86	0.90	0.79	0.82	0.77	0.78
New England	1.63	1.61	1.38	1.48	1.24	1.47
Middle Atlantic	1.01	1.08	0.95	0.98	0.95	0.92
Midwest	0.61	0.64	0.71	0.70	0.67	0.67
East North Central	0.75	0.75	0.82	0.83	0.77	0.78
West North Central	1.05	1.22	1.38	1.26	1.27	1.25
South	0.66	0.63	0.66	0.66	0.61	0.64
South Atlantic	0.96	0.91	0.97	0.92	0.92	0.89
East South Central	1.34	1.36	1.42	1.66	1.36	1.55
West South Central	1.15	1.02	1.09	1.14	1.02	1.09
West	0.90	0.93	0.79	0.80	0.76	0.73
Mountain	1.34	1.25	1.33	1.23	1.26	1.14
Pacific	1.15	1.22	0.99	1.01	0.94	0.92
COUNTY TYPE						
Large Metro	0.55	0.56	0.53	0.52	0.51	0.49
Small Metro	0.67	0.65	0.67	0.68	0.63	0.63
250K – 1 Mil. Pop.	0.81	0.84	0.82	0.80	0.78	0.75
< 250K Pop.	1.23	1.04	1.19	1.16	1.08	1.03
Nonmetro	0.84	0.73	0.89	0.90	0.83	0.87
Urbanized	1.27	1.06	1.27	1.43	1.21	1.45
Less Urbanized	1.11	1.16	1.39	1.32	1.29	1.21
Completely Rural	2.82	2.69	2.75	2.38	2.61	2.35

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 2.56P (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Geographic Characteristic	Lifetime (2007)	Lifetime (2008)	Past Year (2007)	Past Year (2008)	Past Month (2007)	Past Month (2008)
TOTAL	0.6268		0.3521		0.5000	
GEOGRAPHIC DIVISION						
Northeast	0.9090		0.7584		0.8352	
New England	0.6371		0.5407		0.4832	
Middle Atlantic	0.6993		0.9842		0.8959	
Midwest	0.1875		0.0885		0.1042	
East North Central	0.6728		0.6631		0.5084	
West North Central	0.0788		0.0143		0.0530	
South	0.5291		0.6989		0.9852	
South Atlantic	0.4928		0.2927		0.4877	
East South Central	0.8177		0.2967		0.4639	
West South Central	0.9506		0.9572		0.5882	
West	0.4011		0.8381		0.8390	
Mountain	0.4967		0.4931		0.4280	
Pacific	0.5524		0.8597		0.8109	
COUNTY TYPE						
Large Metro	0.7634		0.8404		0.8619	
Small Metro	0.5823		0.1011		0.1227	
250K – 1 Mil. Pop.	0.5144		0.2140		0.3658	
< 250K Pop.	0.9727		0.2563		0.1475	
Nonmetro	0.9083		0.7387		0.4908	
Urbanized	0.1758		0.6117		0.9736	
Less Urbanized	0.3044		0.5802		0.6834	
Completely Rural	0.8953		0.6064		0.2837	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.