

**Table 5.34A Substances for Which Last or Current Treatment Was Received among Persons Who Received Their Last or Current Substance Use Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2007 and 2008**

<b>Substance for Which Last or Current Treatment Was Received<sup>1</sup></b>	<b>Total (2007)</b>	<b>Total (2008)</b>	<b>Aged 12-17 (2007)</b>	<b>Aged 12-17 (2008)</b>	<b>Aged 18-25 (2007)</b>	<b>Aged 18-25 (2008)</b>	<b>Aged 26+ (2007)</b>	<b>Aged 26+ (2008)</b>
Marijuana	440	441	*	79	161	137	210	225
Cocaine	424	311	*	11	91	76	314	225
Heroin	201	227	1	*	44	32	*	189
Hallucinogens	132	127	*	16	61	48	51	63
Inhalants	81	86	3	7	37	32	40	47
Pain Relievers	299	350	*	19	91	101	184	230
Tranquilizers	168	171	*	14	48	50	103	107
Stimulants <sup>2</sup>	181	172	*	10	66	44	100	119
Sedatives	45	80	*	2	18	13	22	65
Alcohol	1,166	1,088	*	58	245	239	856	791

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding specific substances for their current treatment; otherwise, questions pertained to the last treatment they received.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple substances for which they received their last or current treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Estimates for stimulants do not include data from methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 5.34B Substances for Which Last or Current Treatment Was Received among Persons Who Received Their Last or Current Substance Use Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2007 and 2008**

<b>Substance for Which Last or Current Treatment Was Received<sup>1</sup></b>	<b>Total (2007)</b>	<b>Total (2008)</b>	<b>Aged 12-17 (2007)</b>	<b>Aged 12-17 (2008)</b>	<b>Aged 18-25 (2007)</b>	<b>Aged 18-25 (2008)</b>	<b>Aged 26+ (2007)</b>	<b>Aged 26+ (2008)</b>
Marijuana	25.4	27.8	*	68.7	42.9	40.5	16.7	19.9
Cocaine	24.5	19.6	*	9.3	24.3	22.3	24.9	19.9
Heroin	11.6	14.3	1.2	*	11.8	9.4	*	16.7
Hallucinogens	7.6	8.0	*	13.9	16.1	14.1	4.1	5.6
Inhalants	4.7	5.4	3.5	6.1	10.0	9.3	3.2	4.1
Pain Relievers	17.3	22.1	*	16.9	24.3	29.9	14.6	20.2
Tranquilizers	9.7	10.8	*	12.1	12.7	14.7	8.2	9.5
Stimulants <sup>2</sup>	10.5	10.8	*	8.3	17.5	12.9	8.0	10.5
Sedatives	2.6	5.1	*	1.9	4.9	3.8	1.7	5.8
Alcohol	67.3	68.5	*	50.7	65.3	70.6	67.9	69.7

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding specific substances for their current treatment; otherwise, questions pertained to the last treatment they received.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple substances for which they received their last or current treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Estimates for stimulants do not include data from methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.