

Table 5.23A Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Numbers in Thousands, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	387	370	46	38	97	93	244	238
Rehabilitation Facility - Inpatient	636	478	59	48	145	112	432	319
Rehabilitation Facility - Outpatient	936	835	83	72	218	223	635	540
Mental Health Center - Outpatient	519	520	42	38	104	108	373	374
Emergency Room	217	192	28	23	48	48	141	121
Private Doctor's Office	306	321	41	22	70	90	195	209
Self-Help Group	1,159	1,116	111 ^a	66	204	256	843	794
Prison/Jail	194	177	15	20	62 ^a	33	117	124

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.23B Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Percentages, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	17.9	17.8	19.9	17.6	20.6	18.4	16.7	17.6
Rehabilitation Facility - Inpatient	29.4	23.0	25.6	22.0	30.5	22.1	29.6	23.5
Rehabilitation Facility - Outpatient	43.3	40.1	36.2	33.1	45.9	44.0	43.5	39.8
Mental Health Center - Outpatient	24.0	25.0	18.1	17.5	22.0	21.3	25.5	27.6
Emergency Room	10.1	9.2	12.2	10.8	10.1	9.5	9.7	8.9
Private Doctor's Office	14.2	15.4	17.7	10.2	14.8	17.7	13.4	15.4
Self-Help Group	53.6	53.6	48.6 ^b	30.4	43.0	50.5	57.8	58.5
Prison/Jail	9.0	8.5	6.5	9.0	13.1 ^a	6.6	8.0	9.2

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.24A Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Numbers in Thousands, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	565	471	29	28	82	85	454	358
Rehabilitation Facility - Inpatient	682	488	35	31	104	101	542	356
Rehabilitation Facility - Outpatient	1,044	991	54	52	205	248	784	690
Mental Health Center - Outpatient	622	690	25	22	98	124	499	544
Emergency Room	358	232	23	12	54	45	282	175
Private Doctor's Office	357	412	19	18	83	82	256	312
Self-Help Group	1,535	1,583	77	62	289	316	1,169	1,205
Prison/Jail	233	229	15	13	70	43	148	174

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.24B Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Percentages, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	20.7	16.3	15.2	15.0	13.2	14.1	23.6	17.0
Rehabilitation Facility - Inpatient	24.9 ^a	16.8	18.3	16.7	16.8	16.7	28.2 ^a	16.9
Rehabilitation Facility - Outpatient	38.2	34.2	28.2	28.6	33.1 ^a	41.1	40.8	32.8
Mental Health Center - Outpatient	22.8	23.8	13.3	12.2	15.7	20.5	26.0	25.8
Emergency Room	13.1	8.0	11.8	6.4	8.6	7.5	14.7	8.3
Private Doctor's Office	13.1	14.2	9.8	9.7	13.3	13.6	13.3	14.8
Self-Help Group	56.2	54.7	40.4	33.9	46.6	52.3	60.9	57.2
Prison/Jail	8.5	7.9	7.8	7.0	11.3	7.1	7.7	8.2

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.25A Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Numbers in Thousands, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	779	675	59	53	135	138	584	484
Rehabilitation Facility - Inpatient	1,044 ^a	743	69	58	188	163	786 ^a	521
Rehabilitation Facility - Outpatient	1,705	1,455	112	87	347	371	1,246	997
Mental Health Center - Outpatient	889	1,054	56	60	158	192	674	803
Emergency Room	523	374	45	33	92	88	386	253
Private Doctor's Office	593	672	51	29	133	149	409	494
Self-Help Group	2,173	2,187	151 ^b	87	397	445	1,624	1,656
Prison/Jail	302	343	22	23	107 ^a	61	173	259

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.25B Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Percentages, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	19.9	16.7	17.4	16.3	15.8	16.1	21.5	16.9
Rehabilitation Facility - Inpatient	26.7 ^b	18.4	20.3	17.9	22.0	19.1	28.9 ^b	18.2
Rehabilitation Facility - Outpatient	43.6 ^a	36.0	32.7	26.8	40.6	43.3	45.9 ^a	34.8
Mental Health Center - Outpatient	22.7	26.1	16.6	18.3	18.5	22.4	24.8	28.0
Emergency Room	13.4	9.2	13.3	10.0	10.8	10.3	14.2	8.8
Private Doctor's Office	15.2	16.6	14.9	8.9	15.6	17.4	15.1	17.3
Self-Help Group	55.5	54.1	44.4 ^b	26.6	46.4	52.0	59.8	57.8
Prison/Jail	7.7	8.5	6.5	7.1	12.4 ^b	7.1	6.4	9.1

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.