

Table 5.38A Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	387	370	*	38	97	93	244	238
Rehabilitation Facility - Inpatient	636	478	*	*	145	112	432	319
Rehabilitation Facility - Outpatient	936	835	83	*	218	223	635	540
Mental Health Center - Outpatient	519	520	42	38	104	108	373	374
Emergency Room	191	181	*	20	39	44	129	117
Private Doctor's Office	237	200	*	*	45	68	173	122
Self-Help Group	850	737	68 ^a	35	159	181	623	521
Prison/Jail	145	114	12	*	46 ^a	19	*	80

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.38B Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	28.8	30.6	*	34.6	32.1	31.1	26.2	29.9
Rehabilitation Facility - Inpatient	47.3	39.6	*	*	47.8	37.2	46.5	40.0
Rehabilitation Facility - Outpatient	69.7	69.1	74.9	*	71.8	74.1	68.4	67.8
Mental Health Center - Outpatient	38.6	43.0	37.5	34.3	34.4	35.9	40.1	47.0
Emergency Room	14.2	15.0	*	17.8	12.9	14.7	13.9	14.7
Private Doctor's Office	17.7	16.6	*	*	14.8	22.5	18.7	15.3
Self-Help Group	63.3	61.0	61.6 ^b	31.2	52.5	60.1	67.0	65.4
Prison/Jail	10.8	9.5	10.8	*	15.3 ^a	6.3	*	10.0

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.39A Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	565	471	*	*	82	85	454	358
Rehabilitation Facility - Inpatient	682	488	*	*	104	101	542	356
Rehabilitation Facility - Outpatient	1,044	991	*	*	205	248	784	690
Mental Health Center - Outpatient	622	690	*	*	98	124	499	544
Emergency Room	342	215	*	*	44	40	280	168
Private Doctor's Office	248	248	*	*	42	48	192	197
Self-Help Group	972	1,001	*	*	158	203	772	761
Prison/Jail	143	149	*	*	41	29	91	112

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.39B Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	36.1	30.2	*	*	28.4	24.9	38.0	31.4
Rehabilitation Facility - Inpatient	43.5 ^a	31.3	*	*	36.2	29.6	45.3 ^a	31.2
Rehabilitation Facility - Outpatient	66.6	63.5	*	*	71.1	72.7	65.6	60.4
Mental Health Center - Outpatient	39.7	44.2	*	*	33.9	36.3	41.7	47.6
Emergency Room	21.8	13.8	*	*	15.3	11.8	23.4	14.7
Private Doctor's Office	15.8	15.9	*	*	14.4	14.1	16.0	17.2
Self-Help Group	62.0	64.2	*	*	54.8	59.6	64.5	66.7
Prison/Jail	9.1	9.6	*	*	14.2	8.4	7.6	9.8

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.40A Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	779	675	59	53	135	138	584	484
Rehabilitation Facility - Inpatient	1,044 ^a	743	69	58	188	163	786 ^a	521
Rehabilitation Facility - Outpatient	1,705	1,455	112	87	347	371	1,246	997
Mental Health Center - Outpatient	889	1,054	56	60	158	192	674	803
Emergency Room	478	352	37	25	74	77	366	250
Private Doctor's Office	420	402	27	*	72	95	321	294
Self-Help Group	1,485	1,410	85 ^a	53	253	286	1,148	1,071
Prison/Jail	210	236	21	18	69 ^a	39	119	178

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.40B Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	32.3	29.5	39.5	37.0	28.1	27.7	32.8	29.4
Rehabilitation Facility - Inpatient	43.3 ^a	32.5	46.1	40.7	39.0	32.8	44.2 ^a	31.7
Rehabilitation Facility - Outpatient	70.7	63.6	74.1	60.9	72.0	74.5	70.0	60.6
Mental Health Center - Outpatient	36.8 ^a	46.1	37.5	41.5	32.9	38.5	37.9	48.8
Emergency Room	19.8	15.4	24.9	17.4	15.4	15.5	20.6	15.2
Private Doctor's Office	17.4	17.6	17.7	*	15.0	19.1	18.0	17.8
Self-Help Group	61.6	61.7	56.4 ^b	37.1	52.4	57.5	64.5	65.1
Prison/Jail	8.7	10.3	14.2	12.9	14.4 ^a	7.9	6.7	10.8

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.