

Table 5.23C Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	56	51	9	8	16	16	52	47
Rehabilitation Facility - Inpatient	79	58	10	9	22	14	75	54
Rehabilitation Facility - Outpatient	88	77	12	11	25	22	82	71
Mental Health Center - Outpatient	66	64	8	8	16	14	64	61
Emergency Room	45	35	7	6	10	11	43	33
Private Doctor's Office	44	48	10	7	14	16	41	45
Self-Help Group	103	98	15	12	23	26	99	94
Prison/Jail	48	36	5	6	11	8	45	35

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.23D Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	2.35	2.22	3.67	3.20	3.02	2.79	3.25	3.15
Rehabilitation Facility - Inpatient	3.00	2.48	3.94	3.58	3.61	2.65	4.27	3.59
Rehabilitation Facility - Outpatient	3.14	2.95	4.31	4.17	3.59	3.45	4.49	4.23
Mental Health Center - Outpatient	2.72	2.61	3.31	3.34	2.90	2.55	3.91	3.81
Emergency Room	1.93	1.61	3.03	2.70	2.05	2.12	2.76	2.30
Private Doctor's Office	1.92	2.13	4.04	3.06	2.63	2.74	2.63	3.08
Self-Help Group	3.34	2.92	4.64	4.27	3.51	3.50	4.78	4.16
Prison/Jail	2.11	1.66	1.95	2.48	2.27	1.53	2.94	2.45

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.23P Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	0.9752		0.6513		0.6056		0.8484	
Rehabilitation Facility - Inpatient	0.1032		0.4804		0.0584		0.2772	
Rehabilitation Facility - Outpatient	0.4636		0.6101		0.6881		0.5462	
Mental Health Center - Outpatient	0.7844		0.8941		0.8464		0.7024	
Emergency Room	0.7493		0.7170		0.8444		0.8259	
Private Doctor's Office	0.6606		0.1332		0.4507		0.6132	
Self-Help Group	0.9928		0.0041		0.1368		0.9146	
Prison/Jail	0.8695		0.4253		0.0172		0.7634	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.24C Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	91	72	7	6	15	14	89	69
Rehabilitation Facility - Inpatient	88	62	7	6	16	13	85	59
Rehabilitation Facility - Outpatient	103	100	9	9	21	23	99	94
Mental Health Center - Outpatient	82	93	6	6	15	16	81	90
Emergency Room	70	48	6	5	11	11	68	47
Private Doctor's Office	56	63	5	6	15	14	54	62
Self-Help Group	123	140	11	11	26	29	120	136
Prison/Jail	52	48	4	4	14	9	48	47

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.24D Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	2.82	2.26	3.28	3.02	2.16	2.12	3.84	2.99
Rehabilitation Facility - Inpatient	2.68	2.06	3.52	3.10	2.29	2.12	3.66	2.71
Rehabilitation Facility - Outpatient	2.91	2.84	4.19	4.13	2.67	3.09	3.96	3.74
Mental Health Center - Outpatient	2.63	2.71	3.01	3.10	2.23	2.37	3.65	3.64
Emergency Room	2.30	1.58	2.96	2.50	1.69	1.73	3.14	2.10
Private Doctor's Office	1.90	1.97	2.53	2.87	2.18	2.08	2.58	2.67
Self-Help Group	3.07	3.06	4.64	4.77	3.11	3.27	4.25	4.07
Prison/Jail	1.80	1.59	2.23	2.19	2.13	1.41	2.37	2.14

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.24P Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	0.2239		0.9614		0.7634		0.1786	
Rehabilitation Facility - Inpatient	0.0153		0.7345		0.9762		0.0128	
Rehabilitation Facility - Outpatient	0.3148		0.9483		0.0459		0.1275	
Mental Health Center - Outpatient	0.7798		0.7985		0.1452		0.9714	
Emergency Room	0.0732		0.1672		0.6260		0.0939	
Private Doctor's Office	0.6766		0.9789		0.9100		0.6962	
Self-Help Group	0.7288		0.3329		0.2184		0.5285	
Prison/Jail	0.8043		0.7848		0.0765		0.8617	

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.25C Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	100	81	10	9	18	18	97	77
Rehabilitation Facility - Inpatient	109	75	11	9	24	17	105	71
Rehabilitation Facility - Outpatient	138	115	13	12	29	29	133	107
Mental Health Center - Outpatient	93	108	9	11	18	20	91	104
Emergency Room	79	55	9	8	15	14	76	53
Private Doctor's Office	68	80	11	8	19	20	65	77
Self-Help Group	148	161	17	12	31	34	144	155
Prison/Jail	53	56	5	6	16	11	49	54

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.25D Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	2.22	1.85	2.73	2.53	1.90	1.97	3.06	2.51
Rehabilitation Facility - Inpatient	2.27	1.79	2.92	2.66	2.34	1.89	3.10	2.39
Rehabilitation Facility - Outpatient	2.44	2.33	3.35	3.19	2.60	2.67	3.33	3.13
Mental Health Center - Outpatient	2.07	2.26	2.52	2.95	1.94	2.12	2.89	3.10
Emergency Room	1.79	1.29	2.43	2.16	1.58	1.56	2.47	1.76
Private Doctor's Office	1.58	1.78	2.95	2.27	2.00	2.11	2.15	2.43
Self-Help Group	2.51	2.55	3.67	3.28	2.68	2.72	3.51	3.43
Prison/Jail	1.31	1.33	1.56	1.77	1.77	1.24	1.74	1.83

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.25P Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	0.2644		0.7641		0.9060		0.2461	
Rehabilitation Facility - Inpatient	0.0039		0.5403		0.3265		0.0065	
Rehabilitation Facility - Outpatient	0.0212		0.2053		0.4452		0.0126	
Mental Health Center - Outpatient	0.2717		0.6775		0.1841		0.4418	
Emergency Room	0.0628		0.3123		0.8254		0.0762	
Private Doctor's Office	0.5374		0.1033		0.5287		0.4963	
Self-Help Group	0.6743		0.0004		0.1562		0.6742	
Prison/Jail	0.6755		0.7853		0.0089		0.2928	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.