

Table 5.38C Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	56	51	*	8	16	16	52	47
Rehabilitation Facility - Inpatient	79	58	*	*	22	14	75	54
Rehabilitation Facility - Outpatient	88	77	12	*	25	22	82	71
Mental Health Center - Outpatient	66	64	8	8	16	14	64	61
Emergency Room	43	35	*	6	9	11	42	33
Private Doctor's Office	40	39	*	*	10	14	38	36
Self-Help Group	89	77	11	8	20	20	86	74
Prison/Jail	41	31	4	*	10	6	*	30

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.38D Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	3.45	3.53	*	5.69	4.40	4.20	4.67	4.97
Rehabilitation Facility - Inpatient	3.91	3.72	*	*	4.60	3.97	5.50	5.31
Rehabilitation Facility - Outpatient	3.80	3.85	5.06	*	3.66	3.83	5.40	5.49
Mental Health Center - Outpatient	3.89	3.87	5.84	5.73	4.19	3.87	5.39	5.55
Emergency Room	2.90	2.65	*	4.66	2.71	3.37	4.09	3.78
Private Doctor's Office	2.76	2.94	*	*	2.97	3.96	3.83	4.15
Self-Help Group	3.57	3.64	5.77	5.64	4.54	4.26	4.92	5.15
Prison/Jail	2.84	2.41	3.53	*	3.10	1.79	*	3.53

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.38P Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	0.7080		*		0.8605		0.5860	
Rehabilitation Facility - Inpatient	0.1485		*		0.0813		0.3902	
Rehabilitation Facility - Outpatient	0.9152		*		0.6602		0.9401	
Mental Health Center - Outpatient	0.4160		0.7035		0.8045		0.3693	
Emergency Room	0.8540		*		0.6762		0.8895	
Private Doctor's Office	0.7842		*		0.1161		0.5508	
Self-Help Group	0.6534		0.0002		0.2224		0.8249	
Prison/Jail	0.7148		*		0.0115		*	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.39C Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	91	72	*	*	15	14	89	69
Rehabilitation Facility - Inpatient	88	62	*	*	16	13	85	59
Rehabilitation Facility - Outpatient	103	100	*	*	21	23	99	94
Mental Health Center - Outpatient	82	93	*	*	15	16	81	90
Emergency Room	69	48	*	*	10	11	68	46
Private Doctor's Office	50	58	*	*	10	10	48	57
Self-Help Group	107	115	*	*	19	22	104	111
Prison/Jail	41	41	*	*	9	7	40	40

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.39D Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	4.29	3.92	*	*	4.20	3.46	5.39	5.18
Rehabilitation Facility - Inpatient	4.03	3.63	*	*	4.13	3.45	5.12	4.80
Rehabilitation Facility - Outpatient	3.96	4.37	*	*	3.50	3.34	5.01	5.76
Mental Health Center - Outpatient	4.08	4.20	*	*	4.13	3.70	5.27	5.62
Emergency Room	3.69	2.85	*	*	3.05	2.85	4.71	3.83
Private Doctor's Office	2.89	3.32	*	*	3.11	2.76	3.68	4.52
Self-Help Group	3.91	3.97	*	*	4.20	3.90	4.98	5.30
Prison/Jail	2.44	2.47	*	*	3.00	1.95	3.10	3.35

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.39P Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	0.3106		*		0.5144		0.3816	
Rehabilitation Facility - Inpatient	0.0240		*		0.2213		0.0438	
Rehabilitation Facility - Outpatient	0.6036		*		0.7396		0.5037	
Mental Health Center - Outpatient	0.4490		*		0.6599		0.4515	
Emergency Room	0.0875		*		0.3954		0.1539	
Private Doctor's Office	0.9851		*		0.9388		0.8365	
Self-Help Group	0.6881		*		0.4032		0.7626	
Prison/Jail	0.8932		*		0.0997		0.6266	

*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.40C Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	100	81	10	9	18	18	97	77
Rehabilitation Facility - Inpatient	109	75	11	9	24	17	105	71
Rehabilitation Facility - Outpatient	138	115	13	12	29	29	133	107
Mental Health Center - Outpatient	93	108	9	11	18	20	91	104
Emergency Room	76	55	8	6	12	13	74	53
Private Doctor's Office	60	68	6	*	12	16	58	66
Self-Help Group	129	127	12	9	25	25	126	123
Prison/Jail	44	48	5	5	12	8	42	47

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.40D Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2007 and 2008

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	3.22	3.02	5.20	4.93	3.13	3.10	4.21	4.07
Rehabilitation Facility - Inpatient	3.25	2.92	5.23	5.20	3.39	2.92	4.31	3.87
Rehabilitation Facility - Outpatient	3.00	3.43	4.39	5.30	2.81	2.87	3.96	4.60
Mental Health Center - Outpatient	3.11	3.31	4.87	5.29	3.13	3.16	4.14	4.50
Emergency Room	2.68	2.23	4.66	3.92	2.32	2.46	3.55	3.03
Private Doctor's Office	2.26	2.64	3.93	*	2.33	2.86	2.95	3.59
Self-Help Group	3.17	3.17	5.02	5.11	3.55	3.40	4.24	4.26
Prison/Jail	1.74	1.99	3.37	3.60	2.32	1.59	2.25	2.72

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.40P Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Location of Treatment¹	Total (2007)	Total (2008)	Aged 12-17 (2007)	Aged 12-17 (2008)	Aged 18-25 (2007)	Aged 18-25 (2008)	Aged 26+ (2007)	Aged 26+ (2008)
Hospital - Inpatient	0.5345		0.7331		0.9352		0.5658	
Rehabilitation Facility - Inpatient	0.0129		0.4583		0.1556		0.0301	
Rehabilitation Facility - Outpatient	0.1205		0.0527		0.5390		0.1165	
Mental Health Center - Outpatient	0.0440		0.5946		0.2133		0.0766	
Emergency Room	0.2062		0.2168		0.9845		0.2497	
Private Doctor's Office	0.9666		*		0.2645		0.9671	
Self-Help Group	0.9835		0.0071		0.3089		0.9223	
Prison/Jail	0.5416		0.7851		0.0196		0.2456	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.