

Table 5.48C Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	421	404	130	139	397	384	0.64	0.70
AGE								
12-17	48	49	11	11	47	48	0.80	0.88
18-25	117	116	25	27	114	113	0.44	0.46
26 or Older	395	375	127	132	374	352	0.98	1.05
GENDER								
Male	361	338	112	121	341	312	0.80	0.93
Female	205	224	65	64	195	216	1.00	0.91
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	388	368	127	136	366	348	0.71	0.80
White	351	325	104	117	339	306	0.72	0.84
Black or African American	150	155	65	58	134	146	2.89	2.59
American Indian or Alaska Native	36	15	17	5	31	14	*	4.31
Native Hawaiian or Other Pacific Islander	14	*	0	1	14	*	*	*
Asian	67	59	*	23	67	54	0.11	*
Two or More Races	35	34	14	7	32	33	*	2.99
Hispanic or Latino	154	164	31	23	151	162	1.23	0.80

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.48D Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.17	0.16	0.05	0.06	0.16	0.15	0.64	0.70
AGE								
12-17	0.19	0.20	0.05	0.04	0.19	0.19	0.80	0.88
18-25	0.36	0.35	0.08	0.08	0.35	0.34	0.44	0.46
26 or Older	0.21	0.20	0.07	0.07	0.20	0.18	0.98	1.05
GENDER								
Male	0.30	0.28	0.09	0.10	0.28	0.26	0.80	0.93
Female	0.16	0.17	0.05	0.05	0.15	0.17	1.00	0.91
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.18	0.17	0.06	0.06	0.17	0.16	0.71	0.80
White	0.21	0.19	0.06	0.07	0.20	0.18	0.72	0.84
Black or African American	0.51	0.52	0.22	0.20	0.46	0.49	2.89	2.59
American Indian or Alaska Native	2.58	1.46	1.31	0.44	2.24	1.33	*	4.31
Native Hawaiian or Other Pacific Islander	1.98	*	0.07	0.11	1.98	*	*	*
Asian	0.64	0.55	*	0.21	0.64	0.51	0.11	*
Two or More Races	1.23	1.14	0.51	0.22	1.16	1.12	*	2.99
Hispanic or Latino	0.45	0.47	0.09	0.07	0.44	0.46	1.23	0.80

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.48P Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2008 Versus 2007

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.3819		0.9164		0.3766		0.9008	
AGE								
12-17	0.0502		0.7918		0.0541		0.8105	
18-25	0.4124		0.1725		0.6082		0.2343	
26 or Older	0.3512		0.7028		0.3952		0.9111	
GENDER								
Male	0.0248		0.6564		0.0249		0.8699	
Female	0.0423		0.5618		0.0521		0.9033	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.1131		0.9454		0.0890		0.6177	
White	0.1067		0.8967		0.0863		0.5826	
Black or African American	0.7670		0.9107		0.7136		0.8133	
American Indian or Alaska Native	0.2775		0.2111		0.6020		*	
Native Hawaiian or Other Pacific Islander	*		0.6387		*		*	
Asian	0.3864		*		0.2109		*	
Two or More Races	0.2759		0.5760		0.3423		*	
Hispanic or Latino	0.1390		0.4444		0.0974		0.2525	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.49C Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	416	402	130	138	394	381	0.69	0.74
GENDER								
Male	359	337	112	120	339	311	0.85	0.97
Female	201	220	64	64	191	213	1.12	1.01
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	384	368	126	135	363	348	0.76	0.85
White	378	343	104	117	363	321	0.77	0.89
Black or African American	162	161	65	59	144	151	3.03	2.69
American Indian or Alaska Native	32	14	17	4	26	13	*	*
Native Hawaiian or Other Pacific Islander	14	*	0	0	14	*	*	*
Asian	67	59	0	23	67	54	0.11	*
Two or More Races	35	33	14	6	32	32	*	*
Hispanic or Latino	152	162	30	24	149	160	1.37	0.90
EDUCATION								
< High School	188	151	63	66	178	136	2.01	2.16
High School Graduate	241	229	88	83	224	210	1.48	1.36
Some College	210	247	56	72	201	238	1.04	1.32
College Graduate	238	216	31	38	237	214	0.74	0.95
CURRENT EMPLOYMENT								
Full-Time	343	365	87	107	332	342	0.76	0.90
Part-Time	138	157	28	40	135	153	1.06	1.38
Unemployed	109	97	30	32	104	90	2.53	2.13
Other ¹	211	143	84	61	196	133	2.57	2.52

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.49D Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.19	0.18	0.06	0.06	0.18	0.17	0.69	0.74
GENDER								
Male	0.33	0.31	0.10	0.11	0.32	0.29	0.85	0.97
Female	0.17	0.19	0.06	0.06	0.17	0.18	1.12	1.01
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.20	0.19	0.07	0.07	0.19	0.18	0.76	0.85
White	0.23	0.21	0.07	0.07	0.22	0.20	0.77	0.89
Black or African American	0.59	0.60	0.25	0.23	0.53	0.56	3.03	2.69
American Indian or Alaska Native	2.71	1.63	1.51	0.49	2.25	1.46	*	*
Native Hawaiian or Other Pacific Islander	2.23	*	0.07	0.02	2.22	*	*	*
Asian	0.71	0.61	0.01	0.23	0.71	0.56	0.11	*
Two or More Races	1.46	1.34	0.60	0.26	1.38	1.31	*	*
Hispanic or Latino	0.51	0.53	0.10	0.08	0.50	0.53	1.37	0.90
EDUCATION								
< High School	0.50	0.44	0.17	0.19	0.48	0.40	2.01	2.16
High School Graduate	0.34	0.32	0.13	0.12	0.31	0.30	1.48	1.36
Some College	0.35	0.41	0.10	0.13	0.34	0.39	1.04	1.32
College Graduate	0.38	0.33	0.05	0.06	0.37	0.32	0.74	0.95
CURRENT EMPLOYMENT								
Full-Time	0.26	0.28	0.07	0.09	0.26	0.26	0.76	0.90
Part-Time	0.46	0.51	0.10	0.13	0.45	0.49	1.06	1.38
Unemployed	1.43	1.07	0.42	0.36	1.38	0.99	2.53	2.13
Other ¹	0.32	0.23	0.13	0.10	0.30	0.21	2.57	2.52

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.49P Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2008 Versus 2007

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.4965		0.9262		0.4941		0.9311	
GENDER								
Male	0.0353		0.6131		0.0379		0.9505	
Female	0.0273		0.4787		0.0373		0.8375	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.1590		0.9267		0.1282		0.6298	
White	0.1528		0.8934		0.1276		0.6092	
Black or African American	0.7252		0.9350		0.6788		0.8216	
American Indian or Alaska Native	0.2592		0.2043		0.5989		*	
Native Hawaiian or Other Pacific Islander	*		0.5149		*		*	
Asian	0.3923		0.1380		0.2173		*	
Two or More Races	0.2069		0.7012		0.2332		*	
Hispanic or Latino	0.1153		0.4148		0.0774		0.2252	
EDUCATION								
< High School	0.7886		0.6248		0.6317		0.5286	
High School Graduate	0.8827		0.4232		0.8713		0.4136	
Some College	0.7907		0.6265		0.8980		0.6587	
College Graduate	0.2739		0.9535		0.2698		0.8011	
CURRENT EMPLOYMENT								
Full-Time	1.0000		0.5293		0.8455		0.5102	
Part-Time	0.3448		0.5035		0.4290		0.6399	
Unemployed	0.8158		0.5455		0.6619		0.4626	
Other ¹	0.0029		0.0845		0.0150		0.5547	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.50C Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2007)	Needed but Did Not Receive Treatment¹ (2008)	Felt Need for Treatment² (2007)	Felt Need for Treatment² (2008)	Felt Need and Made Effort to Get Treatment² (2007)	Felt Need and Made Effort to Get Treatment² (2008)	Felt Need and Made No Effort to Get Treatment² (2007)	Felt Need and Made No Effort to Get Treatment² (2008)	Did Not Feel Need for Treatment² (2007)	Did Not Feel Need for Treatment² (2008)
TOTAL	427	405	118	86	41	35	111	78	410	396
AGE										
12-17	49	49	7	5	3	1	6	5	48	49
18-25	145	143	20	14	12	7	16	13	143	141
26 or Older	393	365	117	84	40	35	110	77	372	355
GENDER										
Male	366	332	110	67	36	29	104	61	351	323
Female	202	221	44	54	21	19	39	50	197	222

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.50D Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Demographic Characteristic	Needed but Did Not Receive Treatment ¹ (2007)	Needed but Did Not Receive Treatment ¹ (2008)	Felt Need for Treatment ² (2007)	Felt Need for Treatment ² (2008)	Felt Need and Made Effort to Get Treatment ² (2007)	Felt Need and Made Effort to Get Treatment ² (2008)	Felt Need and Made No Effort to Get Treatment ² (2007)	Felt Need and Made No Effort to Get Treatment ² (2008)	Did Not Feel Need for Treatment ² (2007)	Did Not Feel Need for Treatment ² (2008)
TOTAL	0.00	0.00	0.64	0.48	0.23	0.20	0.61	0.44	0.64	0.48
AGE										
12-17	0.00	0.00	0.50	0.45	0.25	0.10	0.44	0.44	0.50	0.45
18-25	0.00	0.00	0.36	0.26	0.22	0.12	0.29	0.23	0.36	0.26
26 or Older	0.00	0.00	1.00	0.76	0.35	0.32	0.96	0.70	1.00	0.76
GENDER										
Male	0.00	0.00	0.88	0.60	0.29	0.27	0.85	0.54	0.88	0.60
Female	0.00	0.00	0.75	0.85	0.37	0.31	0.66	0.79	0.75	0.85

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.50P Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2007)	Needed but Did Not Receive Treatment¹ (2008)	Felt Need for Treatment² (2007)	Felt Need for Treatment² (2008)	Felt Need and Made Effort to Get Treatment² (2007)	Felt Need and Made Effort to Get Treatment² (2008)	Felt Need and Made No Effort to Get Treatment² (2007)	Felt Need and Made No Effort to Get Treatment² (2008)	Did Not Feel Need for Treatment² (2007)	Did Not Feel Need for Treatment² (2008)
TOTAL	N/A		0.1693		0.0729		0.4647		0.1693	
AGE										
12-17	N/A		0.8771		0.2409		0.7298		0.8771	
18-25	N/A		0.0309		0.0462		0.2092		0.0309	
26 or Older	N/A		0.3125		0.2050		0.5794		0.3125	
GENDER										
Male	N/A		0.0746		0.0944		0.2211		0.0746	
Female	N/A		0.7805		0.4527		0.5087		0.7805	

*Low precision; no estimate reported.

N/A: Not applicable.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.