

Table 5.51C Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	470	436	165	159	433	408	0.66	0.65
AGE								
12-17	57	59	15	16	56	58	0.76	0.79
18-25	128	125	33	33	124	121	0.47	0.45
26 or Older	437	397	160	151	401	368	1.03	0.99
GENDER								
Male	397	353	145	135	367	324	0.86	0.87
Female	234	251	77	81	215	238	0.93	0.90
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	425	401	162	156	393	371	0.74	0.74
White	381	347	127	135	363	320	0.74	0.79
Black or African American	167	165	95	64	139	157	3.02	2.17
American Indian or Alaska Native	40	17	17	5	36	16	*	3.95
Native Hawaiian or Other Pacific Islander	20	*	0	1	20	*	*	*
Asian	70	62	18	23	67	57	*	*
Two or More Races	38	42	19	13	33	40	*	3.89
Hispanic or Latino	167	171	34	35	163	169	1.15	1.04

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.51D Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.19	0.17	0.07	0.06	0.17	0.16	0.66	0.65
AGE								
12-17	0.23	0.24	0.06	0.06	0.22	0.23	0.76	0.79
18-25	0.39	0.38	0.10	0.10	0.38	0.37	0.47	0.45
26 or Older	0.23	0.21	0.08	0.08	0.21	0.19	1.03	0.99
GENDER								
Male	0.33	0.29	0.12	0.11	0.31	0.27	0.86	0.87
Female	0.18	0.19	0.06	0.06	0.17	0.19	0.93	0.90
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.20	0.19	0.08	0.07	0.18	0.17	0.74	0.74
White	0.23	0.21	0.08	0.08	0.21	0.19	0.74	0.79
Black or African American	0.57	0.56	0.32	0.22	0.48	0.53	3.02	2.17
American Indian or Alaska Native	2.90	1.77	1.32	0.52	2.61	1.63	*	3.95
Native Hawaiian or Other Pacific Islander	2.74	*	0.07	0.11	2.74	*	*	*
Asian	0.68	0.58	0.17	0.21	0.65	0.54	*	*
Two or More Races	1.36	1.43	0.67	0.42	1.20	1.36	*	3.89
Hispanic or Latino	0.49	0.49	0.10	0.10	0.48	0.48	1.15	1.04

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.51P Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.5972		0.5170		0.7459		0.5950	
AGE								
12-17	0.8344		0.8241		0.8811		0.8659	
18-25	0.8824		0.7866		0.9384		0.8125	
26 or Older	0.5694		0.4709		0.7390		0.5660	
GENDER								
Male	0.0173		0.2380		0.0342		0.5997	
Female	0.0072		0.4623		0.0090		0.9787	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.2112		0.5130		0.2780		0.7499	
White	0.2003		0.9841		0.1731		0.6850	
Black or African American	0.8053		0.2429		0.3706		0.1598	
American Indian or Alaska Native	0.4410		0.2802		0.7588		*	
Native Hawaiian or Other Pacific Islander	*		0.5353		*		*	
Asian	0.4277		0.5508		0.3043		*	
Two or More Races	0.5187		0.5490		0.6574		*	
Hispanic or Latino	0.1052		0.9815		0.0959		0.6661	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.52C Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	464	433	165	158	428	405	0.72	0.70
GENDER								
Male	394	353	144	134	364	323	0.92	0.91
Female	227	245	76	81	209	233	1.05	1.01
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	420	400	161	154	389	371	0.80	0.79
White	410	368	127	134	387	339	0.80	0.85
Black or African American	184	176	96	65	152	164	3.22	2.31
American Indian or Alaska Native	34	16	17	5	29	15	*	4.21
Native Hawaiian or Other Pacific Islander	20	*	0	0	20	*	*	*
Asian	69	61	18	23	66	56	*	*
Two or More Races	38	41	18	12	33	39	*	*
Hispanic or Latino	164	169	34	35	161	166	1.30	1.16
EDUCATION								
< High School	212	166	84	77	195	151	2.04	1.94
High School Graduate	258	247	102	90	237	228	1.42	1.22
Some College	229	258	72	81	218	247	1.12	1.25
College Graduate	246	228	52	47	242	224	1.11	1.04
CURRENT EMPLOYMENT								
Full-Time	367	385	110	119	354	355	0.84	0.86
Part-Time	153	169	34	46	148	164	1.03	1.31
Unemployed	112	109	44	39	102	102	2.75	2.01
Other ¹	238	163	101	74	212	150	2.33	2.21

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.52D Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.21	0.19	0.07	0.07	0.19	0.18	0.72	0.70
GENDER								
Male	0.37	0.33	0.13	0.12	0.34	0.30	0.92	0.91
Female	0.20	0.21	0.07	0.07	0.18	0.20	1.05	1.01
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.22	0.21	0.08	0.08	0.20	0.19	0.80	0.79
White	0.24	0.22	0.08	0.09	0.23	0.21	0.80	0.85
Black or African American	0.65	0.64	0.37	0.25	0.54	0.60	3.22	2.31
American Indian or Alaska Native	2.96	1.96	1.52	0.52	2.53	1.81	*	4.21
Native Hawaiian or Other Pacific Islander	3.06	*	0.07	0.03	3.06	*	*	*
Asian	0.75	0.63	0.19	0.24	0.71	0.58	*	*
Two or More Races	1.60	1.67	0.79	0.49	1.41	1.58	*	*
Hispanic or Latino	0.56	0.56	0.11	0.12	0.54	0.55	1.30	1.16
EDUCATION								
< High School	0.56	0.49	0.23	0.22	0.52	0.44	2.04	1.94
High School Graduate	0.37	0.35	0.15	0.13	0.33	0.33	1.42	1.22
Some College	0.38	0.42	0.13	0.14	0.36	0.41	1.12	1.25
College Graduate	0.39	0.34	0.09	0.08	0.38	0.33	1.11	1.04
CURRENT EMPLOYMENT								
Full-Time	0.28	0.29	0.09	0.10	0.28	0.26	0.84	0.86
Part-Time	0.52	0.55	0.12	0.15	0.50	0.53	1.03	1.31
Unemployed	1.46	1.19	0.61	0.43	1.35	1.10	2.75	2.01
Other ¹	0.37	0.26	0.16	0.12	0.32	0.24	2.33	2.21

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.52P Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Demographic Characteristic	Needed Treatment (2007)	Needed Treatment (2008)	Needed and Received Treatment (2007)	Needed and Received Treatment (2008)	Needed but Did Not Receive Treatment (2007)	Needed but Did Not Receive Treatment (2008)	Percentage Who Received Treatment among Persons Who Needed Treatment (2007)	Percentage Who Received Treatment among Persons Who Needed Treatment (2008)
TOTAL	0.6021		0.5241		0.7496		0.6029	
GENDER								
Male	0.0239		0.2218		0.0483		0.5475	
Female	0.0098		0.4105		0.0140		0.9395	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.2266		0.5288		0.2942		0.7670	
White	0.2196		0.9722		0.1902		0.6802	
Black or African American	0.8061		0.2670		0.3863		0.1795	
American Indian or Alaska Native	0.4481		0.1834		0.9087		*	
Native Hawaiian or Other Pacific Islander	*		0.7406		*		*	
Asian	0.4296		0.5315		0.3011		*	
Two or More Races	0.4632		0.5625		0.5816		*	
Hispanic or Latino	0.1223		0.9539		0.1078		0.6200	
EDUCATION								
< High School	0.7073		0.7746		0.5936		0.6419	
High School Graduate	0.8559		0.2798		0.5167		0.2184	
Some College	0.8085		0.8970		0.8332		0.9466	
College Graduate	0.3003		0.7366		0.3344		0.8973	
CURRENT EMPLOYMENT								
Full-Time	0.9456		0.7373		0.9635		0.7362	
Part-Time	0.4945		0.4758		0.6146		0.5848	
Unemployed	0.7167		0.7335		0.8045		0.8229	
Other ¹	0.0111		0.0482		0.0642		0.3375	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.53C Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2007)	Needed but Did Not Receive Treatment¹ (2008)	Felt Need for Treatment² (2007)	Felt Need for Treatment² (2008)	Felt Need and Made Effort to Get Treatment² (2007)	Felt Need and Made Effort to Get Treatment² (2008)	Felt Need and Made No Effort to Get Treatment² (2007)	Felt Need and Made No Effort to Get Treatment² (2008)	Did Not Feel Need for Treatment² (2007)	Did Not Feel Need for Treatment² (2008)
TOTAL	463	434	148	98	56	44	136	88	439	422
AGE										
12-17	59	61	10	7	5	4	8	6	58	60
18-25	163	160	25	20	15	9	20	18	160	157
26 or Older	419	384	145	96	53	43	135	85	393	372
GENDER										
Male	393	349	137	79	50	37	128	70	374	339
Female	224	243	55	58	25	24	49	53	217	244

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.53D Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2007 and 2008

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2007)	Needed but Did Not Receive Treatment¹ (2008)	Felt Need for Treatment² (2007)	Felt Need for Treatment² (2008)	Felt Need and Made Effort to Get Treatment² (2007)	Felt Need and Made Effort to Get Treatment² (2008)	Felt Need and Made No Effort to Get Treatment² (2007)	Felt Need and Made No Effort to Get Treatment² (2008)	Did Not Feel Need for Treatment² (2007)	Did Not Feel Need for Treatment² (2008)
TOTAL	0.00	0.00	0.68	0.46	0.26	0.21	0.64	0.41	0.68	0.46
AGE										
12-17	0.00	0.00	0.53	0.40	0.27	0.20	0.46	0.35	0.53	0.40
18-25	0.00	0.00	0.38	0.31	0.24	0.14	0.31	0.28	0.38	0.31
26 or Older	0.00	0.00	1.09	0.74	0.42	0.34	1.03	0.67	1.09	0.74
GENDER										
Male	0.00	0.00	0.95	0.60	0.35	0.29	0.90	0.53	0.95	0.60
Female	0.00	0.00	0.77	0.74	0.36	0.30	0.69	0.68	0.77	0.74

*Low precision; no estimate reported.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 5.53P Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2007)	Needed but Did Not Receive Treatment¹ (2008)	Felt Need for Treatment² (2007)	Felt Need for Treatment² (2008)	Felt Need and Made Effort to Get Treatment² (2007)	Felt Need and Made Effort to Get Treatment² (2008)	Felt Need and Made No Effort to Get Treatment² (2007)	Felt Need and Made No Effort to Get Treatment² (2008)	Did Not Feel Need for Treatment² (2007)	Did Not Feel Need for Treatment² (2008)
TOTAL	N/A		0.0465		0.0376		0.2297		0.0465	
AGE										
12-17	N/A		0.1985		0.2739		0.3984		0.1985	
18-25	N/A		0.0240		0.0245		0.2357		0.0240	
26 or Older	N/A		0.1313		0.1430		0.3395		0.1313	
GENDER										
Male	N/A		0.0844		0.0652		0.2984		0.0844	
Female	N/A		0.3170		0.3287		0.5230		0.3170	

*Low precision; no estimate reported.

N/A: Not applicable.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine use items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.