

Table 6.16C (REVISED) Specific Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2008

Demographic Characteristic	Received Mental Health Treatment/Counseling ¹	Inpatient	Outpatient	Prescription Medication
TOTAL	262	114	218	253
AGE				
18-25	37	15	31	31
26-49	177	59	151	168
50 or Older	192	93	153	191
GENDER				
Male	144	60	123	136
Female	217	93	177	212
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	251	103	212	243
White	234	99	198	227
Black or African American	59	26	53	53
American Indian or Alaska Native	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	*	*	*	*
Two or More Races	*	*	*	*
Hispanic or Latino	*	*	*	*
EDUCATION				
< High School	75	25	56	73
High School Graduate	139	43	102	137
Some College	136	75	126	133
College Graduate	141	65	129	135
CURRENT EMPLOYMENT				
Full-Time	156	50	129	149
Part-Time	98	*	89	95
Unemployed	*	10	*	*
Other ²	184	73	153	179

*Low precision; no estimate reported.

NOTE: Some 2008 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Respondents could report receiving multiple types of mental health treatment/counseling; thus, these response categories are not mutually exclusive.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

² The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2008.

Table 6.16D (REVISED) Specific Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness, by Demographic Characteristics: Standard Errors of Percentages, 2008

Demographic Characteristic	Received Mental Health Treatment/Counseling ¹	Inpatient	Outpatient	Prescription Medication
TOTAL	1.76	1.29	1.86	1.81
AGE				
18-25	2.28	1.18	2.05	2.12
26-49	2.08	1.19	2.23	2.22
50 or Older	4.33	3.65	4.66	4.32
GENDER				
Male	3.06	2.02	3.21	3.12
Female	2.14	1.60	2.30	2.18
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	1.84	1.29	2.01	1.91
White	1.99	1.44	2.18	2.06
Black or African American	5.68	3.86	5.67	5.50
American Indian or Alaska Native	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*
Asian	*	*	*	*
Two or More Races	*	*	*	*
Hispanic or Latino	*	*	*	*
EDUCATION				
< High School	4.61	2.08	4.16	4.54
High School Graduate	3.19	1.58	3.20	3.27
Some College	2.99	2.63	3.22	3.09
College Graduate	3.06	3.32	4.09	3.47
CURRENT EMPLOYMENT				
Full-Time	2.71	1.37	2.74	2.76
Part-Time	3.97	*	4.76	4.32
Unemployed	*	1.76	*	*
Other ²	3.19	2.25	3.49	3.22

*Low precision; no estimate reported.

NOTE: Some 2008 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

NOTE: Respondents could report receiving multiple types of mental health treatment/counseling; thus, these response categories are not mutually exclusive.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

² The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2008.

Table 6.17C (REVISED) Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness Who Received Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2008

Type of Mental Health Treatment/Counseling ¹	Total	Aged 18-25	Aged 26-49	Aged 50+
RECEIVED ONLY ONE TREATMENT TYPE				
Inpatient	15	4	11	*
Outpatient	61	17	59	10
Prescription Medication	137	16	92	104
RECEIVED TWO TREATMENT TYPES				
Inpatient and Outpatient	9	6	6	3
Inpatient and Prescription Medication	23	7	10	*
Outpatient and Prescription Medication	179	22	127	125
RECEIVED ALL THREE TREATMENT TYPES				
Inpatient, Outpatient, and Prescription Medication	110	12	57	*

*Low precision; no estimate reported.

NOTE: Some 2008 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling or combination of types of treatments information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2008.

Table 6.17D (REVISED) Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older with Past Year Serious Mental Illness Who Received Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2008

Type of Mental Health Treatment/Counseling ¹	Total	Aged 18-25	Aged 26-49	Aged 50+
RECEIVED ONLY ONE TREATMENT TYPE				
Inpatient	0.28	0.70	0.33	*
Outpatient	1.10	2.69	1.75	0.61
Prescription Medication	2.11	2.54	2.49	5.00
RECEIVED TWO TREATMENT TYPES				
Inpatient and Outpatient	0.17	1.01	0.20	0.18
Inpatient and Prescription Medication	0.42	1.14	0.31	*
Outpatient and Prescription Medication	2.38	2.94	2.78	5.49
RECEIVED ALL THREE TREATMENT TYPES				
Inpatient, Outpatient, and Prescription Medication	1.88	2.05	1.68	*

*Low precision; no estimate reported.

NOTE: Some 2008 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Serious Mental Illness (SMI) is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder that met the criteria found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV). Estimates for SMI presented in this table may differ from previously published SMI estimates because of revised estimation procedures. For details on the methodology, see the NSDUH short report titled *Revised Estimates of Mental Illness from the National Survey on Drug Use and Health* at <http://samhsa.gov/data/default.aspx>.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling or combination of types of treatments information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2008.