

**Table 7.7A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLICIT DRUGS<sup>1</sup></b>	12,085	12,172	7,772	7,905
Marijuana and Hashish	9,548	9,977	4,901	5,226
Cocaine	1,736	1,418	339	437
Crack	551 <sup>b</sup>	291	59	69
Heroin	148	193	*	20
Hallucinogens	750	807	246	253
LSD	125	121	20	33
PCP	34	16	*	*
Ecstasy	386	456	117	100
Inhalants	255	272	360	368
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	3,866	3,545	3,029	2,679
Pain Relievers	2,988	2,656	2,186	2,090
OxyContin <sup>®</sup>	302	380	67	55
Tranquilizers	1,087	1,227	747	573
Stimulants <sup>3</sup>	787	606	266	298
Methamphetamine <sup>3</sup>	472 <sup>b</sup>	216	58	98
Sedatives	157	116	189	118
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	5,541	5,093	3,729	3,472

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.7B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Percentages, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLICIT DRUGS<sup>1</sup></b>	20.1	20.4	4.1	4.2
Marijuana and Hashish	15.9	16.7	2.6	2.7
Cocaine	2.9	2.4	0.2	0.2
Crack	0.9 <sup>b</sup>	0.5	0.0	0.0
Heroin	0.2	0.3	*	0.0
Hallucinogens	1.2	1.3	0.1	0.1
LSD	0.2	0.2	0.0	0.0
PCP	0.1	0.0	*	*
Ecstasy	0.6	0.8	0.1	0.1
Inhalants	0.4	0.5	0.2	0.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	6.4	5.9	1.6	1.4
Pain Relievers	5.0	4.4	1.2	1.1
OxyContin <sup>®</sup>	0.5	0.6	0.0	0.0
Tranquilizers	1.8	2.1	0.4	0.3
Stimulants <sup>3</sup>	1.3	1.0	0.1	0.2
Methamphetamine <sup>3</sup>	0.8 <sup>b</sup>	0.4	0.0	0.1
Sedatives	0.3	0.2	0.1	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	9.2	8.5	2.0	1.8

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.8A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Numbers in Thousands, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLICIT DRUGS<sup>1</sup></b>	1,174	1,109	1,234	1,195
Marijuana and Hashish	1,031	960	655	697
Cocaine	78	77	26	21
Crack	12	6	4	*
Heroin	2	14	2	*
Hallucinogens	125	157	50 <sup>a</sup>	85
LSD	24	38	5	13
PCP	5	6	5	8
Ecstasy	45 <sup>a</sup>	81	20	24
Inhalants	83	81	212	188
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	372 <sup>a</sup>	302	456	408
Pain Relievers	300	242	369	325
OxyContin <sup>®</sup>	34	37	13	12
Tranquilizers	111	84	72	66
Stimulants <sup>3</sup>	83 <sup>a</sup>	55	44	57
Methamphetamine <sup>3</sup>	22	24	11	5
Sedatives	11	18	23	16
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	508	468	673	623

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.8B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Percentages, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLCIT DRUGS<sup>1</sup></b>	47.3	49.0	5.4	5.3
Marijuana and Hashish	41.5	42.5	2.9	3.1
Cocaine	3.1	3.4	0.1	0.1
Crack	0.5	0.3	0.0	*
Heroin	0.1	0.6	0.0	*
Hallucinogens	5.0 <sup>a</sup>	6.9	0.2 <sup>a</sup>	0.4
LSD	1.0	1.7	0.0	0.1
PCP	0.2	0.3	0.0	0.0
Ecstasy	1.8 <sup>b</sup>	3.6	0.1	0.1
Inhalants	3.3	3.6	0.9	0.8
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	15.0	13.4	2.0	1.8
Pain Relievers	12.1	10.7	1.6	1.4
OxyContin <sup>®</sup>	1.4	1.6	0.1	0.1
Tranquilizers	4.5	3.7	0.3	0.3
Stimulants <sup>3</sup>	3.3	2.5	0.2	0.3
Methamphetamine <sup>3</sup>	0.9	1.1	0.1	0.0
Sedatives	0.4	0.8	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	20.5	20.7	3.0	2.8

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.9A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Numbers in Thousands, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLICIT DRUGS<sup>1</sup></b>	4,471	4,333	1,993	2,131
Marijuana and Hashish	3,830	3,784	1,549	1,642
Cocaine	506	430	67	77
Crack	55	42	1	11
Heroin	44	71	4	2
Hallucinogens	382	436	93	113
LSD	56	83	14	14
PCP	12	4	3	*
Ecstasy	199	247	31	57
Inhalants	81	77	49	27
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,388	1,320	562	623
Pain Relievers	1,088	1,047	429	455
OxyContin <sup>®</sup>	122	108	34	21
Tranquilizers	427	426	144	143
Stimulants <sup>3</sup>	282	248	71	100
Methamphetamine <sup>3</sup>	109 <sup>a</sup>	57	7	17
Sedatives	57 <sup>a</sup>	26	15	39
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	1,924	1,815	719	771

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.9B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Percentages, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLICIT DRUGS<sup>1</sup></b>	37.8	36.9	9.5	10.1
Marijuana and Hashish	32.4	32.2	7.4	7.8
Cocaine	4.3	3.7	0.3	0.4
Crack	0.5	0.4	0.0	0.1
Heroin	0.4	0.6	0.0	0.0
Hallucinogens	3.2	3.7	0.4	0.5
LSD	0.5	0.7	0.1	0.1
PCP	0.1	0.0	0.0	*
Ecstasy	1.7	2.1	0.1	0.3
Inhalants	0.7	0.7	0.2	0.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	11.7	11.2	2.7	2.9
Pain Relievers	9.2	8.9	2.1	2.1
OxyContin <sup>®</sup>	1.0	0.9	0.2	0.1
Tranquilizers	3.6	3.6	0.7	0.7
Stimulants <sup>3</sup>	2.4	2.1	0.3	0.5
Methamphetamine <sup>3</sup>	0.9 <sup>a</sup>	0.5	0.0	0.1
Sedatives	0.5 <sup>a</sup>	0.2	0.1	0.2
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	16.3	15.4	3.4	3.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.10A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLCIT DRUGS<sup>1</sup></b>	6,439	6,729	4,544	4,578
Marijuana and Hashish	4,687	5,233	2,697	2,887
Cocaine	1,153	911	246	340
Crack	483 <sup>b</sup>	243	54	57
Heroin	102	108	*	17
Hallucinogens	243	214	103	55
LSD	45	*	*	*
PCP	17	6	*	*
Ecstasy	142	127	67	19
Inhalants	91	114	100	154
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	2,106	1,922	2,011	1,648
Pain Relievers	1,599	1,368	1,388	1,310
OxyContin <sup>®</sup>	146	234	21	22
Tranquilizers	549	717	532	364
Stimulants <sup>3</sup>	423	302	150	141
Methamphetamine <sup>3</sup>	341 <sup>a</sup>	135	39	76
Sedatives	89	72	151	63
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	3,110	2,810	2,337	2,079

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.10B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Percentages, 2007 and 2008**

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2007	2008	2007	2008
<b>ILLICIT DRUGS<sup>1</sup></b>	14.1	14.7	3.2	3.1
Marijuana and Hashish	10.2	11.4	1.9	2.0
Cocaine	2.5	2.0	0.2	0.2
Crack	1.1 <sup>b</sup>	0.5	0.0	0.0
Heroin	0.2	0.2	*	0.0
Hallucinogens	0.5	0.5	0.1	0.0
LSD	0.1	*	*	*
PCP	0.0	0.0	*	*
Ecstasy	0.3	0.3	0.0	0.0
Inhalants	0.2	0.2	0.1	0.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	4.6	4.2	1.4	1.1
Pain Relievers	3.5	3.0	1.0	0.9
OxyContin <sup>®</sup>	0.3	0.5	0.0	0.0
Tranquilizers	1.2	1.6	0.4	0.2
Stimulants <sup>3</sup>	0.9	0.7	0.1	0.1
Methamphetamine <sup>3</sup>	0.7 <sup>a</sup>	0.3	0.0	0.1
Sedatives	0.2	0.2	0.1	0.0
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	6.8	6.1	1.6	1.4

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from the methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.