

Table 7.96A Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Numbers in Thousands, 2007 and 2008

| Age Category | Illicit Drug (2007) | Illicit Drug (2008) | Alcohol (2007) | Alcohol (2008) | Illicit Drug or Alcohol (2007) | Illicit Drug or Alcohol (2008) |
|--------------|------------------------|------------------------|--------------------|-------------------|--------------------------------------|--------------------------------------|
| TOTAL | 9,923 | 10,012 | 31,358 | 30,863 | 33,575 | 33,174 |
| 12 | 3 | 5 | 3 | 6 | 3 | 7 |
| 13 | 6 | 1 | 12 ^a | 1 | 13 ^b | 1 |
| 14 | 27 | 20 | 31 | 23 | 38 | 26 |
| 15 | 71 | 63 | 80 | 67 | 104 | 87 |
| 16 | 203 | 179 | 202 | 191 | 277 | 253 |
| 17 | 373 | 375 | 464 | 436 | 578 | 548 |
| 18 | 502 | 535 | 657 | 606 | 789 | 794 |
| 19 | 615 | 617 | 842 | 803 | 973 | 968 |
| 20 | 633 | 619 | 919 | 794 | 1,044 | 922 |
| 21 | 626 | 518 | 1,097 | 982 | 1,185 | 1,089 |
| 22 | 522 | 505 | 1,051 | 1,158 | 1,168 | 1,219 |
| 23 | 464 | 432 | 1,049 | 1,073 | 1,131 | 1,184 |
| 24 | 404 | 455 | 987 | 1,006 | 1,051 | 1,102 |
| 25 | 329 | 376 | 851 | 922 | 904 | 997 |
| 26-29 | 1,179 | 1,395 | 3,291 ^a | 3,963 | 3,564 ^a | 4,220 |
| 30-34 | 956 | 972 | 3,406 | 3,321 | 3,594 | 3,510 |
| 35-39 | 753 | 834 | 3,389 | 3,117 | 3,542 | 3,259 |
| 40-44 | 805 | 711 | 3,326 | 3,029 | 3,527 | 3,202 |
| 45-49 | 703 | 708 | 3,199 | 3,304 | 3,310 | 3,504 |
| 50-54 | 375 | 312 | 2,902 | 2,501 | 2,991 | 2,602 |
| 55-59 | 228 | 232 | 1,883 | 1,759 | 2,002 | 1,816 |
| 60-64 | 61 | 95 | 844 | 1,063 | 889 | 1,076 |
| 65 or Older | 86 | 50 | 873 | 738 | 897 | 788 |

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.96B Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Percentages, 2007 and 2008

| Age Category | Illicit Drug (2007) | Illicit Drug (2008) | Alcohol (2007) | Alcohol (2008) | Illicit Drug or Alcohol (2007) | Illicit Drug or Alcohol (2008) |
|--------------|------------------------|------------------------|-------------------|-------------------|--------------------------------------|--------------------------------------|
| TOTAL | 4.0 | 4.0 | 12.7 | 12.4 | 13.5 | 13.3 |
| 12 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 |
| 13 | 0.1 | 0.0 | 0.3 ^a | 0.0 | 0.3 ^b | 0.0 |
| 14 | 0.7 | 0.5 | 0.8 | 0.6 | 0.9 | 0.6 |
| 15 | 1.6 | 1.4 | 1.8 | 1.5 | 2.4 | 2.0 |
| 16 | 4.6 | 4.1 | 4.5 | 4.4 | 6.2 | 5.8 |
| 17 | 9.0 | 8.7 | 11.2 | 10.1 | 14.0 | 12.7 |
| 18 | 10.5 | 10.9 | 13.8 | 12.4 | 16.5 | 16.2 |
| 19 | 14.0 | 14.2 | 19.2 | 18.4 | 22.2 | 22.2 |
| 20 | 15.5 | 15.6 | 22.5 | 20.0 | 25.5 | 23.2 |
| 21 | 15.3 | 13.0 | 26.8 | 24.6 | 29.0 | 27.3 |
| 22 | 13.8 | 12.5 | 27.7 | 28.7 | 30.8 | 30.2 |
| 23 | 11.7 | 10.6 | 26.5 | 26.3 | 28.6 | 29.0 |
| 24 | 10.3 | 11.8 | 25.1 | 26.1 | 26.7 | 28.6 |
| 25 | 8.8 | 10.0 | 22.9 | 24.4 | 24.3 | 26.4 |
| 26-29 | 7.2 | 8.2 | 20.1 ^a | 23.2 | 21.7 ^a | 24.7 |
| 30-34 | 5.1 | 5.2 | 18.0 | 17.9 | 19.0 | 18.9 |
| 35-39 | 3.6 | 4.1 | 16.1 | 15.4 | 16.8 | 16.1 |
| 40-44 | 3.8 | 3.3 | 15.7 | 14.1 | 16.6 | 14.9 |
| 45-49 | 3.1 | 3.1 | 14.2 | 14.7 | 14.7 | 15.6 |
| 50-54 | 1.7 | 1.4 | 13.4 | 11.4 | 13.8 | 11.8 |
| 55-59 | 1.2 | 1.3 | 10.2 | 9.9 | 10.9 | 10.2 |
| 60-64 | 0.5 | 0.6 | 6.3 | 7.0 | 6.7 | 7.1 |
| 65 or Older | 0.2 | 0.1 | 2.4 | 2.0 | 2.5 | 2.1 |

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.97A Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008

| Demographic Characteristic | Illicit Drug (2007) | Illicit Drug (2008) | Alcohol (2007) | Alcohol (2008) | Illicit Drug or Alcohol (2007) | Illicit Drug or Alcohol (2008) |
|---|--------------------------------|--------------------------------|---------------------------|---------------------------|---|---|
| TOTAL | 9,923 | 10,012 | 31,358 | 30,863 | 33,575 | 33,174 |
| AGE | | | | | | |
| 12-17 | 683 | 643 | 792 | 725 | 1,013 | 922 |
| 18-25 | 4,095 | 4,058 | 7,454 | 7,343 | 8,245 | 8,275 |
| 26 or Older | 5,145 | 5,311 | 23,113 | 22,796 | 24,317 | 23,977 |
| GENDER | | | | | | |
| Male | 6,885 | 6,623 | 19,938 | 19,349 | 21,391 | 20,758 |
| Female | 3,038 | 3,388 | 11,420 | 11,515 | 12,185 | 12,416 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 8,957 | 8,959 | 28,488 | 27,623 | 30,569 | 29,720 |
| White | 7,358 | 7,465 | 24,631 | 23,917 | 26,309 | 25,611 |
| Black or African American | 1,223 | 1,171 | 2,584 | 2,611 | 2,921 | 2,926 |
| American Indian or Alaska Native | 59 | 40 | 153 ^a | 64 | 157 ^a | 78 |
| Native Hawaiian or Other Pacific Islander | 22 | 12 | 69 | 50 | 70 | 52 |
| Asian | 113 | 115 | 686 | 650 | 708 | 672 |
| Two or More Races | 182 | 157 | 365 | 331 | 403 | 381 |
| Hispanic or Latino | 967 | 1,052 | 2,870 | 3,241 | 3,006 | 3,453 |

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.97B Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2007 and 2008

| Demographic Characteristic | Illicit Drug (2007) | Illicit Drug (2008) | Alcohol (2007) | Alcohol (2008) | Illicit Drug or Alcohol (2007) | Illicit Drug or Alcohol (2008) |
|--|--------------------------------|--------------------------------|---------------------------|---------------------------|---|---|
| TOTAL | 4.0 | 4.0 | 12.7 | 12.4 | 13.5 | 13.3 |
| AGE | | | | | | |
| 12-17 | 2.7 | 2.6 | 3.1 | 2.9 | 4.0 | 3.7 |
| 18-25 | 12.5 | 12.3 | 22.8 | 22.3 | 25.2 | 25.1 |
| 26 or Older | 2.7 | 2.8 | 12.2 | 11.9 | 12.8 | 12.5 |
| GENDER | | | | | | |
| Male | 5.7 | 5.5 | 16.6 | 16.0 | 17.8 | 17.1 |
| Female | 2.4 | 2.6 | 9.0 | 9.0 | 9.6 | 9.7 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 4.2 | 4.2 | 13.3 | 12.9 | 14.3 | 13.8 |
| White | 4.4 | 4.4 | 14.6 | 14.1 | 15.6 | 15.1 |
| Black or African American | 4.2 | 4.0 | 8.8 | 8.8 | 10.0 | 9.9 |
| American Indian or Alaska Native | 4.6 | 3.7 | 12.1 ^a | 5.9 | 12.4 | 7.2 |
| Native Hawaiian or Other Pacific Islander | 3.1 | 1.3 | 9.8 | 5.5 | 9.9 | 5.8 |
| Asian | 1.1 | 1.1 | 6.5 | 6.0 | 6.7 | 6.2 |
| Two or More Races | 6.6 | 5.2 | 13.3 | 11.0 | 14.7 | 12.6 |
| Hispanic or Latino | 2.8 | 3.0 | 8.4 | 9.2 | 8.8 | 9.8 |

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.98A Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2007 and 2008

| Demographic Characteristic | Illicit Drug (2007) | Illicit Drug (2008) | Alcohol (2007) | Alcohol (2008) | Illicit Drug or Alcohol (2007) | Illicit Drug or Alcohol (2008) |
|---|--------------------------------|--------------------------------|---------------------------|---------------------------|---|---|
| TOTAL | 9,240 | 9,368 | 30,567 | 30,138 | 32,562 | 32,252 |
| GENDER | | | | | | |
| Male | 6,486 | 6,262 | 19,495 | 18,992 | 20,820 | 20,280 |
| Female | 2,754 | 3,106 | 11,072 | 11,146 | 11,743 | 11,971 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 8,356 | 8,407 | 27,808 | 27,005 | 29,681 | 28,926 |
| White | 6,837 | 6,998 | 24,022 | 23,378 | 25,522 | 24,925 |
| Black or African American | 1,173 | 1,119 | 2,549 | 2,560 | 2,861 | 2,858 |
| American Indian or Alaska Native | 54 | 35 | 146 ^a | 59 | 149 ^a | 72 |
| Native Hawaiian or Other Pacific Islander | 21 | 11 | * | 49 | * | 51 |
| Asian | 103 | 107 | 670 | 644 | 691 | 663 |
| Two or More Races | 169 | 138 | 353 | 314 | 390 | 357 |
| Hispanic or Latino | 885 | 961 | 2,758 | 3,134 | 2,882 | 3,326 |
| EDUCATION | | | | | | |
| < High School | 1,449 ^a | 1,190 | 2,827 ^a | 2,316 | 3,224 ^a | 2,697 |
| High School Graduate | 2,955 | 3,268 | 7,700 ^a | 8,567 | 8,449 ^a | 9,287 |
| Some College | 3,152 | 2,949 | 9,478 | 8,923 | 10,093 | 9,558 |
| College Graduate | 1,684 | 1,962 | 10,562 | 10,332 | 10,796 | 10,709 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 5,671 | 5,510 | 21,910 | 21,518 | 23,033 | 22,524 |
| Part-Time | 1,627 | 1,733 | 4,149 | 4,167 | 4,479 | 4,584 |
| Unemployed | 618 ^b | 858 | 1,196 | 1,187 | 1,315 | 1,435 |
| Other ¹ | 1,325 | 1,268 | 3,311 | 3,267 | 3,735 | 3,709 |

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.98B Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2007 and 2008

| Demographic Characteristic | Illicit Drug (2007) | Illicit Drug (2008) | Alcohol (2007) | Alcohol (2008) | Illicit Drug or Alcohol (2007) | Illicit Drug or Alcohol (2008) |
|---|------------------------|------------------------|-------------------|-------------------|--------------------------------------|--------------------------------------|
| TOTAL | 4.2 | 4.2 | 13.7 | 13.4 | 14.6 | 14.3 |
| GENDER | | | | | | |
| Male | 6.0 | 5.8 | 18.2 | 17.5 | 19.4 | 18.7 |
| Female | 2.4 | 2.7 | 9.6 | 9.6 | 10.2 | 10.3 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 4.3 | 4.3 | 14.4 | 13.9 | 15.4 | 14.9 |
| White | 4.4 | 4.5 | 15.6 | 15.1 | 16.6 | 16.1 |
| Black or African American | 4.6 | 4.3 | 10.0 | 9.9 | 11.3 | 11.1 |
| American Indian or Alaska Native | 4.9 | 3.7 | 13.3 ^a | 6.3 | 13.5 | 7.6 |
| Native Hawaiian or Other Pacific Islander | 3.2 | 1.4 | * | 6.1 | * | 6.4 |
| Asian | 1.1 | 1.1 | 7.0 | 6.6 | 7.2 | 6.8 |
| Two or More Races | 7.3 | 5.5 | 15.2 | 12.5 | 16.8 | 14.2 |
| Hispanic or Latino | 3.0 | 3.2 | 9.3 | 10.3 | 9.7 | 11.0 |
| EDUCATION | | | | | | |
| < High School | 4.0 | 3.4 | 7.8 | 6.6 | 8.9 | 7.7 |
| High School Graduate | 4.3 | 4.7 | 11.3 | 12.2 | 12.4 | 13.2 |
| Some College | 5.5 | 5.2 | 16.5 | 15.6 | 17.6 | 16.7 |
| College Graduate | 2.8 | 3.1 | 17.4 | 16.5 | 17.8 | 17.1 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 4.7 | 4.5 | 18.0 | 17.6 | 19.0 | 18.4 |
| Part-Time | 5.5 | 5.7 | 14.1 | 13.8 | 15.2 | 15.2 |
| Unemployed | 8.7 | 9.5 | 16.8 ^a | 13.2 | 18.5 | 16.0 |
| Other ¹ | 2.1 | 2.0 | 5.1 | 5.1 | 5.8 | 5.8 |

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.99A (REVISED) Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2007 and 2008

| Geographic Characteristic | Illicit Drug (2007) | Illicit Drug (2008) | Alcohol (2007) | Alcohol (2008) | Illicit Drug or Alcohol (2007) | Illicit Drug or Alcohol (2008) |
|----------------------------|------------------------|------------------------|-------------------|-------------------|--------------------------------------|--------------------------------------|
| TOTAL | 9,267 | 9,392 | 30,675 | 30,337 | 32,678 | 32,454 |
| GEOGRAPHIC DIVISION | | | | | | |
| Northeast | 1,533 | 1,783 | 5,116 | 5,706 | 5,397 ^a | 6,092 |
| New England | 551 | 579 | 1,774 | 1,848 | 1,844 | 1,970 |
| Middle Atlantic | 982 | 1,204 | 3,341 | 3,858 | 3,554 ^a | 4,123 |
| Midwest | 2,269 | 2,088 | 8,543 | 8,240 | 9,070 | 8,743 |
| East North Central | 1,600 | 1,611 | 5,936 | 5,453 | 6,320 | 5,822 |
| West North Central | 670 ^a | 478 | 2,607 | 2,787 | 2,751 | 2,921 |
| South | 3,265 | 3,227 | 10,048 | 9,861 | 10,803 | 10,506 |
| South Atlantic | 1,729 | 1,826 | 5,289 | 5,193 | 5,710 | 5,552 |
| East South Central | 573 | 487 | 1,329 | 1,309 | 1,451 | 1,461 |
| West South Central | 963 | 914 | 3,430 | 3,360 | 3,643 | 3,493 |
| West | 2,199 | 2,293 | 6,968 | 6,530 | 7,408 | 7,113 |
| Mountain | 683 | 672 | 2,226 | 1,915 | 2,390 | 2,062 |
| Pacific | 1,516 | 1,622 | 4,742 | 4,615 | 5,017 | 5,051 |
| COUNTY TYPE | | | | | | |
| Large Metro | 4,834 | 5,380 | 16,444 | 17,276 | 17,420 | 18,479 |
| Small Metro | 3,052 | 2,868 | 9,772 | 9,058 | 10,394 | 9,672 |
| 250K – 1 Mil. Pop. | 2,085 | 1,884 | 6,534 | 6,065 | 6,950 | 6,449 |
| < 250K Pop. | 967 | 985 | 3,238 | 2,992 | 3,444 | 3,223 |
| Nonmetro | 1,382 | 1,144 | 4,460 | 4,003 | 4,864 | 4,304 |
| Urbanized | 653 | 489 | 2,103 | 1,792 | 2,265 | 1,895 |
| Less Urbanized | 631 | 585 | 2,039 | 1,838 | 2,240 | 2,008 |
| Completely Rural | 97 | 70 | 317 | 374 | 359 | 400 |

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

Table 7.99B (REVISED) Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2007 and 2008

| Geographic Characteristic | Illicit Drug (2007) | Illicit Drug (2008) | Alcohol (2007) | Alcohol (2008) | Illicit Drug or Alcohol (2007) | Illicit Drug or Alcohol (2008) |
|----------------------------|------------------------|------------------------|-------------------|-------------------|--------------------------------------|--------------------------------------|
| TOTAL | 4.2 | 4.2 | 13.8 | 13.5 | 14.7 | 14.4 |
| GEOGRAPHIC DIVISION | | | | | | |
| Northeast | 3.7 | 4.3 | 12.4 | 13.7 | 13.0 ^a | 14.6 |
| New England | 5.1 | 5.3 | 16.3 | 16.9 | 17.0 | 18.0 |
| Middle Atlantic | 3.2 | 3.9 | 10.9 | 12.5 | 11.6 ^a | 13.4 |
| Midwest | 4.6 | 4.2 | 17.4 | 16.7 | 18.4 | 17.7 |
| East North Central | 4.7 | 4.7 | 17.3 | 15.8 | 18.4 | 16.9 |
| West North Central | 4.5 ^a | 3.2 | 17.6 | 18.7 | 18.6 | 19.6 |
| South | 4.0 | 3.9 | 12.4 | 12.0 | 13.4 | 12.8 |
| South Atlantic | 4.0 | 4.2 | 12.3 | 12.0 | 13.3 | 12.8 |
| East South Central | 4.3 | 3.6 | 10.0 | 9.8 | 10.9 | 10.9 |
| West South Central | 3.9 | 3.6 | 13.9 | 13.4 | 14.8 | 13.9 |
| West | 4.3 | 4.4 | 13.6 | 12.6 | 14.5 | 13.7 |
| Mountain | 4.4 | 4.3 | 14.4 | 12.1 | 15.5 | 13.1 |
| Pacific | 4.2 | 4.5 | 13.3 | 12.8 | 14.0 | 14.0 |
| COUNTY TYPE | | | | | | |
| Large Metro | 4.1 | 4.5 | 13.8 | 14.4 | 14.6 | 15.4 |
| Small Metro | 4.6 | 4.2 | 14.6 ^a | 13.3 | 15.6 ^a | 14.2 |
| 250K – 1 Mil. Pop. | 4.7 | 4.2 | 14.7 | 13.4 | 15.6 | 14.3 |
| < 250K Pop. | 4.4 | 4.3 | 14.6 | 13.0 | 15.6 | 14.0 |
| Nonmetro | 3.7 ^a | 3.1 | 12.1 | 10.8 | 13.2 ^a | 11.6 |
| Urbanized | 4.3 ^a | 3.2 | 13.9 | 11.7 | 15.0 ^a | 12.3 |
| Less Urbanized | 3.6 | 3.2 | 11.6 | 10.2 | 12.7 | 11.1 |
| Completely Rural | 2.3 | 1.9 | 7.6 | 10.2 | 8.6 | 11.0 |

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2008 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2008 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.