

**Table 7.96C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2007 and 2008**

Age Category	Illicit Drug (2007)	Illicit Drug (2008)	Alcohol (2007)	Alcohol (2008)	Illicit Drug or Alcohol (2007)	Illicit Drug or Alcohol (2008)
<b>TOTAL</b>	278	281	586	570	596	584
12	2	4	2	4	2	4
13	2	1	4	1	4	1
14	6	5	7	6	8	6
15	11	9	12	10	13	11
16	19	18	20	19	23	21
17	26	27	28	28	31	32
18	36	38	46	38	50	45
19	42	41	51	51	54	55
20	46	42	59	48	63	51
21	43	38	63	60	64	63
22	38	37	57	62	61	63
23	34	32	53	61	54	64
24	33	34	52	54	53	56
25	29	29	49	46	50	49
26-29	96	111	178	202	186	209
30-34	94	97	175	182	181	187
35-39	85	93	200	192	204	192
40-44	92	86	183	187	189	193
45-49	86	87	191	196	190	206
50-54	106	92	270	246	270	249
55-59	76	74	232	198	237	202
60-64	32	47	160	148	161	148
65 or Older	45	37	132	127	134	132

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.96D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2007 and 2008**

Age Category	Illicit Drug (2007)	Illicit Drug (2008)	Alcohol (2007)	Alcohol (2008)	Illicit Drug or Alcohol (2007)	Illicit Drug or Alcohol (2008)
<b>TOTAL</b>	0.11	0.11	0.24	0.23	0.24	0.23
12	0.05	0.10	0.05	0.11	0.05	0.11
13	0.06	0.03	0.11	0.02	0.10	0.03
14	0.15	0.13	0.17	0.14	0.19	0.15
15	0.25	0.21	0.27	0.23	0.30	0.26
16	0.42	0.40	0.44	0.43	0.50	0.48
17	0.60	0.59	0.65	0.62	0.72	0.70
18	0.71	0.71	0.84	0.71	0.90	0.82
19	0.87	0.88	1.00	1.04	1.02	1.08
20	0.96	0.94	1.19	1.04	1.22	1.08
21	0.94	0.86	1.19	1.17	1.20	1.18
22	0.89	0.83	1.21	1.26	1.26	1.26
23	0.82	0.72	1.14	1.16	1.15	1.20
24	0.76	0.82	1.11	1.13	1.14	1.15
25	0.75	0.74	1.14	1.04	1.15	1.10
26-29	0.56	0.62	0.95	0.99	0.97	1.01
30-34	0.49	0.49	0.84	0.86	0.86	0.86
35-39	0.39	0.45	0.87	0.86	0.89	0.86
40-44	0.43	0.39	0.79	0.79	0.81	0.81
45-49	0.38	0.38	0.77	0.79	0.77	0.83
50-54	0.49	0.42	1.14	1.08	1.14	1.10
55-59	0.41	0.42	1.18	1.04	1.21	1.05
60-64	0.24	0.31	1.15	0.94	1.16	0.94
65 or Older	0.12	0.10	0.36	0.34	0.37	0.35

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.96P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

Age Category	Illicit Drug (2007)	Illicit Drug (2008)	Alcohol (2007)	Alcohol (2008)	Illicit Drug or Alcohol (2007)	Illicit Drug or Alcohol (2008)
<b>TOTAL</b>	0.9812		0.3539		0.4184	
12	0.5538		0.4553		0.4433	
13	0.1182		0.0195		0.0081	
14	0.3632		0.4149		0.2363	
15	0.5703		0.4244		0.3292	
16	0.4572		0.8139		0.5616	
17	0.6807		0.2194		0.2043	
18	0.6897		0.1891		0.7764	
19	0.9027		0.6155		0.9839	
20	0.9222		0.1125		0.1567	
21	0.0664		0.1876		0.3350	
22	0.3004		0.5541		0.7347	
23	0.2912		0.8862		0.8017	
24	0.1824		0.5059		0.2337	
25	0.3014		0.3065		0.1833	
26-29	0.2372		0.0215		0.0327	
30-34	0.7936		0.9121		0.9258	
35-39	0.3768		0.5596		0.5533	
40-44	0.4288		0.1747		0.1553	
45-49	0.9524		0.6441		0.4160	
50-54	0.6367		0.2036		0.2179	
55-59	0.9056		0.8270		0.6749	
60-64	0.6613		0.6468		0.7763	
65 or Older	0.5179		0.4089		0.4984	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.97C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics:  
Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Illicit Drug (2007)</b>	<b>Illicit Drug (2008)</b>	<b>Alcohol (2007)</b>	<b>Alcohol (2008)</b>	<b>Illicit Drug or Alcohol (2007)</b>	<b>Illicit Drug or Alcohol (2008)</b>
<b>TOTAL</b>	278	281	586	570	596	584
<b>AGE</b>						
12-17	35	34	38	37	43	42
18-25	102	102	141	136	145	141
26 or Older	243	246	555	541	562	555
<b>GENDER</b>						
Male	242	228	453	440	465	447
Female	124	141	317	324	324	331
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	265	262	544	531	555	548
White	235	240	510	487	520	501
Black or African American	110	91	157	165	167	173
American Indian or Alaska Native	16	7	36	10	36	10
Native Hawaiian or Other Pacific Islander	8	5	26	18	26	18
Asian	33	23	99	93	100	94
Two or More Races	30	30	58	49	60	54
Hispanic or Latino	84	90	172	190	174	192

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.97D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics:  
Standard Errors of Percentages, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Illicit Drug (2007)</b>	<b>Illicit Drug (2008)</b>	<b>Alcohol (2007)</b>	<b>Alcohol (2008)</b>	<b>Illicit Drug or Alcohol (2007)</b>	<b>Illicit Drug or Alcohol (2008)</b>
<b>TOTAL</b>	0.11	0.11	0.24	0.23	0.24	0.23
<b>AGE</b>						
12-17	0.14	0.14	0.15	0.15	0.17	0.17
18-25	0.31	0.31	0.43	0.41	0.44	0.43
26 or Older	0.13	0.13	0.29	0.28	0.30	0.29
<b>GENDER</b>						
Male	0.20	0.19	0.38	0.36	0.39	0.37
Female	0.10	0.11	0.25	0.25	0.25	0.26
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.12	0.12	0.25	0.25	0.26	0.25
White	0.14	0.14	0.30	0.29	0.31	0.30
Black or African American	0.38	0.31	0.54	0.56	0.57	0.59
American Indian or Alaska Native	1.32	0.69	2.74	1.06	2.75	1.12
Native Hawaiian or Other Pacific Islander	1.17	0.57	3.53	2.00	3.53	2.03
Asian	0.31	0.22	0.92	0.84	0.93	0.84
Two or More Races	1.09	1.01	1.97	1.58	2.04	1.74
Hispanic or Latino	0.25	0.26	0.50	0.54	0.51	0.55

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.97P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics:**  
**P Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Demographic Characteristic</b>	<b>Illicit Drug (2007)</b>	<b>Illicit Drug (2008)</b>	<b>Alcohol (2007)</b>	<b>Alcohol (2008)</b>	<b>Illicit Drug or Alcohol (2007)</b>	<b>Illicit Drug or Alcohol (2008)</b>
<b>TOTAL</b>	0.9812		0.3539		0.4184	
<b>AGE</b>						
12-17	0.5235		0.2780		0.1801	
18-25	0.6569		0.3958		0.9084	
26 or Older	0.7605		0.4539		0.4400	
<b>GENDER</b>						
Male	0.3497		0.2223		0.1993	
Female	0.0806		0.9868		0.7714	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.9029		0.1677		0.1856	
White	0.7863		0.2649		0.2846	
Black or African American	0.6518		0.9946		0.9124	
American Indian or Alaska Native	0.5169		0.0287		0.0744	
Native Hawaiian or Other Pacific Islander	0.1600		0.2909		0.3054	
Asian	1.0000		0.7243		0.7198	
Two or More Races	0.3281		0.3616		0.4408	
Hispanic or Latino	0.6150		0.2547		0.1593	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.98C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:  
Standard Errors of Numbers in Thousands, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Illicit Drug (2007)</b>	<b>Illicit Drug (2008)</b>	<b>Alcohol (2007)</b>	<b>Alcohol (2008)</b>	<b>Illicit Drug or Alcohol (2007)</b>	<b>Illicit Drug or Alcohol (2008)</b>
<b>TOTAL</b>	275	280	583	565	593	580
<b>GENDER</b>						
Male	240	227	452	438	464	445
Female	121	139	316	324	322	331
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	262	261	542	528	553	546
White	239	247	577	574	589	594
Black or African American	114	93	173	177	187	187
American Indian or Alaska Native	16	7	37	10	37	10
Native Hawaiian or Other Pacific Islander	8	5	*	18	*	18
Asian	32	23	99	93	100	94
Two or More Races	29	29	58	48	60	53
Hispanic or Latino	83	89	172	189	173	191
<b>EDUCATION</b>						
< High School	103	82	191	150	195	156
High School Graduate	149	157	273	298	290	306
Some College	153	151	329	330	335	341
College Graduate	139	159	385	400	391	409
<b>CURRENT EMPLOYMENT</b>						
Full-Time	235	224	536	554	544	562
Part-Time	90	102	193	207	198	214
Unemployed	53	76	96	92	98	102
Other <sup>1</sup>	106	110	226	219	237	232

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.98D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:  
Standard Errors of Percentages, 2007 and 2008**

<b>Demographic Characteristic</b>	<b>Illicit Drug (2007)</b>	<b>Illicit Drug (2008)</b>	<b>Alcohol (2007)</b>	<b>Alcohol (2008)</b>	<b>Illicit Drug or Alcohol (2007)</b>	<b>Illicit Drug or Alcohol (2008)</b>
<b>TOTAL</b>	0.12	0.12	0.26	0.25	0.27	0.26
<b>GENDER</b>						
Male	0.22	0.21	0.42	0.40	0.43	0.41
Female	0.10	0.12	0.27	0.28	0.28	0.28
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.14	0.13	0.28	0.27	0.29	0.28
White	0.15	0.15	0.33	0.31	0.34	0.32
Black or African American	0.43	0.35	0.62	0.64	0.66	0.67
American Indian or Alaska Native	1.52	0.75	3.20	1.20	3.20	1.25
Native Hawaiian or Other Pacific Islander	1.30	0.63	*	2.25	*	2.28
Asian	0.34	0.23	1.03	0.93	1.04	0.93
Two or More Races	1.28	1.18	2.33	1.90	2.40	2.07
Hispanic or Latino	0.28	0.29	0.58	0.62	0.58	0.63
<b>EDUCATION</b>						
< High School	0.28	0.24	0.52	0.42	0.53	0.44
High School Graduate	0.22	0.22	0.38	0.41	0.40	0.41
Some College	0.26	0.26	0.51	0.52	0.52	0.53
College Graduate	0.23	0.25	0.55	0.54	0.56	0.56
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.19	0.18	0.39	0.39	0.40	0.39
Part-Time	0.31	0.34	0.61	0.64	0.62	0.66
Unemployed	0.74	0.84	1.22	1.00	1.24	1.11
Other <sup>1</sup>	0.16	0.17	0.34	0.33	0.36	0.35

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.



**Table 7.98P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:**  
***P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Demographic Characteristic</b>	<b>Illicit Drug (2007)</b>	<b>Illicit Drug (2008)</b>	<b>Alcohol (2007)</b>	<b>Alcohol (2008)</b>	<b>Illicit Drug or Alcohol (2007)</b>	<b>Illicit Drug or Alcohol (2008)</b>
<b>TOTAL</b>	0.9359		0.3509		0.4306	
<b>GENDER</b>						
Male	0.3840		0.2455		0.2229	
Female	0.0767		0.9385		0.8124	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.9662		0.1643		0.1948	
White	0.7023		0.2706		0.3107	
Black or African American	0.6186		0.9067		0.8505	
American Indian or Alaska Native	0.5005		0.0327		0.0752	
Native Hawaiian or Other Pacific Islander	0.1906		*		*	
Asian	0.9646		0.7538		0.7424	
Two or More Races	0.2984		0.3753		0.4172	
Hispanic or Latino	0.6617		0.2469		0.1624	
<b>EDUCATION</b>						
< High School	0.0958		0.0794		0.0870	
High School Graduate	0.3061		0.1038		0.1535	
Some College	0.3714		0.2201		0.2474	
College Graduate	0.2867		0.2411		0.3873	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.5471		0.4096		0.3169	
Part-Time	0.6295		0.7590		0.9906	
Unemployed	0.4221		0.0183		0.1149	
Other <sup>1</sup>	0.8129		0.9732		0.9120	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.99C (REVISED) Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2007 and 2008**

Geographic Characteristic	Illicit Drug (2007)	Illicit Drug (2008)	Alcohol (2007)	Alcohol (2008)	Illicit Drug or Alcohol (2007)	Illicit Drug or Alcohol (2008)
<b>TOTAL</b>	275	279	584	566	594	582
<b>GEOGRAPHIC DIVISION</b>						
Northeast	93	117	215	246	219	250
New England	51	62	108	125	109	126
Middle Atlantic	77	99	181	210	187	214
Midwest	127	105	261	236	273	238
East North Central	102	96	209	192	220	197
West North Central	74	43	149	137	156	136
South	183	168	356	370	364	375
South Atlantic	146	133	262	274	271	279
East South Central	70	57	121	132	123	139
West South Central	86	89	203	195	203	195
West	141	162	305	281	308	294
Mountain	66	64	141	142	141	144
Pacific	125	148	273	241	276	255
<b>COUNTY TYPE</b>						
Large Metro	200	229	503	537	507	555
Small Metro	177	144	364	315	372	327
250K – 1 Mil. Pop.	153	123	310	277	317	287
< 250K Pop.	93	78	206	170	213	175
Nonmetro	94	86	206	221	215	223
Urbanized	69	56	158	158	163	160
Less Urbanized	63	63	139	145	149	147
Completely Rural	23	16	46	72	51	73

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.99D (REVISED) Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2007 and 2008**

<b>Geographic Characteristic</b>	<b>Illicit Drug (2007)</b>	<b>Illicit Drug (2008)</b>	<b>Alcohol (2007)</b>	<b>Alcohol (2008)</b>	<b>Illicit Drug or Alcohol (2007)</b>	<b>Illicit Drug or Alcohol (2008)</b>
<b>TOTAL</b>	0.12	0.12	0.26	0.25	0.27	0.26
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.22	0.28	0.52	0.59	0.53	0.60
New England	0.47	0.57	1.00	1.15	1.00	1.15
Middle Atlantic	0.25	0.32	0.59	0.68	0.61	0.70
Midwest	0.26	0.21	0.53	0.48	0.55	0.48
East North Central	0.30	0.28	0.61	0.56	0.64	0.57
West North Central	0.50	0.29	1.01	0.92	1.05	0.91
South	0.23	0.21	0.44	0.45	0.45	0.46
South Atlantic	0.34	0.31	0.61	0.63	0.63	0.64
East South Central	0.53	0.43	0.91	0.99	0.93	1.04
West South Central	0.35	0.35	0.82	0.78	0.82	0.78
West	0.28	0.31	0.60	0.54	0.60	0.57
Mountain	0.43	0.41	0.91	0.90	0.91	0.92
Pacific	0.35	0.41	0.76	0.67	0.77	0.71
<b>COUNTY TYPE</b>						
Large Metro	0.17	0.19	0.39	0.38	0.39	0.39
Small Metro	0.25	0.21	0.45	0.42	0.46	0.43
250K – 1 Mil. Pop.	0.32	0.26	0.55	0.53	0.56	0.54
< 250K Pop.	0.42	0.34	0.83	0.74	0.86	0.75
Nonmetro	0.25	0.22	0.52	0.54	0.54	0.54
Urbanized	0.43	0.35	0.88	0.87	0.90	0.89
Less Urbanized	0.35	0.33	0.68	0.73	0.74	0.73
Completely Rural	0.48	0.46	1.07	1.78	1.10	1.82

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.

**Table 7.99P (REVISED) Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2008 Versus 2007**

<b>Geographic Characteristic</b>	<b>Illicit Drug (2007)</b>	<b>Illicit Drug (2008)</b>	<b>Alcohol (2007)</b>	<b>Alcohol (2008)</b>	<b>Illicit Drug or Alcohol (2007)</b>	<b>Illicit Drug or Alcohol (2008)</b>
<b>TOTAL</b>	0.9430		0.4122		0.4948	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.1256		0.0904		0.0481	
New England	0.7494		0.7233		0.5223	
Middle Atlantic	0.1059		0.0683		0.0489	
Midwest	0.2443		0.3038		0.2905	
East North Central	0.9775		0.0630		0.0695	
West North Central	0.0234		0.4146		0.4580	
South	0.7427		0.5206		0.3882	
South Atlantic	0.7049		0.6686		0.5506	
East South Central	0.3121		0.8483		0.9779	
West South Central	0.5715		0.6357		0.4430	
West	0.7512		0.2153		0.3680	
Mountain	0.7876		0.0729		0.0619	
Pacific	0.6255		0.6490		0.9717	
<b>COUNTY TYPE</b>						
Large Metro	0.0829		0.2376		0.1341	
Small Metro	0.2828		0.0259		0.0259	
250K – 1 Mil. Pop.	0.2365		0.0952		0.0801	
< 250K Pop.	0.8869		0.1430		0.1726	
Nonmetro	0.0492		0.0966		0.0491	
Urbanized	0.0335		0.0855		0.0485	
Less Urbanized	0.4913		0.1543		0.1238	
Completely Rural	0.5310		0.2269		0.2980	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2008 detailed tables).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, based on data from original questions not including methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2007 and 2008.