

**Table 8.36C Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2002-2008**

Demographic Characteristic	2002	2003	2004	2005	2006	2007	2008
TOTAL	570	561	554	573	577	602	646
AGE							
18-25	78	89	85	88	92	90	91
26-49	361	354	338	338	372	347	339
50 or Older	424	425	423	449	420	469	524
GENDER							
Male	318	319	327	344	334	359	373
Female	474	448	443	435	452	446	503
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	554	527	552	541	549	564	616
White	555	580	559	555	574	581	656
Black or African American	153	169	175	178	171	145	204
American Indian or Alaska Native	40	32	35	37	25	29	32
Native Hawaiian or Other Pacific Islander	10	*	*	*	25	*	*
Asian	124	94	83	67	102	70	96
Two or More Races	60	65	52	59	93	56	95
Hispanic or Latino	153	163	156	170	161	185	167

*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

NOTE: Due to revised editing of 2002, 2003, and 2004 outpatient mental health treatment/counseling data, these 2002 and 2003 estimates may differ slightly from 2002 and 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, 2007, and 2008.

**Table 8.36D Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:
Standard Errors of Percentages, 2002-2008**

Demographic Characteristic	2002	2003	2004	2005	2006	2007	2008
TOTAL	0.27	0.26	0.26	0.26	0.26	0.27	0.29
AGE							
18-25	0.25	0.28	0.26	0.27	0.28	0.27	0.28
26-49	0.36	0.35	0.34	0.34	0.37	0.35	0.34
50 or Older	0.54	0.53	0.51	0.53	0.48	0.52	0.57
GENDER							
Male	0.32	0.31	0.32	0.33	0.31	0.34	0.34
Female	0.43	0.41	0.40	0.39	0.40	0.39	0.43
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.30	0.28	0.29	0.29	0.29	0.29	0.32
White	0.35	0.33	0.33	0.33	0.33	0.34	0.37
Black or African American	0.59	0.64	0.69	0.67	0.64	0.54	0.73
American Indian or Alaska Native	3.12	3.02	2.96	3.05	2.52	2.62	3.08
Native Hawaiian or Other Pacific Islander	1.49	*	*	*	2.99	*	*
Asian	1.47	1.02	0.92	0.74	1.07	0.74	0.94
Two or More Races	2.65	2.74	2.29	2.42	3.63	2.25	3.42
Hispanic or Latino	0.61	0.64	0.58	0.62	0.56	0.63	0.55

*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

NOTE: Due to revised editing of 2002, 2003, and 2004 outpatient mental health treatment/counseling data, these 2002 and 2003 estimates may differ slightly from 2002 and 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, 2007, and 2008.

Table 8.36P Received Mental Health Treatment/Counseling in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2008 Versus 2002, 2003, 2004, 2005, 2006, and 2007

Demographic Characteristic	2002	2003	2004	2005	2006	2007	2008
TOTAL	0.3071	0.5977	0.1375	0.2903	0.2013	0.7353	
AGE							
18-25	0.4476	0.4634	0.9550	0.3316	0.9440	0.2070	
26-49	0.3067	0.2817	0.4389	0.8496	0.9936	0.5674	
50 or Older	0.0379	0.0913	0.0120	0.1661	0.0958	0.5580	
GENDER							
Male	0.2188	0.0968	0.2488	0.4056	0.4199	0.8210	
Female	0.6385	0.6183	0.2858	0.4603	0.3021	0.7935	
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.0742	0.2402	0.0525	0.1046	0.1283	0.5468	
White	0.0114	0.1485	0.0307	0.0705	0.1390	0.8654	
Black or African American	0.8134	0.8840	0.8547	0.7912	0.1860	0.0320	
American Indian or Alaska Native	0.3029	0.8895	0.8996	0.5781	0.7314	0.7215	
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	
Asian	0.0289	0.8085	0.8637	0.6850	0.4487	0.5881	
Two or More Races	0.6184	0.7675	0.4734	0.3146	0.5705	0.4426	
Hispanic or Latino	0.0941	0.2050	0.4290	0.2020	0.7408	0.5014	

*Low precision; no estimate reported.

NOTE: Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling information were excluded. Estimates were based only on responses to items in the Adult Mental Health Service Utilization module.

NOTE: Due to revised editing of 2002, 2003, and 2004 outpatient mental health treatment/counseling data, these 2002 and 2003 estimates may differ slightly from 2002 and 2003 estimates published in prior NSDUH reports. See Section B.5.2 in Appendix B of the *Results from the 2004 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002, 2003, 2004, 2005, 2006, 2007, and 2008.