

Table 1.118C Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 or Older: Standard Errors of Numbers in Thousands, 2017 and 2018

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	553	587	203	218	205	219
Benzodiazepine Tranquilizers	543	562	199	219	202	220
Alprazolam Products	440	422	160	173	162	174
Lorazepam Products	267	293	85	97	85	97
Clonazepam Products	240	260	75	85	76	85
Diazepam Products	284	294	88	91	88	91
Benzodiazepine Sedatives	149	197	49	27	49	27
Flurazepam	30	25	15	*	*	*
Temazepam Products	126	152	26	25	26	25
Triazolam Products	82	117	39	11	*	11
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da	da	14	17	da	da

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.118D Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 or Older: Standard Errors of Percentages, 2017 and 2018

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	0.20	0.21	0.07	0.08	0.60	0.68
Benzodiazepine Tranquilizers	0.20	0.21	0.07	0.08	0.61	0.71
Alprazolam Products	0.16	0.15	0.06	0.06	0.83	0.91
Lorazepam Products	0.10	0.11	0.03	0.04	1.10	1.22
Clonazepam Products	0.09	0.09	0.03	0.03	1.18	1.35
Diazepam Products	0.10	0.11	0.03	0.03	1.19	1.35
Benzodiazepine Sedatives	0.05	0.07	0.02	0.01	2.31	1.23
Flurazepam	0.01	0.01	0.01	*	*	*
Temazepam Products	0.05	0.06	0.01	0.01	2.04	1.63
Triazolam Products	0.03	0.04	0.01	0.00	*	1.66
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da	da	0.01	0.01	da	da

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.118P Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	0.2040		0.3660		0.7403	
Benzodiazepine Tranquilizers	0.1252		0.5117		0.9493	
Alprazolam Products	0.5257		0.9376		0.7551	
Lorazepam Products	0.4389		0.6371		0.4416	
Clonazepam Products	0.2572		0.3150		0.6914	
Diazepam Products	0.0793		0.1386		0.4753	
Benzodiazepine Sedatives	0.3924		0.0952		0.0469	
Flurazepam	0.4081		*		*	
Temazepam Products	0.2793		0.5387		0.3277	
Triazolam Products	0.7505		0.1863		*	
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da		0.6073		da	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.119C Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 to 17 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 to 17: Standard Errors of Numbers in Thousands, 2017 and 2018

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	45	41	32	32	32	32
Benzodiazepine Tranquilizers	44	40	32	32	32	32
Alprazolam Products	41	38	30	31	31	31
Lorazepam Products	15	15	9	7	*	*
Clonazepam Products	15	12	11	7	*	*
Diazepam Products	17	14	10	8	*	*
Benzodiazepine Sedatives	11	12	6	6	*	*
Flurazepam	4	4	3	*	*	*
Temazepam Products	5	8	4	3	*	*
Triazolam Products	8	9	3	5	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da	da	2	*	da	da

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.119D Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 to 17 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 to 17: Standard Errors of Percentages, 2017 and 2018

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	0.18	0.16	0.13	0.13	2.61	2.89
Benzodiazepine Tranquilizers	0.18	0.16	0.13	0.13	2.68	2.97
Alprazolam Products	0.16	0.15	0.12	0.12	2.87	3.21
Lorazepam Products	0.06	0.06	0.04	0.03	*	*
Clonazepam Products	0.06	0.05	0.04	0.03	*	*
Diazepam Products	0.07	0.05	0.04	0.03	*	*
Benzodiazepine Sedatives	0.04	0.05	0.02	0.02	*	*
Flurazepam	0.01	0.02	0.01	*	*	*
Temazepam Products	0.02	0.03	0.01	0.01	*	*
Triazolam Products	0.03	0.04	0.01	0.02	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da	da	0.01	*	da	da

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.119P Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 12 to 17 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 12 to 17: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	0.1550		0.3697		0.9295	
Benzodiazepine Tranquilizers	0.1093		0.4575		0.5922	
Alprazolam Products	0.1149		0.4417		0.5397	
Lorazepam Products	0.8228		0.3303		*	
Clonazepam Products	0.0141		0.0252		*	
Diazepam Products	0.0306		0.1358		*	
Benzodiazepine Sedatives	0.7971		0.6521		*	
Flurazepam	0.7279		*		*	
Temazepam Products	0.4049		0.8844		*	
Triazolam Products	0.9604		0.9601		*	
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da		*		da	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.120C Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 or Older: Standard Errors of Numbers in Thousands, 2017 and 2018

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	545	582	199	217	202	218
Benzodiazepine Tranquilizers	535	556	196	218	199	219
Alprazolam Products	434	417	157	170	159	171
Lorazepam Products	266	294	84	97	84	97
Clonazepam Products	239	259	75	85	76	85
Diazepam Products	282	294	88	91	87	91
Benzodiazepine Sedatives	149	197	49	26	49	26
Flurazepam	29	25	14	*	*	*
Temazepam Products	126	152	26	25	26	25
Triazolam Products	82	116	39	10	*	10
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da	da	14	17	da	da

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.120D Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 or Older: Standard Errors of Percentages, 2017 and 2018

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	0.22	0.23	0.08	0.09	0.61	0.69
Benzodiazepine Tranquilizers	0.22	0.22	0.08	0.09	0.62	0.72
Alprazolam Products	0.18	0.17	0.06	0.07	0.86	0.92
Lorazepam Products	0.11	0.12	0.03	0.04	1.11	1.23
Clonazepam Products	0.10	0.10	0.03	0.03	1.20	1.37
Diazepam Products	0.11	0.12	0.04	0.04	1.21	1.36
Benzodiazepine Sedatives	0.06	0.08	0.02	0.01	2.36	1.23
Flurazepam	0.01	0.01	0.01	*	*	*
Temazepam Products	0.05	0.06	0.01	0.01	2.04	1.63
Triazolam Products	0.03	0.05	0.02	0.00	*	1.59
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da	da	0.01	0.01	da	da

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.120P Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	0.2292		0.4330		0.7910	
Benzodiazepine Tranquilizers	0.1459		0.5789		0.9237	
Alprazolam Products	0.6100		0.9471		0.7113	
Lorazepam Products	0.4388		0.6994		0.5007	
Clonazepam Products	0.3121		0.4568		0.8315	
Diazepam Products	0.0971		0.1809		0.5301	
Benzodiazepine Sedatives	0.4043		0.1050		0.0541	
Flurazepam	0.3739		*		*	
Temazepam Products	0.2990		0.5475		0.3459	
Triazolam Products	0.7485		0.1801		*	
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da		0.5514		da	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.121C Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 to 25 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 to 25: Standard Errors of Numbers in Thousands, 2017 and 2018

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	108	98	79	71	84	76
Benzodiazepine Tranquilizers	107	98	79	71	84	76
Alprazolam Products	100	88	75	69	80	73
Lorazepam Products	46	44	24	20	24	20
Clonazepam Products	55	43	32	27	33	27
Diazepam Products	45	37	27	21	28	21
Benzodiazepine Sedatives	19	18	9	5	*	*
Flurazepam	4	7	*	3	*	*
Temazepam Products	14	11	7	4	*	*
Triazolam Products	13	12	6	3	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da	da	2	2	da	da

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.121D Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 to 25 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 to 25: Standard Errors of Percentages, 2017 and 2018

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	0.32	0.29	0.23	0.21	1.58	1.66
Benzodiazepine Tranquilizers	0.31	0.29	0.23	0.21	1.59	1.66
Alprazolam Products	0.29	0.26	0.22	0.20	1.77	1.90
Lorazepam Products	0.13	0.13	0.07	0.06	3.01	3.00
Clonazepam Products	0.16	0.13	0.09	0.08	2.96	3.42
Diazepam Products	0.13	0.11	0.08	0.06	3.57	3.60
Benzodiazepine Sedatives	0.06	0.05	0.03	0.02	*	*
Flurazepam	0.01	0.02	*	0.01	*	*
Temazepam Products	0.04	0.03	0.02	0.01	*	*
Triazolam Products	0.04	0.04	0.02	0.01	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da	da	0.01	0.01	da	da

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.121P Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 18 to 25 and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 18 to 25: P Values from Tests of Differences of Percentages, 2018 Versus 2017

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	0.0025		0.0064		0.3531	
Benzodiazepine Tranquilizers	0.0029		0.0083		0.3972	
Alprazolam Products	0.0220		0.0246		0.4131	
Lorazepam Products	0.1414		0.0831		0.2580	
Clonazepam Products	0.0005		0.0087		0.7248	
Diazepam Products	0.0007		0.0449		0.8542	
Benzodiazepine Sedatives	0.4257		0.0777		*	
Flurazepam	0.2322		*		*	
Temazepam Products	0.2783		0.0555		*	
Triazolam Products	0.5739		0.3443		*	
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da		0.9237		da	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.122C Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 26 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 26 or Older: Standard Errors of Numbers in Thousands, 2017 and 2018

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	524	569	177	203	178	204
Benzodiazepine Tranquilizers	515	542	172	205	173	206
Alprazolam Products	416	401	131	153	132	154
Lorazepam Products	261	289	81	95	81	95
Clonazepam Products	233	256	69	79	70	79
Diazepam Products	276	291	83	88	83	88
Benzodiazepine Sedatives	147	196	48	26	48	26
Flurazepam	29	24	14	*	*	*
Temazepam Products	125	152	25	24	25	24
Triazolam Products	81	116	38	10	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da	da	14	17	da	da

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.122D Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 26 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 26 or Older: Standard Errors of Percentages, 2017 and 2018

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	0.25	0.26	0.08	0.09	0.62	0.73
Benzodiazepine Tranquilizers	0.24	0.25	0.08	0.10	0.63	0.77
Alprazolam Products	0.20	0.19	0.06	0.07	0.86	0.99
Lorazepam Products	0.12	0.13	0.04	0.04	1.19	1.31
Clonazepam Products	0.11	0.12	0.03	0.04	1.27	1.43
Diazepam Products	0.13	0.14	0.04	0.04	1.26	1.42
Benzodiazepine Sedatives	0.07	0.09	0.02	0.01	2.49	1.26
Flurazepam	0.01	0.01	0.01	*	*	*
Temazepam Products	0.06	0.07	0.01	0.01	2.05	1.67
Triazolam Products	0.04	0.05	0.02	0.00	*	*
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da	da	0.01	0.01	da	da

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.122P Any Use and Misuse of Benzodiazepine Subtypes in Past Year among Persons Aged 26 or Older and Misuse of Benzodiazepine Subtypes in Past Year among Past Year Any Users of Benzodiazepine Subtypes Aged 26 or Older: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Benzodiazepine Subtype	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year among Total Population (2017)	Misuse in Past Year among Total Population (2018)	Misuse in Past Year among Past Year Any Users (2017)	Misuse in Past Year among Past Year Any Users (2018)
ANY PRESCRIPTION BENZODIAZEPINE	0.5161		0.7705		0.5889	
Benzodiazepine Tranquilizers	0.3611		0.6093		0.3873	
Alprazolam Products	0.9864		0.1906		0.1767	
Lorazepam Products	0.3080		0.9478		0.8156	
Clonazepam Products	0.7614		0.7663		0.6561	
Diazepam Products	0.2270		0.4173		0.7320	
Benzodiazepine Sedatives	0.3588		0.1918		0.1103	
Flurazepam	0.2448		*		*	
Temazepam Products	0.2585		0.8616		0.6004	
Triazolam Products	0.6967		0.2276		*	
Any Miscellaneous Prescription Benzodiazepine Tranquilizers or Sedatives ¹	da		0.5389		da	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Includes misuse of benzodiazepine tranquilizers that were specified as other sedatives and benzodiazepine sedatives that were specified as other tranquilizers.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.