

Table 1.68A Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:
Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	5,943	5,529	127	112	5,816	5,418	2,128	1,967	3,688	3,451
GEOGRAPHIC REGION										
Northeast	1,131	1,167	21	18	1,110	1,149	404	419	706	730
Midwest	1,144	994	18	29	1,126	966	457	376	668	590
South	1,962 ^a	1,613	35	40	1,927 ^a	1,573	676	555	1,251	1,018
West	1,706	1,755	53 ^a	25	1,653	1,730	590	617	1,063	1,113
COUNTY TYPE										
Large Metro	3,724	3,435	61	58	3,663	3,377	1,250	1,143	2,412	2,234
Small Metro	1,587	1,589	47	32	1,540	1,557	645	616	895	941
Nonmetro	632	505	19	21	613	484	232	208	381	276
Urbanized	340	287	11	11	329	275	130	115	199	160
Less Urbanized	257	193	7	9	250	184	89	86	160	98
Completely Rural	35	25	1	1	34	25	13	7	21	18
POVERTY LEVEL¹										
Less Than 100%	1,191	1,146	29	21	1,162	1,125	490	490	673	635
100-199%	1,276 ^a	974	27	19	1,249 ^a	955	501	416	747	539
200% or More	3,443	3,371	71	71	3,373	3,299	1,105	1,022	2,268	2,277
HEALTH INSURANCE²										
Private	3,318	3,274	62	77	3,256	3,197	1,430	1,361	1,826	1,836
Medicaid/CHIP	1,233	1,115	70 ^a	23	1,163	1,092	343	318	819	774
Other ³	620	456	4	3	616	453	154	127	462	326
No Coverage	1,123	919	2	9	1,121	910	273	220	848	690

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.68B Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	2.2	2.0	0.5	0.4	2.4	2.2	6.2	5.8	1.7	1.6
GEOGRAPHIC REGION										
Northeast	2.4	2.4	0.5	0.5	2.5	2.6	6.7	7.1	1.9	1.9
Midwest	2.0	1.7	0.3	0.5	2.2	1.9	6.3	5.2	1.5	1.3
South	1.9 ^a	1.6	0.4	0.4	2.1 ^a	1.7	5.3	4.4	1.6	1.3
West	2.6	2.7	0.9 ^a	0.4	2.8	2.9	7.2	7.6	2.1	2.2
COUNTY TYPE										
Large Metro	2.4	2.3	0.4	0.4	2.6	2.4	6.5	6.0	2.0	1.9
Small Metro	2.0	1.9	0.7	0.4	2.1	2.1	6.1	5.8	1.4	1.5
Nonmetro	1.6	1.3	0.5	0.6	1.7	1.3	5.3	4.8	1.2	0.9
Urbanized	2.0	1.6	0.7	0.8	2.2	1.7	6.3	6.0	1.5	1.1
Less Urbanized	1.4	1.1	0.4	0.5	1.5	1.1	4.3	4.1	1.1	0.7
Completely Rural	1.0	0.7	0.3	0.2	1.1	0.7	4.6	2.1	0.8	0.6
POVERTY LEVEL¹										
Less Than 100%	3.0	2.9	0.5	0.4	3.4	3.3	5.8	5.9	2.6	2.4
100-199%	2.4 ^a	1.8	0.5	0.4	2.6 ^a	1.9	6.1	5.0	1.8 ^a	1.3
200% or More	1.9	1.9	0.5	0.5	2.1	2.0	6.5	6.1	1.5	1.5
HEALTH INSURANCE²										
Private	1.8	1.8	0.4	0.5	2.0	1.9	6.9	6.6	1.3	1.3
Medicaid/CHIP	2.7	2.4	0.7 ^a	0.2	3.2	3.0	4.6	4.4	2.9	2.6
Other ³	0.9	0.7	0.4	0.3	0.9	0.7	6.1	4.9	0.7	0.5
No Coverage	4.6 ^a	3.6	0.2	0.8	4.8 ^a	3.7	5.9	4.6	4.5	3.5

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.69A Cocaine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:
Numbers in Thousands, 2017 and 2018**

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	2,167	1,949	26	12	2,141	1,938	665 ^a	524	1,476	1,414
GEOGRAPHIC REGION										
Northeast	469	436	6	3	464	432	126	126	337	306
Midwest	346	315	3	2	343	313	139	97	204	216
South	699	579	6	4	693	575	193	139	500	435
West	653	620	12 ^a	2	641	618	207	161	435	457
COUNTY TYPE										
Large Metro	1,373	1,309	17 ^a	3	1,356	1,306	379	324	977	982
Small Metro	549	503	5	7	544	496	222 ^a	136	322	360
Nonmetro	245	137	4	1	241	136	63	64	178	72
Urbanized	154	83	4	1	151	82	44	40	106	42
Less Urbanized	82	51	0	*	81	51	17	24	65	27
Completely Rural	9	3	0	*	9	3	*	*	7	3
POVERTY LEVEL¹										
Less Than 100%	387	464	4	1	383	463	138	142	245	320
100-199%	612 ^a	281	4	4	608 ^a	277	192 ^a	93	416 ^a	184
200% or More	1,154	1,197	19	6	1,136	1,191	321	282	815	909
HEALTH INSURANCE²										
Private	1,151	1,098	18	9	1,133	1,089	460	366	674	723
Medicaid/CHIP	498	398	9	3	489	396	106	68	383	327
Other ³	248	164	2	*	246	164	44	32	202	132
No Coverage	445	387	*	*	445	387	82	65	363	322

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.69B Cocaine Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.8	0.7	0.1	0.0	0.9	0.8	1.9 ^a	1.5	0.7	0.7
GEOGRAPHIC REGION										
Northeast	1.0	0.9	0.1	0.1	1.1	1.0	2.1	2.1	0.9	0.8
Midwest	0.6	0.6	0.1	0.0	0.7	0.6	1.9	1.3	0.5	0.5
South	0.7	0.6	0.1	0.0	0.7	0.6	1.5	1.1	0.6	0.5
West	1.0	1.0	0.2 ^a	0.0	1.1	1.0	2.5	2.0	0.9	0.9
COUNTY TYPE										
Large Metro	0.9	0.9	0.1 ^a	0.0	1.0	0.9	2.0	1.7	0.8	0.8
Small Metro	0.7	0.6	0.1	0.1	0.7	0.7	2.1 ^a	1.3	0.5	0.6
Nonmetro	0.6	0.3	0.1	0.0	0.7	0.4	1.4	1.5	0.6	0.2
Urbanized	0.9	0.5	0.2	0.1	1.0	0.5	2.1	2.1	0.8	0.3
Less Urbanized	0.4	0.3	0.0	*	0.5	0.3	0.8	1.1	0.4	0.2
Completely Rural	0.3	0.1	0.2	*	0.3	0.1	*	*	0.2	0.1
POVERTY LEVEL¹										
Less Than 100%	1.0	1.2	0.1	0.0	1.1	1.3	1.6	1.7	1.0	1.2
100-199%	1.1 ^a	0.5	0.1	0.1	1.2 ^a	0.6	2.3 ^a	1.1	1.0 ^a	0.4
200% or More	0.6	0.7	0.1	0.0	0.7	0.7	1.9	1.7	0.6	0.6
HEALTH INSURANCE²										
Private	0.6	0.6	0.1	0.1	0.7	0.7	2.2	1.8	0.5	0.5
Medicaid/CHIP	1.1	0.9	0.1	0.0	1.4	1.1	1.4	0.9	1.3	1.1
Other ³	0.4	0.2	0.2	*	0.4	0.2	1.7	1.3	0.3	0.2
No Coverage	1.8	1.5	*	*	1.9	1.6	1.8	1.4	1.9	1.6

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.