

**Table 1.6A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2017 and 2018**

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
<b>TOTAL</b>	134,704	134,791	51,795	53,182	30,476 <sup>a</sup>	31,918
12-20	12,328	12,364	8,971	9,126	4,975	5,078
21 or Older	122,376	122,427	42,823	44,056	25,500	26,840
<b>12-17</b>	5,963	5,952	4,069	4,151	1,966	2,000
12-13	899	893	467	529	160	164
14-15	1,852	1,959	1,200	1,288	532	561
16-17	3,212	3,099	2,401	2,333	1,274	1,276
16-25	22,760	22,021	15,924	15,501	9,575	9,406
<b>18 or Older</b>	128,741	128,840	47,726	49,031	28,510	29,917
<b>18-25</b>	19,549 <sup>a</sup>	18,922	13,522	13,168	8,302	8,130
18-20	6,365	6,412	4,903	4,975	3,010	3,077
21-25	13,184	12,510	8,620	8,193	5,292	5,053
<b>26 or Older</b>	109,192	109,917	34,203 <sup>a</sup>	35,863	20,208 <sup>a</sup>	21,788
26-49	57,326	57,162	22,443 <sup>a</sup>	23,942	13,324 <sup>a</sup>	14,943
26-29	10,873	11,196	5,584	6,117	3,504	3,777
30-34	12,992	13,073	5,761	6,096	3,387	3,796
35-39	12,102	12,619	4,518	4,924	2,619 <sup>a</sup>	3,116
40-44	10,441	10,192	3,391	3,778	2,009 <sup>a</sup>	2,374
45-49	10,919 <sup>a</sup>	10,082	3,190	3,026	1,805	1,881
50 or Older	51,865	52,755	11,760	11,921	6,885	6,845
50-54	12,053	11,783	3,124	3,076	1,892	1,733
55-59	13,005	12,449	3,298	3,301	2,089	1,811
60-64	11,322	11,895	2,506	2,648	1,421	1,641
65 or Older	15,486	16,628	2,833	2,897	1,482	1,660

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.6B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
<b>TOTAL</b>	49.5	49.2	19.0	19.4	11.2	11.7
12-20	32.6	32.6	23.7	24.0	13.2	13.4
21 or Older	52.2	51.9	18.3	18.7	10.9	11.4
<b>12-17</b>	23.9	23.9	16.3	16.7	7.9	8.0
12-13	11.5	11.3	6.0	6.7	2.0	2.1
14-15	21.8	23.3	14.2	15.3	6.3	6.7
16-17	37.2	36.0	27.9	27.1	14.8	14.8
16-25	53.0 <sup>a</sup>	51.6	37.1	36.4	22.3	22.1
<b>18 or Older</b>	52.1	51.8	19.3	19.7	11.5	12.0
<b>18-25</b>	57.0	55.6	39.4	38.7	24.2	23.9
18-20	49.4	49.1	38.1	38.1	23.4	23.6
21-25	61.5 <sup>a</sup>	59.7	40.2	39.1	24.7	24.1
<b>26 or Older</b>	51.3	51.2	16.1	16.7	9.5 <sup>a</sup>	10.1
26-49	57.1	56.6	22.4 <sup>a</sup>	23.7	13.3 <sup>a</sup>	14.8
26-29	60.6	62.8	31.1 <sup>a</sup>	34.3	19.5	21.2
30-34	60.1	58.9	26.6	27.5	15.7	17.1
35-39	58.1	57.5	21.7	22.5	12.6	14.2
40-44	52.7	52.1	17.1 <sup>a</sup>	19.3	10.1 <sup>a</sup>	12.1
45-49	54.3	51.9	15.9	15.6	9.0	9.7
50 or Older	46.1	46.3	10.4	10.5	6.1	6.0
50-54	57.3	57.3	14.9	14.9	9.0	8.4
55-59	59.4	57.3	15.1	15.2	9.5	8.3
60-64	56.6	58.4	12.5	13.0	7.1	8.1
65 or Older	31.2	32.5	5.7	5.7	3.0	3.2

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drug Use in Lifetime includes the misuse of prescription psychotherapeutics even though those estimates are not reported due to potential underreporting in lifetime prescription psychotherapeutics estimates.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.7A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2017 and 2018**

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
<b>TOTAL</b>	122,943	123,935	40,935 <sup>a</sup>	43,486	25,997 <sup>a</sup>	27,667
12-20	9,515	9,646	7,504	7,695	4,409	4,582
21 or Older	113,429	114,290	33,431 <sup>a</sup>	35,792	21,588 <sup>a</sup>	23,085
<b>12-17</b>	3,806	3,823	3,094	3,110	1,613	1,658
12-13	184	169	131	144	53	69
14-15	1,078	1,152	890	955	421	430
16-17	2,544	2,502	2,073	2,011	1,139	1,159
16-25	20,631	20,014	14,029	13,839	8,730	8,687
<b>18 or Older</b>	119,137	120,112	37,841 <sup>a</sup>	40,377	24,383 <sup>a</sup>	26,009
<b>18-25</b>	18,087 <sup>a</sup>	17,512	11,956	11,829	7,591	7,528
18-20	5,708	5,823	4,410	4,585	2,796	2,924
21-25	12,379 <sup>a</sup>	11,690	7,546	7,243	4,795	4,603
<b>26 or Older</b>	101,050	102,600	25,885 <sup>a</sup>	28,548	16,792 <sup>a</sup>	18,481
26-49	53,086	53,102	17,556 <sup>a</sup>	19,660	11,310 <sup>a</sup>	12,917
26-29	10,210	10,468	4,691 <sup>a</sup>	5,269	3,061	3,352
30-34	12,082	12,248	4,549	5,066	2,811 <sup>a</sup>	3,349
35-39	11,263	11,883	3,415 <sup>a</sup>	4,027	2,199 <sup>a</sup>	2,651
40-44	9,541	9,334	2,594 <sup>a</sup>	3,052	1,746	2,050
45-49	9,991 <sup>a</sup>	9,170	2,307	2,245	1,493	1,514
50 or Older	47,963	49,498	8,329	8,889	5,482	5,564
50-54	10,961	11,069	2,294	2,285	1,500	1,447
55-59	12,305	11,900	2,318	2,348	1,577	1,449
60-64	10,781	11,365	1,872	2,153	1,238	1,384
65 or Older	13,917 <sup>a</sup>	15,164	1,844	2,103	1,168	1,284

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.7B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
<b>TOTAL</b>	45.2	45.3	15.0 <sup>a</sup>	15.9	9.6 <sup>a</sup>	10.1
12-20	25.2	25.4	19.8	20.3	11.7	12.1
21 or Older	48.4	48.5	14.3 <sup>a</sup>	15.2	9.2 <sup>a</sup>	9.8
<b>12-17</b>	15.3	15.4	12.4	12.5	6.5	6.7
12-13	2.3	2.1	1.7	1.8	0.7	0.9
14-15	12.7	13.7	10.5	11.3	5.0	5.1
16-17	29.5	29.1	24.0	23.4	13.2	13.5
16-25	48.1	46.9	32.7	32.5	20.3	20.4
<b>18 or Older</b>	48.2	48.3	15.3 <sup>a</sup>	16.2	9.9 <sup>a</sup>	10.5
<b>18-25</b>	52.7	51.5	34.9	34.8	22.1	22.1
18-20	44.3	44.6	34.2	35.1	21.7	22.4
21-25	57.8 <sup>a</sup>	55.7	35.2	34.5	22.4	21.9
<b>26 or Older</b>	47.5	47.8	12.2 <sup>a</sup>	13.3	7.9 <sup>a</sup>	8.6
26-49	52.9	52.6	17.5 <sup>a</sup>	19.5	11.3 <sup>a</sup>	12.8
26-29	56.9	58.7	26.2 <sup>a</sup>	29.6	17.1	18.8
30-34	55.9	55.2	21.0	22.8	13.0 <sup>a</sup>	15.1
35-39	54.0	54.2	16.4	18.4	10.6	12.1
40-44	48.2	47.7	13.1 <sup>a</sup>	15.6	8.8 <sup>a</sup>	10.5
45-49	49.7	47.2	11.5	11.6	7.4	7.8
50 or Older	42.6	43.5	7.4	7.8	4.9	4.9
50-54	52.1	53.8	10.9	11.1	7.1	7.0
55-59	56.2	54.8	10.6	10.8	7.2	6.7
60-64	53.9	55.8	9.4	10.6	6.2	6.8
65 or Older	28.0	29.6	3.7	4.1	2.4	2.5

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.8A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2017 and 2018**

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
<b>TOTAL</b>	40,550	40,194	5,943	5,529	2,167	1,949
12-20	1,015	1,054	711	692	207	176
21 or Older	39,536	39,140	5,231	4,838	1,960	1,773
<b>12-17</b>	169	173	127	112	26	12
12-13	8	8	8	5	1	0
14-15	18	32	14	24	1	*
16-17	143	133	105	83	25	11
16-25	4,267	4,005	2,233	2,050	690 <sup>a</sup>	535
<b>18 or Older</b>	40,381	40,021	5,816	5,418	2,141	1,938
<b>18-25</b>	4,125	3,872	2,128	1,967	665 <sup>a</sup>	524
18-20	845	882	584	580	181	164
21-25	3,279	2,990	1,543	1,387	484 <sup>a</sup>	359
<b>26 or Older</b>	36,256	36,150	3,688	3,451	1,476	1,414
26-49	17,379	17,623	2,793	2,823	1,060	1,076
26-29	3,144	3,305	979	1,063	336	431
30-34	4,031	4,166	789	756	340 <sup>a</sup>	198
35-39	3,610 <sup>a</sup>	4,074	482	482	179	192
40-44	2,770	2,941	225	268	80	129
45-49	3,824 <sup>a</sup>	3,136	318	254	124	126
50 or Older	18,877	18,527	895	628	416	338
50-54	5,224	4,744	320	190	147	64
55-59	5,705	5,347	327 <sup>a</sup>	156	164	93
60-64	4,578	4,482	98 <sup>a</sup>	252	21 <sup>a</sup>	173
65 or Older	3,370	3,955	150 <sup>a</sup>	30	83	8

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.8B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
<b>TOTAL</b>	14.9	14.7	2.2	2.0	0.8	0.7
12-20	2.7	2.8	1.9	1.8	0.5	0.5
21 or Older	16.9	16.6	2.2	2.1	0.8	0.8
<b>12-17</b>	0.7	0.7	0.5	0.4	0.1	0.0
12-13	0.1	0.1	0.1	0.1	0.0	0.0
14-15	0.2	0.4	0.2	0.3	0.0	*
16-17	1.7	1.5	1.2	1.0	0.3	0.1
16-25	9.9	9.4	5.2	4.8	1.6 <sup>a</sup>	1.3
<b>18 or Older</b>	16.3	16.1	2.4	2.2	0.9	0.8
<b>18-25</b>	12.0	11.4	6.2	5.8	1.9 <sup>a</sup>	1.5
18-20	6.6	6.7	4.5	4.4	1.4	1.3
21-25	15.3	14.3	7.2	6.6	2.3 <sup>a</sup>	1.7
<b>26 or Older</b>	17.0	16.8	1.7	1.6	0.7	0.7
26-49	17.3	17.5	2.8	2.8	1.1	1.1
26-29	17.5	18.5	5.5	6.0	1.9	2.4
30-34	18.6	18.8	3.6	3.4	1.6 <sup>a</sup>	0.9
35-39	17.3	18.6	2.3	2.2	0.9	0.9
40-44	14.0	15.0	1.1	1.4	0.4	0.7
45-49	19.0 <sup>a</sup>	16.2	1.6	1.3	0.6	0.6
50 or Older	16.8	16.3	0.8	0.6	0.4	0.3
50-54	24.8	23.1	1.5	0.9	0.7	0.3
55-59	26.1	24.6	1.5 <sup>a</sup>	0.7	0.8	0.4
60-64	22.9	22.0	0.5 <sup>a</sup>	1.2	0.1 <sup>a</sup>	0.8
65 or Older	6.8	7.7	0.3 <sup>a</sup>	0.1	0.2	0.0

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.9A Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2017 and 2018**

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
<b>TOTAL</b>	9,599	9,177	930	757	473	436
12-20	88	88	38	34	11	11
21 or Older	9,511	9,089	892	723	462	425
<b>12-17</b>	31	15	16	4	*	*
12-13	1	1	*	*	*	*
14-15	3	2	3	*	*	*
16-17	27	12	13	4	1	*
16-25	462 <sup>a</sup>	352	121	91	25	28
<b>18 or Older</b>	9,569	9,163	913	753	472	436
<b>18-25</b>	436	340	108	87	24	28
18-20	57	74	22	30	10	11
21-25	378 <sup>a</sup>	266	86	57	14	17
<b>26 or Older</b>	9,133	8,823	806	666	448	408
26-49	4,462	4,356	379	359	218	178
26-29	512	430	60	66	31	27
30-34	973	925	131 <sup>a</sup>	55	79 <sup>a</sup>	18
35-39	1,056	1,031	53	88	40	49
40-44	809	965	46	62	21	35
45-49	1,113	1,005	89	88	46	50
50 or Older	4,671	4,467	427	307	230	230
50-54	1,548	1,440	197 <sup>a</sup>	49	100	31
55-59	1,497	1,506	147	91	102	53
60-64	968	991	53	161	8 <sup>a</sup>	141
65 or Older	659	530	31	6	20	6

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.9B Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
<b>TOTAL</b>	3.5	3.4	0.3	0.3	0.2	0.2
12-20	0.2	0.2	0.1	0.1	0.0	0.0
21 or Older	4.1	3.9	0.4	0.3	0.2	0.2
<b>12-17</b>	0.1	0.1	0.1	0.0	*	*
12-13	0.0	0.0	*	*	*	*
14-15	0.0	0.0	0.0	*	*	*
16-17	0.3	0.1	0.2	0.0	0.0	*
16-25	1.1 <sup>a</sup>	0.8	0.3	0.2	0.1	0.1
<b>18 or Older</b>	3.9	3.7	0.4	0.3	0.2	0.2
<b>18-25</b>	1.3	1.0	0.3	0.3	0.1	0.1
18-20	0.4	0.6	0.2	0.2	0.1	0.1
21-25	1.8 <sup>a</sup>	1.3	0.4	0.3	0.1	0.1
<b>26 or Older</b>	4.3	4.1	0.4	0.3	0.2	0.2
26-49	4.4	4.3	0.4	0.4	0.2	0.2
26-29	2.9	2.4	0.3	0.4	0.2	0.2
30-34	4.5	4.2	0.6 <sup>a</sup>	0.2	0.4 <sup>a</sup>	0.1
35-39	5.1	4.7	0.3	0.4	0.2	0.2
40-44	4.1	4.9	0.2	0.3	0.1	0.2
45-49	5.5	5.2	0.4	0.5	0.2	0.3
50 or Older	4.2	3.9	0.4	0.3	0.2	0.2
50-54	7.4	7.0	0.9 <sup>a</sup>	0.2	0.5	0.2
55-59	6.8	6.9	0.7	0.4	0.5	0.2
60-64	4.8	4.9	0.3	0.8	0.0 <sup>a</sup>	0.7
65 or Older	1.3	1.0	0.1	0.0	0.0	0.0

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.



**Table 1.10A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2017 and 2018**

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
<b>TOTAL</b>	42,072	43,255	5,125	5,595	1,438	1,630
12-20	2,129	2,053	1,378	1,233	377	340
21 or Older	39,943	41,202	3,747 <sup>a</sup>	4,362	1,061	1,290
<b>12-17</b>	700 <sup>a</sup>	565	512 <sup>a</sup>	376	143	139
12-13	73	57	52	37	17	12
14-15	189	157	135	114	50	41
16-17	438 <sup>a</sup>	351	326 <sup>a</sup>	225	75	86
16-25	6,297	5,948	2,732	2,557	669	666
<b>18 or Older</b>	41,372	42,690	4,613 <sup>a</sup>	5,219	1,295	1,491
<b>18-25</b>	5,859	5,597	2,406	2,332	594	580
18-20	1,429	1,488	866	857	235	201
21-25	4,431	4,109	1,540	1,475	359	379
<b>26 or Older</b>	35,513	37,093	2,207 <sup>a</sup>	2,887	701	911
26-49	20,399	21,223	1,966 <sup>a</sup>	2,571	640	791
26-29	3,962	4,284	750 <sup>a</sup>	1,049	173	292
30-34	4,764	4,722	603	692	255	217
35-39	4,684	5,027	341	434	125	165
40-44	3,531	3,989	159	246	64	81
45-49	3,458	3,202	113	150	24	37
50 or Older	15,113	15,870	241	317	61	120
50-54	3,855	3,634	67	120	22	59
55-59	4,042	4,482	115	35	32	17
60-64	4,030	3,911	32	99	6	35
65 or Older	3,186	3,843	27	63	*	8

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.10B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
<b>TOTAL</b>	15.5	15.8	1.9	2.0	0.5	0.6
12-20	5.6	5.4	3.6	3.2	1.0	0.9
21 or Older	17.0	17.5	1.6 <sup>a</sup>	1.9	0.5	0.5
<b>12-17</b>	2.8 <sup>a</sup>	2.3	2.1 <sup>a</sup>	1.5	0.6	0.6
12-13	0.9	0.7	0.7	0.5	0.2	0.2
14-15	2.2	1.9	1.6	1.4	0.6	0.5
16-17	5.1 <sup>a</sup>	4.1	3.8 <sup>a</sup>	2.6	0.9	1.0
16-25	14.7	13.9	6.4	6.0	1.6	1.6
<b>18 or Older</b>	16.7	17.2	1.9 <sup>a</sup>	2.1	0.5	0.6
<b>18-25</b>	17.1	16.4	7.0	6.9	1.7	1.7
18-20	11.1	11.4	6.7	6.6	1.8	1.5
21-25	20.7	19.6	7.2	7.0	1.7	1.8
<b>26 or Older</b>	16.7	17.3	1.0 <sup>a</sup>	1.3	0.3	0.4
26-49	20.3	21.0	2.0 <sup>a</sup>	2.5	0.6	0.8
26-29	22.1	24.0	4.2 <sup>a</sup>	5.9	1.0	1.6
30-34	22.0	21.3	2.8	3.1	1.2	1.0
35-39	22.5	22.9	1.6	2.0	0.6	0.8
40-44	17.8 <sup>a</sup>	20.4	0.8	1.3	0.3	0.4
45-49	17.2	16.5	0.6	0.8	0.1	0.2
50 or Older	13.4	13.9	0.2	0.3	0.1	0.1
50-54	18.3	17.7	0.3	0.6	0.1	0.3
55-59	18.5	20.6	0.5	0.2	0.1	0.1
60-64	20.1	19.2	0.2	0.5	0.0	0.2
65 or Older	6.4	7.5	0.1	0.1	*	0.0

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.11A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2017 and 2018**

<b>Age Category</b>	<b>Lifetime (2017)</b>	<b>Lifetime (2018)</b>	<b>Past Year (2017)</b>	<b>Past Year (2018)</b>	<b>Past Month (2017)</b>	<b>Past Month (2018)</b>
<b>TOTAL</b>	25,187	24,783	1,759	2,003	556	612
12-20	3,115	3,148	771	865	219	232
21 or Older	22,073	21,635	988	1,138	336	380
<b>12-17</b>	2,144	2,125	574	662	153	184
12-13	600	575	205	253	70	64
14-15	747	842	203	259	60	75
16-17	797	708	166	150	23	45
16-25	4,039	3,761	728	645	191	173
<b>18 or Older</b>	23,043	22,658	1,185	1,341	403	428
<b>18-25</b>	3,242	3,053	562	495	168	128
18-20	971	1,022	198	203	66	48
21-25	2,272	2,031	365	292	102	80
<b>26 or Older</b>	19,801	19,605	623	846	235	300
26-49	11,947	11,970	530	617	213	224
26-29	1,968	1,964	197	138	42	50
30-34	2,515	2,469	146	184	58	24
35-39	2,583 <sup>a</sup>	2,986	86	127	57	49
40-44	2,400	2,417	60	84	34	47
45-49	2,481 <sup>a</sup>	2,133	41	84	23	55
50 or Older	7,854	7,635	93	229	22	76
50-54	2,325	2,263	48	101	22	36
55-59	2,291	2,180	6	77	*	26
60-64	1,753	1,842	14	20	*	2
65 or Older	1,485	1,350	25	31	*	12

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.11B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
<b>TOTAL</b>	9.3	9.1	0.6	0.7	0.2	0.2
12-20	8.2	8.3	2.0	2.3	0.6	0.6
21 or Older	9.4	9.2	0.4	0.5	0.1	0.2
<b>12-17</b>	8.6	8.5	2.3	2.7	0.6	0.7
12-13	7.7	7.3	2.6	3.2	0.9	0.8
14-15	8.8	10.0	2.4	3.1	0.7	0.9
16-17	9.2	8.2	1.9	1.7	0.3	0.5
16-25	9.4	8.8	1.7	1.5	0.4	0.4
<b>18 or Older</b>	9.3	9.1	0.5	0.5	0.2	0.2
<b>18-25</b>	9.5	9.0	1.6	1.5	0.5	0.4
18-20	7.5	7.8	1.5	1.6	0.5	0.4
21-25	10.6	9.7	1.7	1.4	0.5	0.4
<b>26 or Older</b>	9.3	9.1	0.3	0.4	0.1	0.1
26-49	11.9	11.9	0.5	0.6	0.2	0.2
26-29	11.0	11.0	1.1	0.8	0.2	0.3
30-34	11.6	11.1	0.7	0.8	0.3	0.1
35-39	12.4	13.6	0.4	0.6	0.3	0.2
40-44	12.1	12.3	0.3	0.4	0.2	0.2
45-49	12.3	11.0	0.2	0.4	0.1	0.3
50 or Older	7.0	6.7	0.1	0.2	0.0	0.1
50-54	11.1	11.0	0.2	0.5	0.1	0.2
55-59	10.5	10.0	0.0	0.4	*	0.1
60-64	8.8	9.0	0.1	0.1	*	0.0
65 or Older	3.0	2.6	0.1	0.1	*	0.0

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.12A Methamphetamine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2017 and 2018**

<b>Age Category</b>	<b>Lifetime (2017)</b>	<b>Lifetime (2018)</b>	<b>Past Year (2017)</b>	<b>Past Year (2018)</b>	<b>Past Month (2017)</b>	<b>Past Month (2018)</b>
<b>TOTAL</b>	14,722	14,892	1,633	1,867	774	1,001
12-20	297	258	149	147	69	44
21 or Older	14,426	14,634	1,484	1,719	705 <sup>a</sup>	957
<b>12-17</b>	86	70	48	43	16	17
12-13	6	6	4	3	2	2
14-15	26	15	12	11	5	5
16-17	54	49	32	28	10	9
16-25	1,078 <sup>a</sup>	916	407 <sup>a</sup>	301	161	100
<b>18 or Older</b>	14,636	14,822	1,585	1,824	758	984
<b>18-25</b>	1,024 <sup>a</sup>	867	375 <sup>a</sup>	273	151 <sup>a</sup>	90
18-20	210	188	101	104	53	28
21-25	814	680	274 <sup>a</sup>	169	98	63
<b>26 or Older</b>	13,612	13,954	1,210 <sup>a</sup>	1,551	607 <sup>a</sup>	894
26-49	7,388	7,356	876 <sup>a</sup>	1,149	377 <sup>a</sup>	576
26-29	951	945	176	216	59	74
30-34	1,732	1,757	245	364	97 <sup>a</sup>	215
35-39	1,805	1,869	248	250	119	118
40-44	1,303	1,488	102	162	41	68
45-49	1,597 <sup>a</sup>	1,298	105	157	61	101
50 or Older	6,224	6,598	334	402	230	318
50-54	1,688	1,712	149	110	94	106
55-59	1,833	1,914	88	107	66	71
60-64	1,745	1,811	73	126	61	82
65 or Older	959	1,161	24	59	9	59

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.12B Methamphetamine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
<b>TOTAL</b>	5.4	5.4	0.6	0.7	0.3	0.4
12-20	0.8	0.7	0.4	0.4	0.2	0.1
21 or Older	6.2	6.2	0.6	0.7	0.3	0.4
<b>12-17</b>	0.3	0.3	0.2	0.2	0.1	0.1
12-13	0.1	0.1	0.0	0.0	0.0	0.0
14-15	0.3	0.2	0.1	0.1	0.1	0.1
16-17	0.6	0.6	0.4	0.3	0.1	0.1
16-25	2.5	2.1	0.9	0.7	0.4	0.2
<b>18 or Older</b>	5.9	6.0	0.6	0.7	0.3	0.4
<b>18-25</b>	3.0	2.5	1.1	0.8	0.4 <sup>a</sup>	0.3
18-20	1.6	1.4	0.8	0.8	0.4	0.2
21-25	3.8	3.2	1.3 <sup>a</sup>	0.8	0.5	0.3
<b>26 or Older</b>	6.4	6.5	0.6 <sup>a</sup>	0.7	0.3 <sup>a</sup>	0.4
26-49	7.4	7.3	0.9 <sup>a</sup>	1.1	0.4 <sup>a</sup>	0.6
26-29	5.3	5.3	1.0	1.2	0.3	0.4
30-34	8.0	7.9	1.1	1.6	0.4 <sup>a</sup>	1.0
35-39	8.7	8.5	1.2	1.1	0.6	0.5
40-44	6.6	7.6	0.5	0.8	0.2	0.3
45-49	7.9	6.7	0.5	0.8	0.3	0.5
50 or Older	5.5	5.8	0.3	0.4	0.2	0.3
50-54	8.0	8.3	0.7	0.5	0.4	0.5
55-59	8.4	8.8	0.4	0.5	0.3	0.3
60-64	8.7	8.9	0.4	0.6	0.3	0.4
65 or Older	1.9	2.3	0.0	0.1	0.0	0.1

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.13A Any Use of Pain Relievers in Past Year and Misuse of Pain Relievers in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2017 and 2018**

Age Category	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year (2017)	Misuse in Past Year (2018)	Misuse in Past Month (2017)	Misuse in Past Month (2018)
<b>TOTAL</b>	90,799 <sup>a</sup>	86,548	11,077 <sup>a</sup>	9,948	3,239	2,852
12-20	7,809	7,364	1,540	1,386	401	332
21 or Older	82,990 <sup>a</sup>	79,184	9,537 <sup>a</sup>	8,562	2,838	2,520
<b>12-17</b>	4,346	4,141	767	695	214	161
12-13	966	974	117	127	32	24
14-15	1,507 <sup>a</sup>	1,312	236	212	73	46
16-17	1,873	1,855	413	356	109	91
16-25	12,135 <sup>a</sup>	10,786	2,874 <sup>a</sup>	2,214	743 <sup>a</sup>	565
<b>18 or Older</b>	86,454 <sup>a</sup>	82,407	10,310 <sup>a</sup>	9,253	3,024	2,691
<b>18-25</b>	10,262 <sup>a</sup>	8,931	2,460 <sup>a</sup>	1,858	634 <sup>a</sup>	475
18-20	3,463	3,223	773	691	187	171
21-25	6,799 <sup>a</sup>	5,707	1,687 <sup>a</sup>	1,167	447 <sup>a</sup>	304
<b>26 or Older</b>	76,191 <sup>a</sup>	73,476	7,850	7,395	2,391	2,216
26-49	34,687 <sup>a</sup>	32,570	5,128	4,765	1,511	1,470
26-29	5,670	5,334	1,030	948	302	263
30-34	7,392	6,965	1,340	1,253	488	365
35-39	7,547	7,249	1,085	1,091	259	328
40-44	7,047	6,456	798	773	231	264
45-49	7,030	6,567	874	700	230	250
50 or Older	41,504	40,906	2,722	2,630	880	746
50-54	7,509	7,460	708	700	207	187
55-59	8,326	8,052	652	763	269	218
60-64	7,978	7,449	585	487	169	152
65 or Older	17,691	17,945	777	681	235	191

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.13B Any Use of Pain Relievers in Past Year and Misuse of Pain Relievers in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

Age Category	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year (2017)	Misuse in Past Year (2018)	Misuse in Past Month (2017)	Misuse in Past Month (2018)
<b>TOTAL</b>	33.4 <sup>a</sup>	31.6	4.1 <sup>a</sup>	3.6	1.2	1.0
12-20	20.6 <sup>a</sup>	19.4	4.1	3.7	1.1	0.9
21 or Older	35.4 <sup>a</sup>	33.6	4.1 <sup>a</sup>	3.6	1.2	1.1
<b>12-17</b>	17.4	16.6	3.1	2.8	0.9	0.6
12-13	12.3	12.4	1.5	1.6	0.4	0.3
14-15	17.8 <sup>a</sup>	15.6	2.8	2.5	0.9	0.5
16-17	21.7	21.6	4.8	4.1	1.3	1.1
16-25	28.3 <sup>a</sup>	25.3	6.7 <sup>a</sup>	5.2	1.7 <sup>a</sup>	1.3
<b>18 or Older</b>	35.0 <sup>a</sup>	33.1	4.2 <sup>a</sup>	3.7	1.2	1.1
<b>18-25</b>	29.9 <sup>a</sup>	26.2	7.2 <sup>a</sup>	5.5	1.8 <sup>a</sup>	1.4
18-20	26.9 <sup>a</sup>	24.7	6.0	5.3	1.5	1.3
21-25	31.7 <sup>a</sup>	27.2	7.9 <sup>a</sup>	5.6	2.1 <sup>a</sup>	1.4
<b>26 or Older</b>	35.8 <sup>a</sup>	34.2	3.7	3.4	1.1	1.0
26-49	34.6 <sup>a</sup>	32.3	5.1	4.7	1.5	1.5
26-29	31.6	29.9	5.7	5.3	1.7	1.5
30-34	34.2 <sup>a</sup>	31.4	6.2	5.6	2.3	1.6
35-39	36.2 <sup>a</sup>	33.1	5.2	5.0	1.2	1.5
40-44	35.6 <sup>a</sup>	33.0	4.0	3.9	1.2	1.3
45-49	35.0	33.8	4.3	3.6	1.1	1.3
50 or Older	36.9	35.9	2.4	2.3	0.8	0.7
50-54	35.7	36.2	3.4	3.4	1.0	0.9
55-59	38.0	37.1	3.0	3.5	1.2	1.0
60-64	39.9	36.6	2.9	2.4	0.8	0.7
65 or Older	35.6	35.0	1.6	1.3	0.5	0.4

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.



**Table 1.14A Any Use of Stimulants in Past Year and Misuse of Stimulants in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2017 and 2018**

Age Category	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year (2017)	Misuse in Past Year (2018)	Misuse in Past Month (2017)	Misuse in Past Month (2018)
<b>TOTAL</b>	18,629	18,008	5,839 <sup>a</sup>	5,109	1,841	1,670
12-20	3,541	3,294	1,292 <sup>a</sup>	1,070	369 <sup>a</sup>	255
21 or Older	15,088	14,714	4,547 <sup>a</sup>	4,039	1,472	1,414
<b>12-17</b>	1,787	1,752	452	369	123	120
12-13	364	415	30	28	7	5
14-15	592	533	122	109	40	31
16-17	831	804	300	232	76	85
16-25	5,868 <sup>a</sup>	5,277	2,846 <sup>a</sup>	2,447	791	672
<b>18 or Older</b>	16,842	16,256	5,386 <sup>a</sup>	4,739	1,718	1,550
<b>18-25</b>	5,038 <sup>a</sup>	4,473	2,545 <sup>a</sup>	2,216	715	587
18-20	1,754	1,542	840	701	246 <sup>a</sup>	135
21-25	3,284 <sup>a</sup>	2,931	1,706	1,515	470	451
<b>26 or Older</b>	11,805	11,783	2,841	2,524	1,002	963
26-49	7,865	7,963	2,545	2,363	897	862
26-29	2,121	1,998	961	790	298	299
30-34	1,835	1,982	642	748	256	256
35-39	1,473	1,732	435	458	181	212
40-44	1,189	1,210	292	206	91	33
45-49	1,247	1,041	216	161	71	63
50 or Older	3,939	3,820	296	160	105	101
50-54	1,134	908	128	60	65	18
55-59	909	1,034	104	33	22	29
60-64	754	673	52	33	11	31
65 or Older	1,142	1,204	13	34	7	23

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.14B Any Use of Stimulants in Past Year and Misuse of Stimulants in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

Age Category	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year (2017)	Misuse in Past Year (2018)	Misuse in Past Month (2017)	Misuse in Past Month (2018)
<b>TOTAL</b>	6.8	6.6	2.1 <sup>a</sup>	1.9	0.7	0.6
12-20	9.4	8.7	3.4 <sup>a</sup>	2.8	1.0 <sup>a</sup>	0.7
21 or Older	6.4	6.2	1.9 <sup>a</sup>	1.7	0.6	0.6
<b>12-17</b>	7.2	7.0	1.8	1.5	0.5	0.5
12-13	4.6	5.3	0.4	0.4	0.1	0.1
14-15	7.0	6.3	1.4	1.3	0.5	0.4
16-17	9.6	9.3	3.5	2.7	0.9	1.0
16-25	13.7 <sup>a</sup>	12.4	6.6 <sup>a</sup>	5.7	1.8	1.6
<b>18 or Older</b>	6.8	6.5	2.2 <sup>a</sup>	1.9	0.7	0.6
<b>18-25</b>	14.7 <sup>a</sup>	13.1	7.4 <sup>a</sup>	6.5	2.1	1.7
18-20	13.6 <sup>a</sup>	11.8	6.5 <sup>a</sup>	5.4	1.9 <sup>a</sup>	1.0
21-25	15.3 <sup>a</sup>	14.0	8.0	7.2	2.2	2.2
<b>26 or Older</b>	5.5	5.5	1.3	1.2	0.5	0.4
26-49	7.8	7.9	2.5	2.3	0.9	0.9
26-29	11.8	11.2	5.4	4.4	1.7	1.7
30-34	8.5	8.9	3.0	3.4	1.2	1.2
35-39	7.1	7.9	2.1	2.1	0.9	1.0
40-44	6.0	6.2	1.5	1.1	0.5	0.2
45-49	6.2	5.4	1.1	0.8	0.4	0.3
50 or Older	3.5	3.4	0.3	0.1	0.1	0.1
50-54	5.4	4.4	0.6	0.3	0.3	0.1
55-59	4.2	4.8	0.5	0.2	0.1	0.1
60-64	3.8	3.3	0.3	0.2	0.1	0.1
65 or Older	2.3	2.4	0.0	0.1	0.0	0.0

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.15A Any Use of Tranquilizers or Sedatives in Past Year and Misuse of Tranquilizers or Sedatives in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2017 and 2018**

Age Category	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year (2017)	Misuse in Past Year (2018)	Misuse in Past Month (2017)	Misuse in Past Month (2018)
<b>TOTAL</b>	46,679	46,394	6,743	6,435	1,955	1,799
12-20	3,092 <sup>a</sup>	2,799	1,160	1,091	323	259
21 or Older	43,586	43,595	5,583	5,344	1,632	1,540
<b>12-17</b>	1,507	1,371	492	460	140 <sup>a</sup>	88
12-13	286	253	36	32	9	6
14-15	464	478	132	152	38	26
16-17	757 <sup>a</sup>	640	324	277	93 <sup>a</sup>	56
16-25	5,403 <sup>a</sup>	4,874	2,274 <sup>a</sup>	1,934	669 <sup>a</sup>	478
<b>18 or Older</b>	45,171	45,023	6,251	5,975	1,815	1,711
<b>18-25</b>	4,646 <sup>a</sup>	4,234	1,949 <sup>a</sup>	1,658	575 <sup>a</sup>	422
18-20	1,585	1,428	668	631	183	170
21-25	3,061	2,806	1,282 <sup>a</sup>	1,027	392 <sup>a</sup>	252
<b>26 or Older</b>	40,525	40,789	4,302	4,317	1,240	1,289
26-49	16,661	16,384	2,798	2,912	821	807
26-29	2,434	2,505	748	759	208	200
30-34	3,221	3,454	736	808	207	215
35-39	3,717	3,510	520	639	170	225
40-44	3,488	3,262	386	353	103	74
45-49	3,801	3,654	408	353	134	92
50 or Older	23,864	24,405	1,504	1,405	419	482
50-54	4,271	4,478	417	390	147	104
55-59	4,547	4,495	472	466	164	66
60-64	4,520	4,469	220	236	42	145
65 or Older	10,526	10,964	394	313	67	167

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.15B Any Use of Tranquilizers or Sedatives in Past Year and Misuse of Tranquilizers or Sedatives in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

Age Category	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year (2017)	Misuse in Past Year (2018)	Misuse in Past Month (2017)	Misuse in Past Month (2018)
<b>TOTAL</b>	17.2	16.9	2.5	2.4	0.7	0.7
12-20	8.2 <sup>a</sup>	7.4	3.1	2.9	0.9	0.7
21 or Older	18.6	18.5	2.4	2.3	0.7	0.7
<b>12-17</b>	6.0	5.5	2.0	1.8	0.6 <sup>a</sup>	0.4
12-13	3.6	3.2	0.5	0.4	0.1	0.1
14-15	5.5	5.7	1.6	1.8	0.4	0.3
16-17	8.8 <sup>a</sup>	7.4	3.8	3.2	1.1 <sup>a</sup>	0.6
16-25	12.6 <sup>a</sup>	11.4	5.3 <sup>a</sup>	4.5	1.6 <sup>a</sup>	1.1
<b>18 or Older</b>	18.3	18.1	2.5	2.4	0.7	0.7
<b>18-25</b>	13.5 <sup>a</sup>	12.4	5.7 <sup>a</sup>	4.9	1.7 <sup>a</sup>	1.2
18-20	12.3	10.9	5.2	4.8	1.4	1.3
21-25	14.3	13.4	6.0 <sup>a</sup>	4.9	1.8 <sup>a</sup>	1.2
<b>26 or Older</b>	19.0	19.0	2.0	2.0	0.6	0.6
26-49	16.6	16.2	2.8	2.9	0.8	0.8
26-29	13.6	14.0	4.2	4.3	1.2	1.1
30-34	14.9	15.6	3.4	3.6	1.0	1.0
35-39	17.8	16.0	2.5	2.9	0.8	1.0
40-44	17.6	16.7	2.0	1.8	0.5	0.4
45-49	18.9	18.8	2.0	1.8	0.7	0.5
50 or Older	21.2	21.4	1.3	1.2	0.4	0.4
50-54	20.3	21.8	2.0	1.9	0.7	0.5
55-59	20.8	20.7	2.2	2.1	0.7	0.3
60-64	22.6	21.9	1.1	1.2	0.2	0.7
65 or Older	21.2	21.4	0.8	0.6	0.1	0.3

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.16A Any Use of Tranquilizers in Past Year and Misuse of Tranquilizers in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2017 and 2018**

Age Category	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year (2017)	Misuse in Past Year (2018)	Misuse in Past Month (2017)	Misuse in Past Month (2018)
<b>TOTAL</b>	38,168	37,610	5,944	5,742	1,727	1,634
12-20	2,543 <sup>a</sup>	2,231	1,103	1,023	303	239
21 or Older	35,624	35,379	4,841	4,718	1,424	1,395
<b>12-17</b>	1,139	1,001	458	423	128 <sup>a</sup>	81
12-13	159	148	28	20	6	6
14-15	349	346	117	144	34	24
16-17	630 <sup>a</sup>	507	313	259	87 <sup>a</sup>	51
16-25	4,728 <sup>a</sup>	4,188	2,194 <sup>a</sup>	1,825	640 <sup>a</sup>	446
<b>18 or Older</b>	37,029	36,609	5,485	5,319	1,599	1,553
<b>18-25</b>	4,098 <sup>a</sup>	3,681	1,880 <sup>a</sup>	1,566	552 <sup>a</sup>	395
18-20	1,405	1,230	645	601	175	158
21-25	2,693	2,451	1,236 <sup>a</sup>	965	377 <sup>a</sup>	237
<b>26 or Older</b>	32,931	32,928	3,605	3,753	1,047	1,159
26-49	14,041	13,655	2,478	2,613	719	746
26-29	2,072	2,137	684	692	195	185
30-34	2,747	2,932	643	730	188	203
35-39	3,186	3,006	450	569	125	209
40-44	2,899	2,608	352	306	90	62
45-49	3,137	2,971	349	316	121	86
50 or Older	18,890	19,273	1,127	1,141	328	413
50-54	3,390	3,700	304	334	129	91
55-59	3,749	3,821	377	399	115	66
60-64	3,414	3,403	124	174	18 <sup>a</sup>	128
65 or Older	8,337	8,349	321	234	67	127

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.16B Any Use of Tranquilizers in Past Year and Misuse of Tranquilizers in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

Age Category	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year (2017)	Misuse in Past Year (2018)	Misuse in Past Month (2017)	Misuse in Past Month (2018)
<b>TOTAL</b>	14.0	13.7	2.2	2.1	0.6	0.6
12-20	6.7 <sup>a</sup>	5.9	2.9	2.7	0.8	0.6
21 or Older	15.2	15.0	2.1	2.0	0.6	0.6
<b>12-17</b>	4.6	4.0	1.8	1.7	0.5 <sup>a</sup>	0.3
12-13	2.0	1.9	0.4	0.2	0.1	0.1
14-15	4.1	4.1	1.4	1.7	0.4	0.3
16-17	7.3 <sup>a</sup>	5.9	3.6	3.0	1.0 <sup>a</sup>	0.6
16-25	11.0 <sup>a</sup>	9.8	5.1 <sup>a</sup>	4.3	1.5 <sup>a</sup>	1.0
<b>18 or Older</b>	15.0	14.7	2.2	2.1	0.6	0.6
<b>18-25</b>	11.9 <sup>a</sup>	10.8	5.5 <sup>a</sup>	4.6	1.6 <sup>a</sup>	1.2
18-20	10.9 <sup>a</sup>	9.4	5.0	4.6	1.4	1.2
21-25	12.6	11.7	5.8 <sup>a</sup>	4.6	1.8 <sup>a</sup>	1.1
<b>26 or Older</b>	15.5	15.3	1.7	1.7	0.5	0.5
26-49	14.0	13.5	2.5	2.6	0.7	0.7
26-29	11.6	12.0	3.8	3.9	1.1	1.0
30-34	12.7	13.2	3.0	3.3	0.9	0.9
35-39	15.3	13.7	2.2	2.6	0.6	1.0
40-44	14.6	13.3	1.8	1.6	0.5	0.3
45-49	15.6	15.3	1.7	1.6	0.6	0.4
50 or Older	16.8	16.9	1.0	1.0	0.3	0.4
50-54	16.1	18.0	1.4	1.6	0.6	0.4
55-59	17.1	17.6	1.7	1.8	0.5	0.3
60-64	17.1	16.7	0.6	0.9	0.1 <sup>a</sup>	0.6
65 or Older	16.8	16.3	0.6	0.5	0.1	0.2

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.17A Any Use of Sedatives in Past Year and Misuse of Sedatives in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2017 and 2018**

Age Category	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year (2017)	Misuse in Past Year (2018)	Misuse in Past Month (2017)	Misuse in Past Month (2018)
<b>TOTAL</b>	16,741	16,775	1,351	1,084	352	243
12-20	930	856	129	131	33	26
21 or Older	15,811	15,919	1,222	953	319	217
<b>12-17</b>	563	502	74	63	19	9
12-13	149	133	10	15	2	1
14-15	165	188	27	17	6	3
16-17	249 <sup>a</sup>	182	36	31	11	5
16-25	1,399	1,230	235	225	62	47
<b>18 or Older</b>	16,177	16,274	1,278	1,021	333	234
<b>18-25</b>	1,151	1,049	199	194	52	43
18-20	366	354	56	68	14	17
21-25	784	695	144	126	38	26
<b>26 or Older</b>	15,027	15,225	1,079	827	281	191
26-49	5,395	5,471	497	527	146	99
26-29	738	711	100	110	26	17
30-34	995	1,052	116	143	23	25
35-39	1,135	1,133	118	140	62	37
40-44	1,075	1,203	76	73	21	13
45-49	1,452	1,372	87	60	14	7
50 or Older	9,631	9,753	581 <sup>a</sup>	300	135	92
50-54	1,741	1,756	216 <sup>a</sup>	59	62	15
55-59	1,724	1,676	145	100	49	20
60-64	1,992	1,674	135	62	23	17
65 or Older	4,174	4,647	85	79	*	39

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.17B Any Use of Sedatives in Past Year and Misuse of Sedatives in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

Age Category	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year (2017)	Misuse in Past Year (2018)	Misuse in Past Month (2017)	Misuse in Past Month (2018)
<b>TOTAL</b>	6.2	6.1	0.5	0.4	0.1	0.1
12-20	2.5	2.3	0.3	0.3	0.1	0.1
21 or Older	6.7	6.8	0.5	0.4	0.1	0.1
<b>12-17</b>	2.3	2.0	0.3	0.3	0.1	0.0
12-13	1.9	1.7	0.1	0.2	0.0	0.0
14-15	2.0	2.2	0.3	0.2	0.1	0.0
16-17	2.9 <sup>a</sup>	2.1	0.4	0.4	0.1	0.1
16-25	3.3	2.9	0.5	0.5	0.1	0.1
<b>18 or Older</b>	6.5	6.5	0.5	0.4	0.1	0.1
<b>18-25</b>	3.4	3.1	0.6	0.6	0.2	0.1
18-20	2.8	2.7	0.4	0.5	0.1	0.1
21-25	3.7	3.3	0.7	0.6	0.2	0.1
<b>26 or Older</b>	7.1	7.1	0.5	0.4	0.1	0.1
26-49	5.4	5.4	0.5	0.5	0.1	0.1
26-29	4.1	4.0	0.6	0.6	0.1	0.1
30-34	4.6	4.7	0.5	0.6	0.1	0.1
35-39	5.4	5.2	0.6	0.6	0.3	0.2
40-44	5.4	6.1	0.4	0.4	0.1	0.1
45-49	7.2	7.1	0.4	0.3	0.1	0.0
50 or Older	8.6	8.6	0.5 <sup>a</sup>	0.3	0.1	0.1
50-54	8.3	8.5	1.0 <sup>a</sup>	0.3	0.3	0.1
55-59	7.9	7.7	0.7	0.5	0.2	0.1
60-64	10.0	8.2	0.7	0.3	0.1	0.1
65 or Older	8.4	9.1	0.2	0.2	*	0.1

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.



**Table 1.18A Any Use and Misuse of Benzodiazepines in Past Year among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2017 and 2018**

<b>Age Category</b>	<b>Any Use in Past Year (2017)</b>	<b>Any Use in Past Year (2018)</b>	<b>Misuse in Past Year (2017)</b>	<b>Misuse in Past Year (2018)</b>
<b>TOTAL</b>	31,548	30,755	5,674	5,438
12-20	2,063	1,861	1,071	977
21 or Older	29,485	28,894	4,603	4,461
<b>12-17</b>	855	769	441	399
12-13	110	78	28	15
14-15	233	255	111	132
16-17	512	436	301	252
16-25	4,215 <sup>a</sup>	3,666	2,131 <sup>a</sup>	1,778
<b>18 or Older</b>	30,694	29,987	5,233	5,039
<b>18-25</b>	3,703 <sup>a</sup>	3,230	1,830 <sup>a</sup>	1,526
18-20	1,208	1,092	629	578
21-25	2,495 <sup>a</sup>	2,137	1,200 <sup>a</sup>	948
<b>26 or Older</b>	26,991	26,757	3,403	3,513
26-49	11,644	11,265	2,331	2,466
26-29	1,826	1,886	659	663
30-34	2,363	2,383	603	685
35-39	2,640	2,458	422	542
40-44	2,291	2,086	307	289
45-49	2,524	2,452	340	286
50 or Older	15,347	15,491	1,072	1,047
50-54	2,690	2,937	261	329
55-59	3,182	3,091	336	333
60-64	2,747	2,831	131	174
65 or Older	6,729	6,632	344	210

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.18B Any Use and Misuse of Benzodiazepines in Past Year among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

Age Category	Any Use in Past Year (2017)	Any Use in Past Year (2018)	Misuse in Past Year (2017)	Misuse in Past Year (2018)
<b>TOTAL</b>	11.6	11.2	2.1	2.0
12-20	5.5	4.9	2.8	2.6
21 or Older	12.6	12.3	2.0	1.9
<b>12-17</b>	3.4	3.1	1.8	1.6
12-13	1.4	1.0	0.4	0.2
14-15	2.7	3.0	1.3	1.6
16-17	5.9	5.1	3.5	2.9
16-25	9.8 <sup>a</sup>	8.6	5.0 <sup>a</sup>	4.2
<b>18 or Older</b>	12.4	12.0	2.1	2.0
<b>18-25</b>	10.8 <sup>a</sup>	9.5	5.3 <sup>a</sup>	4.5
18-20	9.4	8.4	4.9	4.4
21-25	11.6 <sup>a</sup>	10.2	5.6 <sup>a</sup>	4.5
<b>26 or Older</b>	12.7	12.5	1.6	1.6
26-49	11.6	11.2	2.3	2.4
26-29	10.2	10.6	3.7	3.7
30-34	10.9	10.7	2.8	3.1
35-39	12.7	11.2	2.0	2.5
40-44	11.6	10.7	1.6	1.5
45-49	12.6	12.6	1.7	1.5
50 or Older	13.6	13.6	1.0	0.9
50-54	12.8	14.3	1.2	1.6
55-59	14.5	14.2	1.5	1.5
60-64	13.7	13.9	0.7	0.9
65 or Older	13.6	13.0	0.7	0.4

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.19A Misuse of Opioids in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Numbers in Thousands, 2017 and 2018**

<b>Age Category</b>	<b>Misuse in Past Year (2017)</b>	<b>Misuse in Past Year (2018)</b>	<b>Misuse in Past Month (2017)</b>	<b>Misuse in Past Month (2018)</b>
<b>TOTAL</b>	11,401 <sup>a</sup>	10,250	3,549 <sup>a</sup>	3,042
12-20	1,551	1,410	406	349
21 or Older	9,849 <sup>a</sup>	8,840	3,143	2,693
<b>12-17</b>	769	699	215	169
12-13	117	128	32	26
14-15	236	213	73	50
16-17	416	358	110	93
16-25	2,909 <sup>a</sup>	2,253	805 <sup>a</sup>	601
<b>18 or Older</b>	10,632 <sup>a</sup>	9,551	3,333	2,874
<b>18-25</b>	2,494 <sup>a</sup>	1,895	695 <sup>a</sup>	508
18-20	783	711	191	181
21-25	1,711 <sup>a</sup>	1,184	505 <sup>a</sup>	327
<b>26 or Older</b>	8,138	7,656	2,638	2,366
26-49	5,295	4,913	1,666	1,599
26-29	1,106	986	350	301
30-34	1,360	1,308	531	396
35-39	1,133	1,123	301	366
40-44	821	788	242	275
45-49	874	708	242	261
50 or Older	2,844	2,743	972	766
50-54	761	751	242	188
55-59	721	809	326	229
60-64	585	496	169	152
65 or Older	777	688	235	198

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.19B Misuse of Opioids in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

<b>Age Category</b>	<b>Misuse in Past Year (2017)</b>	<b>Misuse in Past Year (2018)</b>	<b>Misuse in Past Month (2017)</b>	<b>Misuse in Past Month (2018)</b>
<b>TOTAL</b>	4.2 <sup>a</sup>	3.7	1.3 <sup>a</sup>	1.1
12-20	4.1	3.7	1.1	0.9
21 or Older	4.2 <sup>a</sup>	3.7	1.3 <sup>a</sup>	1.1
<b>12-17</b>	3.1	2.8	0.9	0.7
12-13	1.5	1.6	0.4	0.3
14-15	2.8	2.5	0.9	0.6
16-17	4.8	4.2	1.3	1.1
16-25	6.8 <sup>a</sup>	5.3	1.9 <sup>a</sup>	1.4
<b>18 or Older</b>	4.3 <sup>a</sup>	3.8	1.3 <sup>a</sup>	1.2
<b>18-25</b>	7.3 <sup>a</sup>	5.6	2.0 <sup>a</sup>	1.5
18-20	6.1	5.4	1.5	1.4
21-25	8.0 <sup>a</sup>	5.6	2.4 <sup>a</sup>	1.6
<b>26 or Older</b>	3.8	3.6	1.2	1.1
26-49	5.3	4.9	1.7	1.6
26-29	6.2	5.5	2.0	1.7
30-34	6.3	5.9	2.5	1.8
35-39	5.4	5.1	1.4	1.7
40-44	4.1	4.0	1.2	1.4
45-49	4.3	3.6	1.2	1.3
50 or Older	2.5	2.4	0.9	0.7
50-54	3.6	3.6	1.2	0.9
55-59	3.3	3.7	1.5	1.1
60-64	2.9	2.4	0.8	0.7
65 or Older	1.6	1.3	0.5	0.4

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.20A Use of Illicit Drugs Other Than Marijuana in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category:  
Numbers in Thousands, 2017 and 2018**

<b>Age Category</b>	<b>Past Year (2017)</b>	<b>Past Year (2018)</b>	<b>Past Month (2017)</b>	<b>Past Month (2018)</b>
<b>TOTAL</b>	24,402	23,323	9,159	8,855
12-20	4,129	4,019	1,402	1,245
21 or Older	20,274	19,304	7,758	7,610
<b>12-17</b>	1,945	1,901	610	584
12-13	386	412	121	102
14-15	592	606	201	187
16-17	967	884	288	295
16-25	7,624 <sup>a</sup>	6,890	2,720 <sup>a</sup>	2,349
<b>18 or Older</b>	22,458	21,422	8,550	8,271
<b>18-25</b>	6,657 <sup>a</sup>	6,006	2,432 <sup>a</sup>	2,053
18-20	2,184	2,118	792	661
21-25	4,473 <sup>a</sup>	3,888	1,640 <sup>a</sup>	1,393
<b>26 or Older</b>	15,800	15,416	6,117	6,217
26-49	10,802	10,751	4,179	4,321
26-29	2,799	2,866	1,038	1,144
30-34	2,822	2,871	1,223	1,068
35-39	2,160	2,218	876	922
40-44	1,494	1,440	510	573
45-49	1,527	1,357	532	614
50 or Older	4,999	4,665	1,938	1,896
50-54	1,346	1,231	581	496
55-59	1,424	1,406	682	479
60-64	937	952	272	446
65 or Older	1,292	1,075	402	475

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.20B Use of Illicit Drugs Other Than Marijuana in Past Year and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Percentages, 2017 and 2018**

Age Category	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
<b>TOTAL</b>	9.0 <sup>a</sup>	8.5	3.4	3.2
12-20	10.9	10.6	3.7	3.3
21 or Older	8.7	8.2	3.3	3.2
<b>12-17</b>	7.8	7.6	2.4	2.3
12-13	4.9	5.2	1.5	1.3
14-15	7.0	7.2	2.4	2.2
16-17	11.2	10.3	3.3	3.4
16-25	17.8 <sup>a</sup>	16.2	6.3 <sup>a</sup>	5.5
<b>18 or Older</b>	9.1 <sup>a</sup>	8.6	3.5	3.3
<b>18-25</b>	19.4 <sup>a</sup>	17.6	7.1 <sup>a</sup>	6.0
18-20	17.0	16.2	6.1 <sup>a</sup>	5.1
21-25	20.9 <sup>a</sup>	18.5	7.7	6.6
<b>26 or Older</b>	7.4	7.2	2.9	2.9
26-49	10.8	10.7	4.2	4.3
26-29	15.6	16.1	5.8	6.4
30-34	13.0	12.9	5.7	4.8
35-39	10.4	10.1	4.2	4.2
40-44	7.5	7.4	2.6	2.9
45-49	7.6	7.0	2.6	3.2
50 or Older	4.4	4.1	1.7	1.7
50-54	6.4	6.0	2.8	2.4
55-59	6.5	6.5	3.1	2.2
60-64	4.7	4.7	1.4	2.2
65 or Older	2.6	2.1	0.8	0.9

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

<sup>a</sup> The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.