

Table 1.71C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

| Geographic/Socioeconomic Characteristic | Lifetime (2017) | Lifetime (2018) | Past Year (2017) | Past Year (2018) | Past Month (2017) | Past Month (2018) |
|--|------------------------|------------------------|-------------------------|-------------------------|--------------------------|--------------------------|
| TOTAL | 646 | 726 | 177 | 215 | 91 | 106 |
| GEOGRAPHIC REGION | | | | | | |
| Northeast | 287 | 264 | 71 | 85 | 38 | 41 |
| Midwest | 261 | 265 | 83 | 82 | 34 | 44 |
| South | 360 | 373 | 90 | 102 | 46 | 56 |
| West | 388 | 472 | 100 | 143 | 55 | 71 |
| COUNTY TYPE | | | | | | |
| Large Metro | 622 | 714 | 155 | 182 | 78 | 90 |
| Small Metro | 383 | 409 | 84 | 111 | 41 | 51 |
| Nonmetro | 246 | 266 | 48 | 62 | 23 | 22 |
| Urbanized | 172 | 216 | 36 | 57 | 17 | 20 |
| Less Urbanized | 168 | 151 | 28 | 25 | 14 | 9 |
| Completely Rural | 76 | 61 | 21 | 9 | 6 | 4 |
| POVERTY LEVEL¹ | | | | | | |
| Less Than 100% | 230 | 238 | 81 | 89 | 42 | 48 |
| 100-199% | 269 | 253 | 73 | 75 | 41 | 34 |
| 200% or More | 628 | 690 | 138 | 161 | 71 | 89 |
| HEALTH INSURANCE² | | | | | | |
| Private | 604 | 661 | 137 | 166 | 65 | 81 |
| Medicaid/CHIP | 270 | 268 | 71 | 72 | 39 | 39 |
| Other ³ | 313 | 365 | 63 | 53 | 32 | 26 |
| No Coverage | 214 | 204 | 69 | 78 | 42 | 49 |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.71D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2017 and 2018

| Geographic/Socioeconomic Characteristic | Lifetime (2017) | Lifetime (2018) | Past Year (2017) | Past Year (2018) | Past Month (2017) | Past Month (2018) |
|--|------------------------|------------------------|-------------------------|-------------------------|--------------------------|--------------------------|
| TOTAL | 0.24 | 0.27 | 0.07 | 0.08 | 0.03 | 0.04 |
| GEOGRAPHIC REGION | | | | | | |
| Northeast | 0.60 | 0.55 | 0.15 | 0.18 | 0.08 | 0.09 |
| Midwest | 0.46 | 0.46 | 0.14 | 0.14 | 0.06 | 0.08 |
| South | 0.35 | 0.36 | 0.09 | 0.10 | 0.05 | 0.05 |
| West | 0.60 | 0.73 | 0.16 | 0.22 | 0.08 | 0.11 |
| COUNTY TYPE | | | | | | |
| Large Metro | 0.34 | 0.41 | 0.10 | 0.12 | 0.05 | 0.06 |
| Small Metro | 0.39 | 0.40 | 0.10 | 0.13 | 0.05 | 0.06 |
| Nonmetro | 0.51 | 0.57 | 0.12 | 0.15 | 0.06 | 0.06 |
| Urbanized | 0.80 | 1.04 | 0.21 | 0.31 | 0.10 | 0.11 |
| Less Urbanized | 0.72 | 0.67 | 0.14 | 0.13 | 0.08 | 0.05 |
| Completely Rural | 1.61 | 1.13 | 0.58 | 0.24 | 0.16 | 0.11 |
| POVERTY LEVEL¹ | | | | | | |
| Less Than 100% | 0.53 | 0.53 | 0.20 | 0.22 | 0.10 | 0.12 |
| 100-199% | 0.47 | 0.45 | 0.13 | 0.14 | 0.08 | 0.06 |
| 200% or More | 0.29 | 0.33 | 0.08 | 0.09 | 0.04 | 0.05 |
| HEALTH INSURANCE² | | | | | | |
| Private | 0.29 | 0.32 | 0.07 | 0.09 | 0.04 | 0.04 |
| Medicaid/CHIP | 0.53 | 0.53 | 0.15 | 0.15 | 0.09 | 0.09 |
| Other ³ | 0.43 | 0.50 | 0.09 | 0.08 | 0.05 | 0.04 |
| No Coverage | 0.77 | 0.74 | 0.28 | 0.30 | 0.17 | 0.19 |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.71P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

| Geographic/Socioeconomic Characteristic | Lifetime (2017) | Lifetime (2018) | Past Year (2017) | Past Year (2018) | Past Month (2017) | Past Month (2018) |
|--|------------------------|------------------------|-------------------------|-------------------------|--------------------------|--------------------------|
| TOTAL | 0.2799 | | 0.0923 | | 0.1673 | |
| GEOGRAPHIC REGION | | | | | | |
| Northeast | 0.7730 | | 0.5106 | | 0.3751 | |
| Midwest | 0.8365 | | 0.5032 | | 0.5348 | |
| South | 0.8197 | | 0.3268 | | 0.8060 | |
| West | 0.0954 | | 0.0701 | | 0.3260 | |
| COUNTY TYPE | | | | | | |
| Large Metro | 0.3069 | | 0.1645 | | 0.1241 | |
| Small Metro | 0.9728 | | 0.1675 | | 0.3521 | |
| Nonmetro | 0.4778 | | 0.6033 | | 0.1244 | |
| Urbanized | 0.1361 | | 0.9312 | | 0.5751 | |
| Less Urbanized | 0.8400 | | 0.6630 | | 0.1583 | |
| Completely Rural | 0.1730 | | 0.1365 | | 0.1043 | |
| POVERTY LEVEL¹ | | | | | | |
| Less Than 100% | 0.3917 | | 0.3287 | | 0.1144 | |
| 100-199% | 0.4007 | | 0.8749 | | 0.2529 | |
| 200% or More | 0.0345 | | 0.1166 | | 0.1541 | |
| HEALTH INSURANCE² | | | | | | |
| Private | 0.2176 | | 0.0450 | | 0.2081 | |
| Medicaid/CHIP | 0.6156 | | 0.5019 | | 0.9973 | |
| Other ³ | 0.0678 | | 0.6562 | | 0.6255 | |
| No Coverage | 0.5559 | | 0.4802 | | 0.2369 | |

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.