

Table 1.72A Inhalant Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	1,759	2,003	574	662	1,185	1,341	562	495	623	846
GEOGRAPHIC REGION										
Northeast	310	330	75	99	234	231	117	93	117	138
Midwest	363	416	122	159	241	258	146	102	95	156
South	580	668	226	255	354	414	176	150	179	264
West	506	589	150	150	356	439	124	150	232	289
COUNTY TYPE										
Large Metro	1,124	1,261	330	355	794	906	376	314	418	592
Small Metro	442	555	161	213	281	342	142	136	139	206
Nonmetro	194	186	83	93	111	93	45	46	66	48
Urbanized	109	79	44	37	65	41	24	22	41	19
Less Urbanized	75	95	34	49	41	46	16	22	25	24
Completely Rural	10	13	6	7	4	6	4	1	*	5
POVERTY LEVEL¹										
Less Than 100%	353	388	127	138	226	250	156	127	70	123
100-199%	369	319	113	133	256	186	138	93	117	92
200% or More	1,033 ^a	1,281	333	390	701	891	264	261	436	630
HEALTH INSURANCE²										
Private	1,037	1,207	322	369	715	838	369	357	346	481
Medicaid/CHIP	497	480	247	246	250	234	131 ^a	74	119	160
Other ³	139	266	13 ^a	49	126	217	22	50	104	167
No Coverage	219	178	26	30	193	147	65	38	128	110

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.72B Inhalant Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.6	0.7	2.3	2.7	0.5	0.5	1.6	1.5	0.3	0.4
GEOGRAPHIC REGION										
Northeast	0.6	0.7	1.9	2.5	0.5	0.5	2.0	1.6	0.3	0.4
Midwest	0.6	0.7	2.3	3.0	0.5	0.5	2.0	1.4	0.2	0.3
South	0.6	0.6	2.4	2.6	0.4	0.4	1.4	1.2	0.2	0.3
West	0.8	0.9	2.5	2.5	0.6	0.7	1.5	1.8	0.5	0.6
COUNTY TYPE										
Large Metro	0.7	0.8	2.3	2.5	0.6	0.7	1.9	1.7	0.4	0.5
Small Metro	0.6	0.7	2.3	2.9	0.4	0.5	1.3	1.3	0.2	0.3
Nonmetro	0.5	0.5	2.3	2.6	0.3	0.3	1.0	1.0	0.2	0.2
Urbanized	0.6	0.4	2.9	2.6	0.4	0.3	1.2	1.2	0.3	0.1
Less Urbanized	0.4	0.5	1.9	2.8	0.2	0.3	0.8	1.0	0.2	0.2
Completely Rural	0.3	0.3	2.0	1.8	0.1	0.2	1.6	0.4	*	0.2
POVERTY LEVEL¹										
Less Than 100%	0.9	1.0	2.4	2.5	0.7	0.7	1.8	1.5	0.3	0.5
100-199%	0.7	0.6	2.1	2.6	0.5	0.4	1.7	1.1	0.3	0.2
200% or More	0.6 ^a	0.7	2.3	2.7	0.4	0.5	1.6	1.6	0.3	0.4
HEALTH INSURANCE²										
Private	0.6	0.7	2.2	2.6	0.4	0.5	1.8	1.7	0.2	0.3
Medicaid/CHIP	1.1	1.0	2.6	2.6	0.7	0.6	1.8 ^a	1.0	0.4	0.5
Other ³	0.2	0.4	1.2 ^a	4.1	0.2	0.3	0.9	1.9	0.2	0.3
No Coverage	0.9	0.7	2.3	2.7	0.8	0.6	1.4	0.8	0.7	0.6

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 1.73A Inhalant Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics:
Numbers in Thousands, 2017 and 2018**

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	556	612	153	184	403	428	168	128	235	300
GEOGRAPHIC REGION										
Northeast	91	115	23	26	67	89	22	26	46	64
Midwest	83	140	18 ^a	55	64	84	46	21	18	63
South	196	214	67	64	129	149	64	48	65	101
West	186	143	44	39	142	105	37	33	106	72
COUNTY TYPE										
Large Metro	381	426	93	107	288	319	112	86	176	233
Small Metro	114	131	35	50	78	81	40	37	38	44
Nonmetro	61	55	25	28	36	28	16	5	20	23
Urbanized	32	23	9	10	23	13	7	*	16	13
Less Urbanized	24	26	13	16	11	10	6	5	5	5
Completely Rural	5	6	2	1	3	5	3	*	*	5
POVERTY LEVEL¹										
Less Than 100%	104	123	23	37	81	86	51	27	31	60
100-199%	124	90	39	39	85	51	36 ^a	11	49	40
200% or More	327	394	92	108	236	286	81	86	155	200
HEALTH INSURANCE²										
Private	327	391	88	107	239	284	102	100	138	184
Medicaid/CHIP	139	143	67	67	72	76	40	21	32	55
Other ³	46	69	2	8	43	61	10	9	34	52
No Coverage	71	51	2	7	69	43	18	8	51	35

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.73B Inhalant Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.2	0.2	0.6	0.7	0.2	0.2	0.5	0.4	0.1	0.1
GEOGRAPHIC REGION										
Northeast	0.2	0.2	0.6	0.6	0.2	0.2	0.4	0.4	0.1	0.2
Midwest	0.1	0.2	0.3 ^a	1.0	0.1	0.2	0.6	0.3	0.0	0.1
South	0.2	0.2	0.7	0.7	0.1	0.2	0.5	0.4	0.1	0.1
West	0.3	0.2	0.7	0.6	0.2	0.2	0.4	0.4	0.2	0.1
COUNTY TYPE										
Large Metro	0.2	0.3	0.6	0.8	0.2	0.2	0.6	0.5	0.1	0.2
Small Metro	0.1	0.2	0.5	0.7	0.1	0.1	0.4	0.3	0.1	0.1
Nonmetro	0.2	0.1	0.7	0.8	0.1	0.1	0.4	0.1	0.1	0.1
Urbanized	0.2	0.1	0.6	0.7	0.1	0.1	0.3	*	0.1	0.1
Less Urbanized	0.1	0.1	0.7	0.9	0.1	0.1	0.3	0.2	0.0	0.0
Completely Rural	0.1	0.2	0.9	0.4	0.1	0.1	0.9	*	*	0.2
POVERTY LEVEL¹										
Less Than 100%	0.3	0.3	0.4	0.7	0.2	0.2	0.6	0.3	0.1	0.2
100-199%	0.2	0.2	0.7	0.8	0.2	0.1	0.4 ^a	0.1	0.1	0.1
200% or More	0.2	0.2	0.6	0.8	0.1	0.2	0.5	0.5	0.1	0.1
HEALTH INSURANCE²										
Private	0.2	0.2	0.6	0.8	0.1	0.2	0.5	0.5	0.1	0.1
Medicaid/CHIP	0.3	0.3	0.7	0.7	0.2	0.2	0.5	0.3	0.1	0.2
Other ³	0.1	0.1	0.2	0.7	0.1	0.1	0.4	0.3	0.1	0.1
No Coverage	0.3	0.2	0.2	0.7	0.3	0.2	0.4	0.2	0.3	0.2

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.