

Table 1.95A Use of Illicit Drugs Other Than Marijuana in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	24,402	23,323	1,945	1,901	22,458	21,422	6,657 ^a	6,006	15,800	15,416
GEOGRAPHIC REGION										
Northeast	4,122	3,833	243	224	3,880	3,609	1,283	1,133	2,597	2,476
Midwest	5,217	4,753	396	436	4,821	4,317	1,532 ^a	1,274	3,290	3,043
South	8,598	8,231	772	750	7,826	7,481	2,257 ^a	2,011	5,569	5,470
West	6,465	6,505	534	491	5,930	6,014	1,586	1,588	4,344	4,426
COUNTY TYPE										
Large Metro	14,185	13,395	1,112	993	13,073	12,402	3,778 ^a	3,354	9,296	9,048
Small Metro	7,170	7,097	572	639	6,599	6,458	2,140	1,922	4,459	4,536
Nonmetro	3,047	2,831	261	269	2,786	2,562	739	730	2,046	1,832
Urbanized	1,389	1,388	121	112	1,268	1,276	387	406	881	870
Less Urbanized	1,406	1,222	123	127	1,283	1,095	309	294	974	801
Completely Rural	253	221	18	31	235	191	43	30	192	160
POVERTY LEVEL¹										
Less Than 100%	4,665	4,456	456	401	4,209	4,055	1,569	1,572	2,640	2,483
100-199%	4,837	4,452	411	407	4,427	4,045	1,527 ^a	1,291	2,899	2,754
200% or More	14,759	14,293	1,078	1,093	13,681	13,200	3,421 ^a	3,021	10,261	10,179
HEALTH INSURANCE²										
Private	14,655	13,898	1,057	1,044	13,598	12,854	4,359 ^a	3,918	9,239	8,936
Medicaid/CHIP	5,356	5,047	850 ^a	723	4,506	4,324	1,233	1,107	3,273	3,217
Other ³	3,469	3,214	84	108	3,385	3,105	489	381	2,895	2,724
No Coverage	3,354	3,161	79	110	3,275	3,051	822	782	2,452	2,268

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.95B Use of Illicit Drugs Other Than Marijuana in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	9.0 ^a	8.5	7.8	7.6	9.1 ^a	8.6	19.4 ^a	17.6	7.4	7.2
GEOGRAPHIC REGION										
Northeast	8.6	8.0	6.0	5.6	8.8	8.2	21.4	19.3	6.8	6.5
Midwest	9.2	8.3	7.5	8.3	9.3 ^a	8.3	20.9 ^a	17.6	7.4	6.8
South	8.4	7.9	8.0	7.8	8.4	8.0	17.7 ^a	15.8	6.9	6.7
West	10.0	10.0	9.0	8.2	10.1	10.2	19.3	19.4	8.6	8.7
COUNTY TYPE										
Large Metro	9.3	8.8	7.7	7.1	9.4	8.9	19.6 ^a	17.7	7.8	7.6
Small Metro	9.0	8.7	8.3	8.6	9.1	8.7	20.2 ^a	18.0	7.2	7.1
Nonmetro	7.8	7.2	7.3	7.7	7.8	7.1	16.9	16.7	6.6	5.8
Urbanized	8.3	7.9	8.0	7.8	8.3	7.9	18.8	21.0	6.7	6.1
Less Urbanized	7.4	6.8	6.9	7.4	7.5	6.7	15.1	14.0	6.4	5.6
Completely Rural	7.4	5.9	6.2	8.4	7.5	5.7	15.8 ^a	8.9	6.7	5.3
POVERTY LEVEL¹										
Less Than 100%	11.8	11.1	8.5	7.3	12.3	11.7	18.6	18.8	10.3	9.5
100-199%	8.9	8.2	7.6	7.9	9.1	8.2	18.5 ^a	15.7	7.2	6.7
200% or More	8.3	8.0	7.6	7.7	8.4	8.0	20.3 ^a	18.1	7.0	6.9
HEALTH INSURANCE²										
Private	8.2	7.7	7.3	7.4	8.2	7.8	20.9 ^a	19.1	6.4	6.2
Medicaid/CHIP	11.8	10.9	9.1 ^a	7.6	12.5	11.7	16.6	15.3	11.4	10.9
Other ³	5.1	4.6	8.2	9.2	5.0	4.6	19.3 ^a	14.8	4.4	4.1
No Coverage	13.7	12.3	7.1	9.9	14.0	12.4	17.7	16.3	13.1	11.5

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.96A Use of Illicit Drugs Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	9,159	8,855	610	584	8,550	8,271	2,432 ^a	2,053	6,117	6,217
GEOGRAPHIC REGION										
Northeast	1,587	1,474	65	74	1,523	1,400	470	393	1,053	1,007
Midwest	1,955	1,877	119	141	1,835	1,736	582 ^a	445	1,253	1,291
South	3,269	3,199	242	219	3,026	2,980	843	734	2,183	2,245
West	2,349	2,305	183	149	2,165	2,156	537	481	1,628	1,674
COUNTY TYPE										
Large Metro	5,393	5,071	342	310	5,051	4,761	1,408 ^a	1,154	3,643	3,606
Small Metro	2,581	2,695	180	192	2,401	2,503	765	660	1,636	1,843
Nonmetro	1,186	1,089	88	82	1,098	1,007	259	239	839	768
Urbanized	560	527	32	33	528	494	155	124	373	370
Less Urbanized	531	443	50	41	481	402	91	104	390	298
Completely Rural	95	120	6	8	89	112	13	11	76	101
POVERTY LEVEL¹										
Less Than 100%	1,860	1,786	122	115	1,738	1,670	623	517	1,115	1,153
100-199%	2,078	1,754	133	136	1,944 ^a	1,619	606 ^a	412	1,338	1,206
200% or More	5,173	5,280	354	333	4,819	4,947	1,155	1,089	3,664	3,858
HEALTH INSURANCE²										
Private	5,144	4,965	337	332	4,807	4,633	1,596 ^a	1,347	3,211	3,286
Medicaid/CHIP	2,090	2,063	270	210	1,820	1,853	420	353	1,399	1,500
Other ³	1,202	1,215	25	31	1,176	1,184	164	114	1,012	1,069
No Coverage	1,534	1,391	11	38	1,523	1,353	334	294	1,189	1,059

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 1.96B Use of Illicit Drugs Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	3.4	3.2	2.4	2.3	3.5	3.3	7.1 ^a	6.0	2.9	2.9
GEOGRAPHIC REGION										
Northeast	3.3	3.1	1.6	1.8	3.5	3.2	7.8	6.7	2.8	2.7
Midwest	3.4	3.3	2.2	2.7	3.5	3.3	8.0 ^a	6.1	2.8	2.9
South	3.2	3.1	2.5	2.3	3.3	3.2	6.6	5.8	2.7	2.8
West	3.6	3.5	3.1	2.5	3.7	3.6	6.5	5.9	3.2	3.3
COUNTY TYPE										
Large Metro	3.5	3.3	2.4	2.2	3.6	3.4	7.3 ^a	6.1	3.1	3.0
Small Metro	3.2	3.3	2.6	2.6	3.3	3.4	7.2	6.2	2.6	2.9
Nonmetro	3.0	2.8	2.5	2.3	3.1	2.8	5.9	5.5	2.7	2.4
Urbanized	3.3	3.0	2.1	2.3	3.5	3.0	7.5	6.4	2.8	2.6
Less Urbanized	2.8	2.4	2.8	2.4	2.8	2.5	4.4	5.0	2.6	2.1
Completely Rural	2.8	3.2	2.2	2.3	2.9	3.3	4.8	3.1	2.7	3.3
POVERTY LEVEL¹										
Less Than 100%	4.7	4.5	2.3	2.1	5.1	4.8	7.4	6.2	4.3	4.4
100-199%	3.8 ^a	3.2	2.5	2.6	4.0 ^a	3.3	7.3 ^a	5.0	3.3	2.9
200% or More	2.9	3.0	2.5	2.3	2.9	3.0	6.8	6.5	2.5	2.6
HEALTH INSURANCE²										
Private	2.9	2.8	2.3	2.3	2.9	2.8	7.7 ^a	6.6	2.2	2.3
Medicaid/CHIP	4.6	4.5	2.9	2.2	5.0	5.0	5.6	4.9	4.9	5.1
Other ³	1.8	1.7	2.5	2.7	1.7	1.7	6.5	4.4	1.6	1.6
No Coverage	6.3	5.4	1.0 ^a	3.4	6.5	5.5	7.2	6.1	6.3	5.4

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Illicit Drugs Other Than Marijuana excludes respondents who used only marijuana but includes those who used marijuana in addition to other illicit drugs.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.