

Table 10.6C Co-Occurring Substance Use Disorder and Mental Illness in Past Year among Persons Aged 18 or Older, by Age Group: Standard Errors of Numbers in Thousands, 2015-2018

Substance Use Disorder (SUD)/ Mental Illness/Age Group	2015	2016	2017	2018
SUD and Any Mental Illness	247	253	246	276
18-25	75	83	86	88
26 or Older	234	236	226	261
26-49	166	179	161	192
50 or Older	159	157	158	170
SUD and Serious Mental Illness	124	141	152	149
18-25	42	49	57	53
26 or Older	116	130	138	140
26-49	87	98	100	105
50 or Older	75	81	95	95
SUD and Any Mental Illness Excluding Serious Mental Illness	208	206	194	220
18-25	65	68	66	70
26 or Older	200	194	180	211
26-49	141	140	128	155
50 or Older	137	135	131	145

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Mental Illness aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of serious mental illness (SMI) are a subset of estimates of any mental illness (AMI) because SMI is limited to persons with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 10.6D Co-Occurring Substance Use Disorder and Mental Illness in Past Year among Persons Aged 18 or Older, by Age Group: Standard Errors of Percentages, 2015-2018

Substance Use Disorder (SUD)/ Mental Illness/Age Group	2015	2016	2017	2018
SUD and Any Mental Illness	0.10	0.10	0.10	0.11
18-25	0.21	0.24	0.25	0.26
26 or Older	0.11	0.11	0.11	0.12
26-49	0.17	0.18	0.16	0.19
50 or Older	0.15	0.14	0.14	0.15
SUD and Serious Mental Illness	0.05	0.06	0.06	0.06
18-25	0.12	0.14	0.17	0.16
26 or Older	0.06	0.06	0.06	0.07
26-49	0.09	0.10	0.10	0.10
50 or Older	0.07	0.07	0.08	0.08
SUD and Any Mental Illness Excluding Serious Mental Illness	0.09	0.08	0.08	0.09
18-25	0.19	0.20	0.19	0.21
26 or Older	0.10	0.09	0.08	0.10
26-49	0.14	0.14	0.13	0.15
50 or Older	0.13	0.12	0.12	0.13

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Mental Illness aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of serious mental illness (SMI) are a subset of estimates of any mental illness (AMI) because SMI is limited to persons with AMI that resulted in serious functional impairment. These mental illness estimates are based on a predictive model and are not direct measures of diagnostic status.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 10.6P Co-Occurring Substance Use Disorder and Mental Illness in Past Year among Persons Aged 18 or Older, by Age Group: *P* Values from Tests of Differences of Percentages, 2018 Versus 2015-2017

Substance Use Disorder (SUD)/ Mental Illness/Age Group	2015	2016	2017	2018
SUD and Any Mental Illness	0.0123	0.0338	0.1063	
18-25	0.0002	0.0027	0.4660	
26 or Older	0.1239	0.1878	0.1324	
26-49	0.0136	0.0693	0.0148	
50 or Older	0.7401	0.9639	0.7234	
SUD and Serious Mental Illness	0.0001	0.0151	0.8101	
18-25	0.0000	0.0142	0.4545	
26 or Older	0.0059	0.0858	0.5498	
26-49	0.0036	0.0430	0.3631	
50 or Older	0.3281	0.6875	0.9531	
SUD and Any Mental Illness Excluding Serious Mental Illness	0.6642	0.3181	0.0590	
18-25	0.1476	0.0634	0.1173	
26 or Older	0.9165	0.6106	0.1394	
26-49	0.2570	0.3376	0.0163	
50 or Older	0.3272	0.8378	0.6979	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Mental Illness aligns with DSM-IV criteria and is defined as having a diagnosable mental, behavioral, or emotional disorder, other than a developmental or substance use disorder. Estimates of serious mental illness (SMI) that are used in the comparisons are a subset of estimates of any mental illness (AMI) because SMI is limited to persons with AMI that resulted in serious functional impairment. The mental illness estimates that are used in the comparisons are based on a predictive model and are not direct measures of diagnostic status.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.