

Table 11.11C Substance Use Disorder, Illicit Drug Use Disorder, or Alcohol Use Disorder in Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status and Gender: Standard Errors of Numbers in Thousands, 2015-2018

Substance Use Disorder/ MDE Status/Gender	2015	2016	2017	2018
SUBSTANCE USE DISORDER				
MDE	28	27	27	29
Male	14	12	15	16
Female	24	24	23	24
MDE WITH SEVERE IMPAIRMENT	26	24	25	26
Male	12	10	14	14
Female	23	22	20	22
NO MDE	45	40	37	36
Male	34	32	28	28
Female	30	24	25	22
ILLCIT DRUG USE DISORDER				
MDE	23	23	24	25
Male	11	11	14	13
Female	20	20	20	21
MDE WITH SEVERE IMPAIRMENT	22	21	21	23
Male	10	10	12	11
Female	20	19	18	20
NO MDE	37	35	32	28
Male	28	29	24	24
Female	23	20	21	16
ALCOHOL USE DISORDER				
MDE	22	20	19	20
Male	11	8	11	12
Female	19	18	16	16
MDE WITH SEVERE IMPAIRMENT	20	18	16	18
Male	10	7	10	11
Female	18	16	13	15
NO MDE	33	24	24	25
Male	26	18	17	17
Female	21	16	17	18

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

NOTE: Respondents with unknown impairment data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 11.11D Substance Use Disorder, Illicit Drug Use Disorder, or Alcohol Use Disorder in Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status and Gender: Standard Errors of Percentages, 2015-2018

Substance Use Disorder/ MDE Status/Gender	2015	2016	2017	2018
SUBSTANCE USE DISORDER				
MDE	0.86	0.83	0.80	0.77
Male	1.82	1.46	1.67	1.69
Female	0.99	0.99	0.94	0.90
MDE WITH SEVERE IMPAIRMENT	1.11	1.06	1.02	0.97
Male	2.32	1.85	2.19	2.14
Female	1.30	1.23	1.15	1.15
NO MDE	0.21	0.19	0.17	0.17
Male	0.29	0.27	0.23	0.24
Female	0.31	0.24	0.26	0.24
ILLICIT DRUG USE DISORDER				
MDE	0.73	0.73	0.70	0.68
Male	1.46	1.42	1.50	1.33
Female	0.84	0.85	0.81	0.81
MDE WITH SEVERE IMPAIRMENT	0.99	0.94	0.88	0.86
Male	1.93	1.83	1.98	1.69
Female	1.14	1.08	0.99	1.03
NO MDE	0.17	0.16	0.15	0.14
Male	0.24	0.24	0.20	0.21
Female	0.24	0.20	0.21	0.17
ALCOHOL USE DISORDER				
MDE	0.70	0.61	0.57	0.55
Male	1.45	0.98	1.22	1.24
Female	0.80	0.75	0.67	0.61
MDE WITH SEVERE IMPAIRMENT	0.90	0.80	0.70	0.73
Male	1.94	1.29	1.58	1.65
Female	1.04	0.96	0.79	0.82
NO MDE	0.15	0.12	0.11	0.12
Male	0.22	0.15	0.14	0.15
Female	0.21	0.17	0.18	0.19

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

NOTE: Respondents with unknown impairment data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 11.11P Substance Use Disorder, Illicit Drug Use Disorder, or Alcohol Use Disorder in Past Year among Persons Aged 12 to 17, by Past Year Major Depressive Episode (MDE) and MDE with Severe Impairment Status and Gender: *P* Values from Tests of Differences of Percentages, 2018 Versus 2015-2017

Substance Use Disorder/ MDE Status/Gender	2015	2016	2017	2018
SUBSTANCE USE DISORDER				
MDE	0.2775	0.6615	0.6888	
Male	1.0000	0.2059	0.9727	
Female	0.1858	0.2124	0.6175	
MDE WITH SEVERE IMPAIRMENT	0.1183	0.5314	0.8296	
Male	0.5832	0.3582	0.7557	
Female	0.1368	0.2150	0.9560	
NO MDE	0.0000	0.0061	0.1106	
Male	0.0001	0.0366	0.5255	
Female	0.0002	0.0819	0.0786	
ILLICIT DRUG USE DISORDER				
MDE	0.9426	0.6986	0.9476	
Male	0.4835	0.3653	0.8714	
Female	0.7272	0.9269	0.9958	
MDE WITH SEVERE IMPAIRMENT	0.4729	0.9764	0.9282	
Male	0.8682	0.5781	0.4793	
Female	0.4642	0.7924	0.7464	
NO MDE	0.0000	0.0048	0.0693	
Male	0.0058	0.0624	0.5285	
Female	0.0002	0.0249	0.0241	
ALCOHOL USE DISORDER				
MDE	0.0212	0.1029	0.4830	
Male	0.3847	0.2165	0.9075	
Female	0.0262	0.0100	0.4493	
MDE WITH SEVERE IMPAIRMENT	0.0276	0.1550	0.9773	
Male	0.2883	0.2940	0.8983	
Female	0.0502	0.0264	0.8979	
NO MDE	0.0000	0.2181	0.4251	
Male	0.0001	0.0996	0.5731	
Female	0.0688	0.9185	0.5814	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

NOTE: Respondents with unknown impairment data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.