

Table 11.12C Co-Occurring Substance Use Disorder, Illicit Drug Use Disorder, or Alcohol Use Disorder and Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, by Gender: Standard Errors of Numbers in Thousands, 2015-2018

Substance Use Disorder (SUD), Illicit Drug Use Disorder (IDUD), or Alcohol Use Disorder (AUD) and MDE/Gender	2015	2016	2017	2018
SUD and MDE	27	27	27	28
Male	14	12	15	16
Female	24	24	23	24
SUD and MDE with Severe Impairment	25	24	25	26
Male	12	10	14	14
Female	23	22	20	22
IDUD and MDE	23	23	24	25
Male	11	11	13	13
Female	20	20	20	21
IDUD and MDE with Severe Impairment	22	21	21	22
Male	10	10	12	11
Female	19	19	18	19
AUD and MDE	22	19	19	20
Male	11	8	11	12
Female	19	18	16	16
AUD and MDE with Severe Impairment	20	18	16	18
Male	10	7	9	11
Female	18	16	14	15

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

NOTE: Respondents with unknown impairment data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 11.12D Co-Occurring Substance Use Disorder, Illicit Drug Use Disorder, or Alcohol Use Disorder and Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, by Gender: Standard Errors of Percentages, 2015-2018

Substance Use Disorder (SUD), Illicit Drug Use Disorder (IDUD), or Alcohol Use Disorder (AUD) and MDE/Gender	2015	2016	2017	2018
SUD and MDE	0.11	0.11	0.11	0.12
Male	0.11	0.10	0.12	0.13
Female	0.20	0.20	0.19	0.20
SUD and MDE with Severe Impairment	0.10	0.10	0.10	0.11
Male	0.10	0.08	0.11	0.12
Female	0.19	0.18	0.17	0.19
IDUD and MDE	0.09	0.10	0.10	0.10
Male	0.09	0.09	0.11	0.10
Female	0.17	0.17	0.17	0.18
IDUD and MDE with Severe Impairment	0.09	0.09	0.09	0.09
Male	0.08	0.08	0.10	0.09
Female	0.16	0.16	0.15	0.17
AUD and MDE	0.09	0.08	0.08	0.08
Male	0.09	0.06	0.09	0.10
Female	0.16	0.15	0.14	0.13
AUD and MDE with Severe Impairment	0.08	0.07	0.07	0.08
Male	0.08	0.06	0.08	0.09
Female	0.15	0.14	0.11	0.13

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

NOTE: Respondents with unknown impairment data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

Table 11.12P Co-Occurring Substance Use Disorder, Illicit Drug Use Disorder, or Alcohol Use Disorder and Major Depressive Episode (MDE) or MDE with Severe Impairment in Past Year among Persons Aged 12 to 17, by Gender: *P* Values from Tests of Differences of Percentages, 2018 Versus 2015-2017

Substance Use Disorder (SUD), Illicit Drug Use Disorder (IDUD), or Alcohol Use Disorder (AUD) and MDE/Gender	2015	2016	2017	2018
SUD and MDE	0.8076	0.4964	0.7116	
Male	0.2071	0.0401	0.5517	
Female	0.6012	0.6636	0.9592	
SUD and MDE with Severe Impairment	0.7200	0.7504	0.7149	
Male	0.5333	0.1454	0.9655	
Female	0.4275	0.6594	0.6816	
IDUD and MDE	0.2344	0.1841	0.5527	
Male	0.0667	0.0939	0.7112	
Female	0.7476	0.5765	0.6342	
IDUD and MDE with Severe Impairment	0.7767	0.4195	0.6687	
Male	0.3861	0.2756	0.7220	
Female	0.8851	0.7158	0.4722	
AUD and MDE	0.1563	0.4028	0.8558	
Male	0.9967	0.0918	0.8151	
Female	0.0899	0.0514	0.7036	
AUD and MDE with Severe Impairment	0.1579	0.4576	0.7318	
Male	0.8183	0.1744	0.7480	
Female	0.1307	0.1073	0.8495	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

NOTE: Respondents with unknown impairment data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.