

**Table 11.9C Major Depressive Episode in Past Year among Persons Aged 12 to 17, by Past Year Substance Use Disorder Status and Gender: Standard Errors of Numbers in Thousands, 2015-2018**

<b>Substance Use Disorder Status/Gender</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>
<b>SUBSTANCE USE DISORDER</b>	28	27	27	29
Male	14	12	15	16
Female	24	24	23	24
<b>Illicit Drug Use Disorder</b>	23	23	24	25
Male	11	11	14	13
Female	20	20	20	21
<b>Alcohol Use Disorder</b>	22	20	19	20
Male	11	8	11	*
Female	19	18	16	16
<b>NO SUBSTANCE USE DISORDER</b>	83	80	86	95
Male	39	41	43	47
Female	73	68	74	81

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

**Table 11.9D Major Depressive Episode in Past Year among Persons Aged 12 to 17, by Past Year Substance Use Disorder Status and Gender: Standard Errors of Percentages, 2015-2018**

<b>Substance Use Disorder Status/Gender</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>
<b>SUBSTANCE USE DISORDER</b>	2.04	2.12	2.27	2.42
Male	2.27	2.28	2.93	3.26
Female	3.09	3.18	3.20	3.55
<b>Illicit Drug Use Disorder</b>	2.40	2.49	2.68	2.73
Male	2.54	2.79	3.28	3.31
Female	3.69	3.77	3.94	3.88
<b>Alcohol Use Disorder</b>	3.08	3.14	3.29	3.68
Male	3.53	3.79	5.11	*
Female	4.33	4.31	4.47	5.13
<b>NO SUBSTANCE USE DISORDER</b>	0.33	0.32	0.34	0.36
Male	0.32	0.34	0.34	0.38
Female	0.59	0.52	0.58	0.60

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

**Table 11.9P Major Depressive Episode in Past Year among Persons Aged 12 to 17, by Past Year Substance Use Disorder Status and Gender: *P* Values from Tests of Differences of Percentages, 2018 Versus 2015-2017**

<b>Substance Use Disorder Status/Gender</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>
<b>SUBSTANCE USE DISORDER</b>	0.0002	0.0136	0.1652	
Male	0.0030	0.0043	0.3988	
Female	0.0131	0.2953	0.1636	
<b>Illicit Drug Use Disorder</b>	0.0001	0.0021	0.0878	
Male	0.0026	0.0133	0.5083	
Female	0.0017	0.0284	0.0358	
<b>Alcohol Use Disorder</b>	0.1045	0.7995	0.6559	
Male	*	*	*	
Female	0.8693	0.2523	0.8493	
<b>NO SUBSTANCE USE DISORDER</b>	0.0003	0.0016	0.0238	
Male	0.0016	0.0597	0.1430	
Female	0.0183	0.0053	0.0761	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

**Table 11.10C Major Depressive Episode with Severe Impairment in Past Year among Persons Aged 12 to 17, by Past Year Substance Use Disorder Status and Gender: Standard Errors of Numbers in Thousands, 2015-2018**

<b>Substance Use Disorder Status/Gender</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>
<b>SUBSTANCE USE DISORDER</b>	26	24	25	26
Male	12	10	14	14
Female	23	22	20	22
<b>Illicit Drug Use Disorder</b>	22	21	21	23
Male	10	10	12	11
Female	20	19	18	20
<b>Alcohol Use Disorder</b>	20	18	16	18
Male	10	7	10	*
Female	18	16	13	15
<b>NO SUBSTANCE USE DISORDER</b>	65	65	74	74
Male	31	34	35	36
Female	59	54	63	65

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

NOTE: Respondents with unknown impairment data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

**Table 11.10D Major Depressive Episode with Severe Impairment in Past Year among Persons Aged 12 to 17, by Past Year Substance Use Disorder Status and Gender: Standard Errors of Percentages, 2015-2018**

<b>Substance Use Disorder Status/Gender</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>
<b>SUBSTANCE USE DISORDER</b>	1.94	2.02	2.14	2.38
Male	2.04	2.05	2.72	3.01
Female	3.03	3.08	3.10	3.66
<b>Illicit Drug Use Disorder</b>	2.34	2.41	2.48	2.74
Male	2.31	2.54	3.04	3.04
Female	3.64	3.76	3.73	4.09
<b>Alcohol Use Disorder</b>	2.98	3.07	3.09	3.67
Male	3.26	3.50	4.80	*
Female	4.28	4.30	4.18	5.21
<b>NO SUBSTANCE USE DISORDER</b>	0.27	0.26	0.30	0.28
Male	0.26	0.28	0.29	0.29
Female	0.49	0.44	0.51	0.50

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

NOTE: Respondents with unknown impairment data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.

**Table 11.10P Major Depressive Episode with Severe Impairment in Past Year among Persons Aged 12 to 17, by Past Year Substance Use Disorder Status and Gender: *P* Values from Tests of Differences of Percentages, 2018 Versus 2015-2017**

<b>Substance Use Disorder Status/Gender</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>
<b>SUBSTANCE USE DISORDER</b>	0.0143	0.0942	0.2311	
Male	0.0549	0.0463	0.8481	
Female	0.0850	0.4186	0.1028	
<b>Illicit Drug Use Disorder</b>	0.0181	0.0393	0.1913	
Male	0.0895	0.1030	0.8582	
Female	0.0326	0.1087	0.0319	
<b>Alcohol Use Disorder</b>	0.2258	0.8249	0.3311	
Male	*	*	*	
Female	0.8755	0.4384	0.4014	
<b>NO SUBSTANCE USE DISORDER</b>	0.0015	0.0079	0.1206	
Male	0.0036	0.2119	0.3574	
Female	0.0518	0.0133	0.2101	

\* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents with unknown past year Major Depressive Episode (MDE) data were excluded.

NOTE: Respondents with unknown impairment data were excluded.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2015-2018.