

Table 2.1C Tobacco Product and Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Age Group: Standard Errors of Numbers in Thousands, 2017 and 2018

Substance	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)	Aged 12-20 (2017)	Aged 12-20 (2018)
LIFETIME												
Tobacco Products	844	854	88	85	804	806	187	183	763	772	216	192
Cigarettes	850	861	77	76	814	821	190	187	767	787	179	162
Daily Cigarettes	836	856	28	27	820	837	144	131	783	806	79	71
Smokeless Tobacco	570	588	53	50	565	581	145	130	540	562	103	92
Cigars	789	851	58	53	784	836	168	172	759	793	131	132
Pipe Tobacco	598	597	33	29	594	588	106	96	578	582	66	58
Alcohol	700	711	113	111	641	651	152	146	613	623	300	262
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--
PAST YEAR												
Tobacco Products ¹	757	793	73	67	746	782	175	161	709	749	171	153
Cigarettes	725	731	60	56	717	723	164	151	681	691	137	123
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	274	287	41	39	273	284	93	87	255	267	75	66
Cigars	400	429	50	44	397	423	132	132	367	390	105	104
Pipe Tobacco ¹	--	--	--	--	--	--	--	--	--	--	--	--
Alcohol	918	954	108	105	881	926	177	161	845	892	280	246
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--
PAST MONTH												
Tobacco Products	712	736	53	48	704	729	165	148	662	701	128	108
Cigarettes	673	677	43	39	666	672	150	133	631	644	102	89
Daily Cigarettes	523	537	14	14	521	533	101	87	501	520	46	44
Smokeless Tobacco	246	245	26	25	246	243	72	65	232	233	52	44
Cigars	305	317	33	31	302	315	98	94	283	294	74	70
Pipe Tobacco	143	123	19	15	141	122	50	47	131	113	39	33
Alcohol	911	1,005	76	72	901	979	206	194	857	924	210	189
Binge Alcohol Use ²	729	703	55	55	724	696	195	175	678	670	159	141
Heavy Alcohol Use	366	394	19	17	364	391	116	115	337	369	69	63

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Information about past year use of pipe tobacco was not collected. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

² Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.1D Tobacco Product and Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Age Group: Standard Errors of Percentages, 2017 and 2018

Substance	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)	Aged 12-20 (2017)	Aged 12-20 (2018)
LIFETIME												
Tobacco Products	0.31	0.31	0.35	0.34	0.33	0.32	0.55	0.54	0.36	0.36	0.45	0.42
Cigarettes	0.31	0.31	0.31	0.30	0.33	0.33	0.55	0.55	0.36	0.37	0.39	0.37
Daily Cigarettes	0.31	0.31	0.11	0.11	0.33	0.34	0.42	0.38	0.37	0.37	0.20	0.18
Smokeless Tobacco	0.21	0.21	0.21	0.20	0.23	0.23	0.42	0.38	0.25	0.26	0.25	0.23
Cigars	0.29	0.31	0.23	0.21	0.32	0.34	0.49	0.50	0.36	0.37	0.30	0.31
Pipe Tobacco	0.22	0.22	0.13	0.12	0.24	0.24	0.31	0.28	0.27	0.27	0.17	0.15
Alcohol	0.26	0.26	0.45	0.45	0.26	0.26	0.44	0.43	0.29	0.29	0.54	0.48
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--
PAST YEAR												
Tobacco Products ¹	0.28	0.29	0.29	0.27	0.30	0.31	0.51	0.47	0.33	0.35	0.37	0.36
Cigarettes	0.27	0.27	0.24	0.23	0.29	0.29	0.48	0.44	0.32	0.32	0.32	0.30
Daily Cigarettes	--	--	--	--	--	--	--	--	--	--	--	--
Smokeless Tobacco	0.10	0.10	0.16	0.16	0.11	0.11	0.27	0.26	0.12	0.12	0.19	0.17
Cigars	0.15	0.16	0.20	0.18	0.16	0.17	0.38	0.39	0.17	0.18	0.25	0.25
Pipe Tobacco ¹	--	--	--	--	--	--	--	--	--	--	--	--
Alcohol	0.34	0.35	0.43	0.42	0.36	0.37	0.52	0.47	0.40	0.42	0.54	0.48
Binge Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--
Heavy Alcohol Use	--	--	--	--	--	--	--	--	--	--	--	--
PAST MONTH												
Tobacco Products	0.26	0.27	0.21	0.19	0.28	0.29	0.48	0.43	0.31	0.33	0.30	0.27
Cigarettes	0.25	0.25	0.17	0.16	0.27	0.27	0.44	0.39	0.30	0.30	0.25	0.22
Daily Cigarettes	0.19	0.20	0.05	0.06	0.21	0.21	0.29	0.25	0.24	0.24	0.12	0.11
Smokeless Tobacco	0.09	0.09	0.10	0.10	0.10	0.10	0.21	0.19	0.11	0.11	0.14	0.11
Cigars	0.11	0.12	0.13	0.13	0.12	0.13	0.29	0.27	0.13	0.14	0.19	0.18
Pipe Tobacco	0.05	0.04	0.07	0.06	0.06	0.05	0.14	0.14	0.06	0.05	0.10	0.09
Alcohol	0.33	0.37	0.30	0.29	0.36	0.39	0.60	0.57	0.40	0.43	0.47	0.42
Binge Alcohol Use ²	0.27	0.26	0.22	0.22	0.29	0.28	0.57	0.51	0.32	0.31	0.37	0.33
Heavy Alcohol Use	0.13	0.14	0.08	0.07	0.15	0.16	0.34	0.34	0.16	0.17	0.18	0.16

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Information about past year use of pipe tobacco was not collected. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

² Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.1P Tobacco Product and Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Age Group: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Substance	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)	Aged 12-20 (2017)	Aged 12-20 (2018)
LIFETIME												
Tobacco Products	0.0042		0.0023		0.0056		0.0001		0.0503		0.0020	
Cigarettes	0.0007		0.0096		0.0006		0.0000		0.0145		0.0027	
Daily Cigarettes	0.0561		0.5269		0.0461		0.0011		0.1117		0.1403	
Smokeless Tobacco	0.0505		0.0418		0.0694		0.0347		0.1873		0.0764	
Cigars	0.7302		0.0005		0.8825		0.2415		0.9196		0.0099	
Pipe Tobacco	0.5406		0.0756		0.5817		0.1506		0.7397		0.0651	
Alcohol	0.8530		0.2019		0.9145		0.0133		0.6750		0.0807	
Binge Alcohol Use	--		--		--		--		--		--	
Heavy Alcohol Use	--		--		--		--		--		--	
PAST YEAR												
Tobacco Products ¹	0.0517		0.0003		0.0982		0.0000		0.5576		0.0002	
Cigarettes	0.1843		0.0161		0.2413		0.0000		0.9607		0.0013	
Daily Cigarettes	--		--		--		--		--		--	
Smokeless Tobacco	0.0245		0.0340		0.0509		0.0647		0.1835		0.0107	
Cigars	0.2549		0.0023		0.4313		0.1310		0.8301		0.0159	
Pipe Tobacco ¹	--		--		--		--		--		--	
Alcohol	0.6611		0.0706		0.7567		0.1532		0.9777		0.1183	
Binge Alcohol Use	--		--		--		--		--		--	
Heavy Alcohol Use	--		--		--		--		--		--	
PAST MONTH												
Tobacco Products	0.0067		0.0213		0.0092		0.0000		0.1271		0.0019	
Cigarettes	0.0306		0.0461		0.0364		0.0000		0.3338		0.0005	
Daily Cigarettes	0.3951		0.8948		0.3740		0.0002		0.7900		0.0760	
Smokeless Tobacco	0.0477		0.1131		0.0685		0.2064		0.1399		0.2962	
Cigars	0.3569		0.1432		0.4343		0.1583		0.7696		0.1634	
Pipe Tobacco	0.1621		0.0811		0.2343		0.5614		0.1521		0.4066	
Alcohol	0.1885		0.0301		0.2242		0.0987		0.3676		0.1521	
Binge Alcohol Use ²	0.9846		0.0757		0.9028		0.0063		0.3489		0.2497	
Heavy Alcohol Use	0.6226		0.0941		0.6645		0.1993		0.9914		0.4172	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Information about past year use of pipe tobacco was not collected. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

² Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.