

Table 2.22A Tobacco Product Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	74,736	73,167	2,430 ^a	2,072	72,306	71,095	13,661 ^a	12,488	58,645	58,606
GEOGRAPHIC REGION										
Northeast	12,792	12,033	371 ^a	273	12,421	11,759	2,446	2,318	9,975	9,441
Midwest	17,051	16,496	538	484	16,513	16,012	3,184 ^a	2,860	13,329	13,152
South	29,479	29,901	1,034	926	28,445	28,975	5,258 ^a	4,748	23,187	24,227
West	15,414	14,738	487 ^a	390	14,926	14,349	2,773	2,562	12,153	11,787
COUNTY TYPE										
Large Metro	37,789	36,618	1,159 ^a	893	36,630	35,725	7,088 ^a	6,228	29,542	29,497
Small Metro	23,998	23,862	740	738	23,259	23,124	4,433	4,175	18,826	18,949
Nonmetro	12,948	12,687	532 ^a	441	12,417	12,246	2,140	2,086	10,277	10,160
Urbanized	5,364	5,511	201	166	5,163	5,345	996	922	4,167	4,423
Less Urbanized	6,481	5,930	274	221	6,207	5,709	993	979	5,214	4,730
Completely Rural	1,104	1,246	58	55	1,046	1,191	150	185	896	1,006
POVERTY LEVEL¹										
Less Than 100%	14,392	14,147	549 ^a	442	13,843	13,705	3,397	3,187	10,446	10,518
100-199%	17,000	16,482	548 ^a	423	16,452	16,058	3,186	3,083	13,266	12,976
200% or More	43,108	42,280	1,333	1,207	41,775	41,073	6,841 ^a	5,960	34,934	35,113
HEALTH INSURANCE²										
Private	43,030	41,768	1,297 ^a	1,077	41,734	40,691	8,271 ^a	7,343	33,462	33,348
Medicaid/CHIP	15,712	15,474	1,061 ^a	832	14,651	14,642	2,743	2,568	11,908	12,074
Other ³	14,283	14,411	63 ^a	109	14,219	14,302	1,029	923	13,190	13,380
No Coverage	10,393	10,582	121	133	10,272	10,449	2,098	2,022	8,173	8,427

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.22B Tobacco Product Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	27.5	26.7	9.7 ^a	8.3	29.3	28.6	39.8 ^a	36.7	27.6	27.3
GEOGRAPHIC REGION										
Northeast	26.6	25.2	9.1 ^a	6.8	28.2	26.8	40.8	39.5	26.2	24.9
Midwest	29.9	28.8	10.1	9.2	31.9	30.8	43.5 ^a	39.5	30.0	29.4
South	28.7	28.8	10.8	9.6	30.6	30.8	41.2 ^a	37.2	28.9	29.8
West	23.9	22.6	8.2 ^a	6.5	25.5	24.3	33.7	31.4	24.2	23.1
COUNTY TYPE										
Large Metro	24.7	24.0	8.0 ^a	6.4	26.4	25.8	36.7 ^a	32.8	24.7	24.7
Small Metro	30.1	29.2	10.7	9.9	31.9	31.1	41.8 ^a	39.1	30.2	29.8
Nonmetro	33.1	32.2	14.9 ^a	12.5	34.9	34.1	48.8	47.7	33.0	32.2
Urbanized	31.9	31.2	13.2	11.5	33.8	33.0	48.3	47.7	31.5	31.0
Less Urbanized	34.2	32.8	15.4	12.9	36.2	34.9	48.5	46.7	34.5	33.1
Completely Rural	32.4	33.5	20.3	15.1	33.5	35.5	54.8	54.2	31.4	33.4
POVERTY LEVEL¹										
Less Than 100%	36.4	35.3	10.2 ^a	8.0	40.5	39.7	40.2	38.2	40.6	40.2
100-199%	31.4	30.3	10.2 ^a	8.2	33.8	32.6	38.5	37.4	32.8	31.6
200% or More	24.3	23.7	9.4	8.5	25.5	25.0	40.5 ^a	35.7	23.8	23.8
HEALTH INSURANCE²										
Private	23.9	23.2	8.9 ^a	7.6	25.3	24.6	39.7 ^a	35.9	23.2	23.0
Medicaid/CHIP	34.5	33.4	11.3 ^a	8.8	40.6	39.8	36.9	35.5	41.5	40.8
Other ³	20.8	20.8	6.2	9.2	21.0	21.0	40.6	35.9	20.3	20.4
No Coverage	42.4	41.2	10.8	12.0	43.9	42.5	45.1	42.0	43.6	42.6

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.23A Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	61,072 ^a	58,775	1,216 ^a	1,052	59,856 ^a	57,723	9,972 ^a	8,792	49,885	48,931
GEOGRAPHIC REGION										
Northeast	10,136 ^a	9,263	179	144	9,957 ^a	9,119	1,712	1,565	8,245	7,554
Midwest	14,080	13,248	257	233	13,823	13,015	2,346 ^a	2,043	11,477	10,972
South	24,726	25,028	522	492	24,204	24,535	3,932 ^a	3,549	20,273	20,987
West	12,130	11,236	258 ^a	183	11,872	11,054	1,982 ^a	1,636	9,891	9,418
COUNTY TYPE										
Large Metro	29,640	28,214	552 ^a	433	29,088	27,780	4,999 ^a	4,163	24,089	23,617
Small Metro	20,151	19,514	386	381	19,765	19,133	3,283	2,976	16,482	16,158
Nonmetro	11,281	11,047	278	238	11,003	10,809	1,690	1,654	9,313	9,156
Urbanized	4,665	4,693	109	84	4,556	4,609	783	725	3,773	3,884
Less Urbanized	5,658	5,217	141	114	5,518	5,103	785	783	4,733	4,320
Completely Rural	958	1,138	29	41	929	1,097	122	146	808	951
POVERTY LEVEL¹										
Less Than 100%	12,444	12,040	277	239	12,167	11,801	2,588	2,337	9,580	9,465
100-199%	14,614	14,077	310 ^a	234	14,304	13,843	2,447	2,265	11,857	11,578
200% or More	33,886	32,532	629	579	33,257	31,953	4,809 ^a	4,065	28,448	27,888
HEALTH INSURANCE²										
Private	33,569 ^a	31,937	618 ^a	507	32,951	31,430	5,715 ^a	4,866	27,236	26,564
Medicaid/CHIP	13,478	13,037	560 ^a	450	12,919	12,587	2,132	1,976	10,787	10,611
Other ³	12,327	12,298	32 ^a	61	12,295	12,237	789	656	11,507	11,581
No Coverage	9,110	9,166	70	81	9,041	9,085	1,694	1,577	7,346	7,508

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.23B Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	22.4 ^a	21.5	4.9 ^a	4.2	24.2 ^a	23.2	29.1 ^a	25.8	23.4	22.8
GEOGRAPHIC REGION										
Northeast	21.1 ^a	19.4	4.4	3.6	22.6 ^a	20.8	28.5	26.7	21.7	19.9
Midwest	24.7 ^a	23.2	4.9	4.4	26.7 ^a	25.1	32.1 ^a	28.2	25.9	24.6
South	24.1	24.1	5.4	5.1	26.0	26.1	30.8 ^a	27.8	25.3	25.8
West	18.8 ^a	17.3	4.3 ^a	3.1	20.3	18.7	24.1 ^a	20.0	19.7	18.5
COUNTY TYPE										
Large Metro	19.4	18.5	3.8 ^a	3.1	21.0	20.0	25.9 ^a	21.9	20.2	19.7
Small Metro	25.3 ^a	23.9	5.6	5.1	27.1	25.7	31.0 ^a	27.9	26.5	25.4
Nonmetro	28.8	28.0	7.8	6.8	30.9	30.1	38.6	37.8	29.9	29.0
Urbanized	27.8	26.6	7.2	5.8	29.8	28.4	38.0	37.5	28.5	27.2
Less Urbanized	29.9	28.8	7.9	6.6	32.2	31.2	38.3	37.3	31.3	30.3
Completely Rural	28.1	30.6	10.1	11.2	29.8	32.7	44.4	42.8	28.3	31.6
POVERTY LEVEL¹										
Less Than 100%	31.5	30.1	5.2	4.3	35.6	34.2	30.6	28.0	37.2	36.2
100-199%	27.0	25.9	5.8 ^a	4.5	29.4	28.1	29.6	27.5	29.3	28.2
200% or More	19.1 ^a	18.2	4.4	4.1	20.3 ^a	19.4	28.5 ^a	24.4	19.4	18.9
HEALTH INSURANCE²										
Private	18.7 ^a	17.8	4.3 ^a	3.6	19.9 ^a	19.0	27.4 ^a	23.8	18.9	18.3
Medicaid/CHIP	29.6	28.2	6.0 ^a	4.7	35.8	34.2	28.7	27.3	37.6	35.9
Other ³	18.0	17.7	3.2	5.2	18.2	17.9	31.1 ^a	25.5	17.7	17.6
No Coverage	37.2	35.7	6.2	7.3	38.6	36.9	36.4 ^a	32.8	39.2	38.0

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.