Table 2.22C Tobacco Product Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	757	793	73	67	746	782	175	161	709	749
GEOGRAPHIC REGION										
Northeast	323	301	29	24	322	298	72	75	306	280
Midwest	324	343	30	29	316	343	72	75	298	332
South	475	494	49	46	470	488	106	103	447	466
West	395	383	31	32	388	381	94	87	370	364
COUNTY TYPE										
Large Metro	730	710	57	49	725	702	223	187	678	653
Small Metro	565	576	44	43	552	564	149	155	509	514
Nonmetro	437	444	32	30	424	435	94	99	377	391
Urbanized	291	303	20	16	285	298	75	72	244	268
Less Urbanized	357	322	24	24	344	314	65	67	307	278
Completely Rural	144	177	11	12	137	171	20	33	125	150
POVERTY LEVEL[1]										
Less Than 100%	408	402	38	32	402	400	159	133	358	366
100-199%	406	393	37	32	402	390	103	109	387	368
200% or More	661	677	58	53	655	668	164	145	624	646
HEALTH INSURANCE[2]										
Private	657	692	54	53	651	686	220	195	609	643
Medicaid/CHIP	417	398	53	43	408	392	98	99	378	366
Other[3]	426	439	10	16	426	438	62	54	417	435
No Coverage	307	313	17	19	304	312	92	86	285	295

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.

[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.22D Tobacco Product Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.28	0.29	0.29	0.27	0.30	0.31	0.51	0.47	0.33	0.35
GEOGRAPHIC REGION										
Northeast	0.67	0.63	0.71	0.60	0.73	0.68	1.19	1.28	0.80	0.74
Midwest	0.57	0.60	0.57	0.55	0.61	0.66	0.98	1.03	0.67	0.74
South	0.46	0.48	0.51	0.48	0.51	0.52	0.83	0.80	0.56	0.57
West	0.61	0.59	0.53	0.53	0.66	0.64	1.15	1.06	0.74	0.71
COUNTY TYPE										
Large Metro	0.39	0.39	0.37	0.34	0.42	0.42	0.73	0.66	0.46	0.46
Small Metro	0.49	0.54	0.57	0.54	0.54	0.59	0.92	0.88	0.59	0.65
Nonmetro	0.70	0.73	0.77	0.80	0.76	0.79	1.21	1.34	0.83	0.87
Urbanized	1.00	1.11	1.09	1.13	1.10	1.19	1.81	2.14	1.21	1.30
Less Urbanized	1.00	1.03	1.14	1.26	1.09	1.14	1.78	1.84	1.19	1.25
Completely Rural	2.09	2.33	2.73	2.53	2.25	2.53	4.42	4.85	2.39	2.61
POVERTY LEVEL[1]										
Less Than 100%	0.76	0.70	0.66	0.56	0.85	0.80	1.02	0.97	1.06	1.00
100-199%	0.64	0.63	0.64	0.59	0.70	0.69	0.99	0.97	0.83	0.79
200% or More	0.31	0.33	0.38	0.36	0.33	0.35	0.73	0.66	0.35	0.38
HEALTH INSURANCE[2]										
Private	0.31	0.34	0.34	0.35	0.33	0.36	0.68	0.64	0.35	0.40
Medicaid/CHIP	0.70	0.69	0.53	0.45	0.86	0.84	1.08	0.98	1.03	1.00
Other[3]	0.57	0.58	1.01	1.23	0.58	0.58	1.77	1.78	0.59	0.60
No Coverage	0.94	0.94	1.45	1.57	0.97	0.98	1.45	1.28	1.14	1.15

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.

[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.22P   Tobacco Product Use in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.0517		0.0003		0.0982		0.0000		0.5576	
GEOGRAPHIC REGION										
Northeast	0.1164		0.0129		0.1614		0.4404		0.2135	
Midwest	0.1885		0.2299		0.2123		0.0042		0.5465	
South	0.8697		0.0849		0.7517		0.0008		0.2343	
West	0.1288		0.0245		0.1739		0.1207		0.3041	
COUNTY TYPE										
Large Metro	0.2000		0.0014		0.2664		0.0000		0.8933	
Small Metro	0.2242		0.3234		0.3118		0.0358		0.6058	
Nonmetro	0.3154		0.0251		0.4050		0.5335		0.4813	
Urbanized	0.6126		0.2565		0.5901		0.8093		0.7441	
Less Urbanized	0.2822		0.1028		0.3799		0.4798		0.3916	
Completely Rural	0.7083		0.1264		0.5370		0.9269		0.5738	
POVERTY LEVEL[1]										
Less Than 100%	0.3195		0.0101		0.4990		0.1537		0.7786	
100-199%	0.1837		0.0165		0.2219		0.4206		0.2972	
200% or More	0.1704		0.0810		0.2273		0.0000		0.9484	
HEALTH INSURANCE[2]										
Private	0.1076		0.0060		0.1510		0.0000		0.7185	
Medicaid/CHIP	0.2657		0.0003		0.5193		0.3258		0.6348	
Other[3]	0.9568		0.0542		0.9359		0.0583		0.8959	
No Coverage	0.3470		0.5963		0.2971		0.1020		0.5351	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.

[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.23C Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	712	736	53	48	704	729	165	148	662	701
GEOGRAPHIC REGION										
Northeast	288	281	20	19	287	278	67	68	276	262
Midwest	308	330	23	19	303	333	66	70	288	320
South	456	457	34	35	456	450	104	95	428	436
West	373	337	25	20	366	336	84	76	351	323
COUNTY TYPE										
Large Metro	625	613	39	33	622	610	172	143	586	578
Small Metro	515	502	30	31	509	496	117	117	472	460
Nonmetro	396	410	24	21	389	406	80	85	352	372
Urbanized	262	274	15	12	258	272	63	64	225	249
Less Urbanized	319	302	17	15	313	298	54	55	285	269
Completely Rural	125	166	6	11	122	161	18	27	112	145
POVERTY LEVEL[1]										
Less Than 100%	369	361	26	24	365	360	112	103	334	337
100-199%	383	370	26	23	380	369	93	87	364	355
200% or More	578	597	39	38	574	594	135	120	550	580
HEALTH INSURANCE[2]										
Private	573	602	37	36	570	601	162	145	542	576
Medicaid/CHIP	389	368	36	31	385	363	85	82	357	347
Other[3]	391	406	7	13	392	406	55	44	385	402
No Coverage	288	291	13	14	287	290	82	73	268	278

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.

[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.23D Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.26	0.27	0.21	0.19	0.28	0.29	0.48	0.43	0.31	0.33
GEOGRAPHIC REGION										
Northeast	0.60	0.59	0.49	0.48	0.65	0.63	1.12	1.15	0.72	0.69
Midwest	0.54	0.58	0.44	0.37	0.59	0.64	0.90	0.97	0.65	0.72
South	0.44	0.44	0.36	0.36	0.49	0.48	0.82	0.75	0.53	0.54
West	0.58	0.52	0.41	0.33	0.63	0.57	1.02	0.93	0.70	0.63
COUNTY TYPE										
Large Metro	0.35	0.36	0.27	0.23	0.38	0.39	0.67	0.59	0.42	0.43
Small Metro	0.48	0.50	0.41	0.40	0.52	0.54	0.86	0.83	0.58	0.60
Nonmetro	0.67	0.69	0.60	0.56	0.73	0.77	1.19	1.34	0.79	0.85
Urbanized	0.96	1.04	0.88	0.82	1.05	1.14	1.81	2.17	1.14	1.27
Less Urbanized	0.93	1.00	0.88	0.83	1.02	1.13	1.79	1.76	1.11	1.24
Completely Rural	1.97	2.21	1.98	2.37	2.18	2.40	4.24	5.09	2.26	2.58
POVERTY LEVEL[1]										
Less Than 100%	0.74	0.68	0.47	0.42	0.85	0.77	0.99	0.91	1.04	0.96
100-199%	0.61	0.60	0.46	0.42	0.67	0.66	0.95	0.87	0.78	0.77
200% or More	0.28	0.30	0.27	0.26	0.30	0.33	0.67	0.61	0.33	0.36
HEALTH INSURANCE[2]										
Private	0.28	0.31	0.25	0.24	0.30	0.33	0.59	0.56	0.33	0.37
Medicaid/CHIP	0.69	0.66	0.38	0.33	0.84	0.81	0.99	0.88	1.00	0.97
Other[3]	0.53	0.54	0.71	1.02	0.54	0.55	1.69	1.58	0.55	0.57
No Coverage	0.93	0.90	1.13	1.21	0.97	0.94	1.43	1.18	1.14	1.13

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.

[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.23P   Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: **P Values from Tests of Differences of Percentages, 2018 Versus 2017**

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.0067		0.0213		0.0092		0.0000		0.1271	
GEOGRAPHIC REGION										
Northeast	0.0404		0.2280		0.0437		0.2093		0.0738	
Midwest	0.0437		0.4372		0.0460		0.0019		0.1615	
South	0.9534		0.5124		0.9337		0.0076		0.4470	
West	0.0446		0.0174		0.0575		0.0037		0.2051	
COUNTY TYPE										
Large Metro	0.0755		0.0461		0.0766		0.0000		0.4524	
Small Metro	0.0379		0.4304		0.0583		0.0086		0.1832	
Nonmetro	0.3478		0.1847		0.3739		0.6739		0.4172	
Urbanized	0.3677		0.2290		0.3365		0.8396		0.4060	
Less Urbanized	0.4075		0.2551		0.4837		0.6985		0.4875	
Completely Rural	0.3665		0.7017		0.3266		0.7985		0.3188	
POVERTY LEVEL[1]										
Less Than 100%	0.1704		0.1815		0.2183		0.0541		0.4522	
100-199%	0.1682		0.0369		0.1762		0.1003		0.3142	
200% or More	0.0319		0.3298		0.0363		0.0000		0.2668	
HEALTH INSURANCE[2]										
Private	0.0267		0.0432		0.0307		0.0000		0.2573	
Medicaid/CHIP	0.1303		0.0127		0.1872		0.2981		0.2258	
Other[3]	0.7562		0.0880		0.7525		0.0129		0.9602	
No Coverage	0.2472		0.5153		0.2088		0.0492		0.4472	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

[1] Respondents aged 18 to 22 who were living in a college dormitory were excluded.

[2] Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

[3] Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.