

Table 2.2C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2017 and 2018

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	844	854	757	793	712	736
12-20	216	192	171	153	128	108
21 or Older	1,628	1,594	878	898	795	805
12-17	88	85	73	67	53	48
12-13	27	27	19	17	10	11
14-15	51	50	39	38	24	24
16-17	75	68	63	55	46	40
16-25	381	359	285	260	221	198
18 or Older	804	806	746	782	704	729
18-25	187	183	175	161	165	148
18-20	186	166	147	133	114	96
21-25	285	276	215	190	180	155
26 or Older	763	772	709	749	662	701
26-49	412	448	417	442	405	416
26-29	328	328	242	244	209	208
30-34	339	345	239	246	209	216
35-39	362	355	236	237	214	217
40-44	316	329	196	203	180	187
45-49	321	317	209	200	193	184
50 or Older	651	644	536	558	501	516
50-54	501	488	300	316	271	289
55-59	502	484	330	294	300	267
60-64	458	490	244	250	231	238
65 or Older	440	441	308	316	292	300

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.2D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2017 and 2018

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	0.31	0.31	0.28	0.29	0.26	0.27
12-20	0.45	0.42	0.37	0.36	0.30	0.27
21 or Older	0.33	0.33	0.32	0.33	0.30	0.31
12-17	0.35	0.34	0.29	0.27	0.21	0.19
12-13	0.34	0.33	0.23	0.21	0.13	0.14
14-15	0.55	0.57	0.44	0.45	0.28	0.29
16-17	0.72	0.70	0.64	0.59	0.51	0.44
16-25	0.50	0.48	0.45	0.41	0.41	0.37
18 or Older	0.33	0.32	0.30	0.31	0.28	0.29
18-25	0.55	0.54	0.51	0.47	0.48	0.43
18-20	0.88	0.81	0.79	0.74	0.73	0.60
21-25	0.64	0.65	0.66	0.61	0.62	0.58
26 or Older	0.36	0.36	0.33	0.35	0.31	0.33
26-49	0.41	0.44	0.42	0.44	0.40	0.41
26-29	0.93	0.89	0.98	0.99	0.91	0.92
30-34	0.76	0.80	0.84	0.85	0.81	0.80
35-39	0.88	0.87	0.87	0.88	0.85	0.86
40-44	0.86	0.95	0.86	0.90	0.83	0.85
45-49	0.89	0.92	0.87	0.85	0.83	0.80
50 or Older	0.58	0.57	0.48	0.49	0.44	0.45
50-54	1.31	1.31	1.21	1.27	1.13	1.22
55-59	1.20	1.23	1.25	1.21	1.19	1.11
60-64	1.32	1.30	1.09	1.12	1.05	1.08
65 or Older	0.89	0.86	0.62	0.62	0.59	0.59

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.2P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	0.0042		0.0517		0.0067	
12-20	0.0020		0.0002		0.0019	
21 or Older	0.0150		0.2067		0.0226	
12-17	0.0023		0.0003		0.0213	
12-13	0.3013		0.3911		0.5287	
14-15	0.1512		0.0612		0.8150	
16-17	0.0062		0.0025		0.0054	
16-25	0.0000		0.0000		0.0000	
18 or Older	0.0056		0.0982		0.0092	
18-25	0.0001		0.0000		0.0000	
18-20	0.0113		0.0039		0.0066	
21-25	0.0025		0.0007		0.0000	
26 or Older	0.0503		0.5576		0.1271	
26-49	0.6134		0.8702		0.3569	
26-29	0.6426		0.4418		0.5831	
30-34	0.8473		0.1426		0.2435	
35-39	0.7544		0.7692		0.8420	
40-44	0.8315		0.6176		0.3318	
45-49	0.1618		0.4650		0.1386	
50 or Older	0.0595		0.5781		0.2415	
50-54	0.5661		0.1832		0.3926	
55-59	0.0687		0.0204		0.0070	
60-64	0.5257		0.9511		0.6369	
65 or Older	0.3909		0.8436		0.8432	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Information about past year use of pipe tobacco was not collected. Tobacco product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.3C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2017 and 2018

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	850	861	725	731	673	677
12-20	179	162	137	123	102	89
21 or Older	1,535	1,499	812	794	732	726
12-17	77	76	60	56	43	39
12-13	23	21	15	14	7	9
14-15	42	45	30	34	20	21
16-17	66	58	52	43	38	32
16-25	333	308	239	212	186	166
18 or Older	814	821	717	723	666	672
18-25	190	187	164	151	150	133
18-20	156	142	119	109	92	80
21-25	259	243	192	163	156	132
26 or Older	767	787	681	691	631	644
26-49	425	455	401	405	380	381
26-29	309	303	207	215	185	187
30-34	314	322	210	223	185	195
35-39	343	335	217	206	195	192
40-44	302	323	178	185	166	171
45-49	313	297	182	176	172	167
50 or Older	643	669	504	509	474	470
50-54	472	471	264	277	251	257
55-59	487	469	296	262	265	243
60-64	446	479	218	220	208	208
65 or Older	441	462	278	279	270	269

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.3D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2017 and 2018

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	0.31	0.31	0.27	0.27	0.25	0.25
12-20	0.39	0.37	0.32	0.30	0.25	0.22
21 or Older	0.34	0.34	0.30	0.30	0.28	0.28
12-17	0.31	0.30	0.24	0.23	0.17	0.16
12-13	0.29	0.27	0.19	0.17	0.08	0.11
14-15	0.47	0.51	0.34	0.39	0.23	0.25
16-17	0.68	0.63	0.56	0.48	0.42	0.36
16-25	0.49	0.47	0.41	0.38	0.36	0.33
18 or Older	0.33	0.33	0.29	0.29	0.27	0.27
18-25	0.55	0.55	0.48	0.44	0.44	0.39
18-20	0.84	0.79	0.72	0.67	0.62	0.54
21-25	0.66	0.68	0.63	0.59	0.59	0.53
26 or Older	0.36	0.37	0.32	0.32	0.30	0.30
26-49	0.42	0.45	0.40	0.40	0.38	0.38
26-29	0.95	0.94	0.92	0.94	0.86	0.89
30-34	0.79	0.81	0.78	0.82	0.74	0.75
35-39	0.89	0.87	0.84	0.80	0.80	0.79
40-44	0.91	0.99	0.82	0.83	0.77	0.78
45-49	0.95	0.97	0.81	0.78	0.78	0.75
50 or Older	0.57	0.59	0.45	0.45	0.42	0.41
50-54	1.33	1.38	1.12	1.16	1.08	1.11
55-59	1.30	1.30	1.18	1.11	1.09	1.03
60-64	1.39	1.40	0.99	1.00	0.96	0.96
65 or Older	0.89	0.90	0.56	0.54	0.54	0.53

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.3P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	0.0007		0.1843		0.0306	
12-20	0.0027		0.0013		0.0005	
21 or Older	0.0018		0.4191		0.0801	
12-17	0.0096		0.0161		0.0461	
12-13	0.2377		0.4289		0.4594	
14-15	0.4317		0.5741		0.9410	
16-17	0.0156		0.0166		0.0107	
16-25	0.0000		0.0000		0.0000	
18 or Older	0.0006		0.2413		0.0364	
18-25	0.0000		0.0000		0.0000	
18-20	0.0104		0.0046		0.0011	
21-25	0.0001		0.0002		0.0000	
26 or Older	0.0145		0.9607		0.3338	
26-49	0.2600		0.5209		0.7742	
26-29	0.8696		0.1836		0.8195	
30-34	0.7635		0.6028		0.4396	
35-39	0.6394		0.6010		0.9057	
40-44	0.8630		0.9478		0.8218	
45-49	0.0912		0.8573		0.4742	
50 or Older	0.0442		0.6141		0.3171	
50-54	0.8408		0.3873		0.7530	
55-59	0.1868		0.1057		0.0849	
60-64	0.3671		0.9747		0.7900	
65 or Older	0.1660		0.9129		0.9335	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.4C Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2017 and 2018

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	570	588	274	287	246	245
12-20	103	92	75	66	52	44
21 or Older	646	655	269	284	240	245
12-17	53	50	41	39	26	25
12-13	14	15	10	10	6	7
14-15	29	28	21	21	12	12
16-17	41	40	32	31	23	21
16-25	173	159	103	97	78	70
18 or Older	565	581	273	284	246	243
18-25	145	130	93	87	72	65
18-20	83	79	60	55	43	39
21-25	133	127	74	74	59	57
26 or Older	540	562	255	267	232	233
26-49	346	348	186	182	155	161
26-29	159	163	95	81	74	68
30-34	175	170	94	84	77	71
35-39	178	180	88	92	74	76
40-44	173	167	72	81	66	77
45-49	183	179	89	71	81	64
50 or Older	436	455	181	192	173	175
50-54	247	267	87	104	80	100
55-59	234	250	99	103	97	86
60-64	195	215	76	81	72	60
65 or Older	253	246	108	107	101	99

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.4D Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2017 and 2018

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	0.21	0.21	0.10	0.10	0.09	0.09
12-20	0.25	0.23	0.19	0.17	0.14	0.11
21 or Older	0.24	0.24	0.11	0.12	0.10	0.10
12-17	0.21	0.20	0.16	0.16	0.10	0.10
12-13	0.18	0.19	0.12	0.13	0.07	0.09
14-15	0.34	0.33	0.25	0.25	0.14	0.14
16-17	0.45	0.45	0.36	0.35	0.26	0.24
16-25	0.35	0.32	0.23	0.22	0.18	0.16
18 or Older	0.23	0.23	0.11	0.11	0.10	0.10
18-25	0.42	0.38	0.27	0.26	0.21	0.19
18-20	0.58	0.55	0.45	0.40	0.32	0.29
21-25	0.53	0.51	0.33	0.34	0.27	0.26
26 or Older	0.25	0.26	0.12	0.12	0.11	0.11
26-49	0.34	0.35	0.19	0.18	0.15	0.16
26-29	0.78	0.78	0.51	0.44	0.40	0.37
30-34	0.71	0.65	0.42	0.37	0.35	0.31
35-39	0.74	0.72	0.40	0.41	0.34	0.34
40-44	0.75	0.76	0.36	0.41	0.34	0.39
45-49	0.79	0.80	0.43	0.36	0.39	0.32
50 or Older	0.39	0.40	0.16	0.17	0.15	0.15
50-54	1.05	1.16	0.40	0.50	0.37	0.48
55-59	0.97	1.06	0.44	0.47	0.44	0.39
60-64	0.90	0.96	0.38	0.39	0.36	0.29
65 or Older	0.51	0.48	0.22	0.21	0.20	0.19

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.4P Smokeless Tobacco Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	0.0505		0.0245		0.0477	
12-20	0.0764		0.0107		0.2962	
21 or Older	0.0880		0.1017		0.0708	
12-17	0.0418		0.0340		0.1131	
12-13	0.7581		0.5275		0.2948	
14-15	0.4112		0.3043		0.5187	
16-17	0.0286		0.0253		0.0648	
16-25	0.0095		0.0134		0.0804	
18 or Older	0.0694		0.0509		0.0685	
18-25	0.0347		0.0647		0.2064	
18-20	0.3472		0.0918		0.7785	
21-25	0.0484		0.2867		0.1833	
26 or Older	0.1873		0.1835		0.1399	
26-49	0.3043		0.0869		0.2001	
26-29	0.9337		0.0555		0.3232	
30-34	0.0606		0.3030		0.4743	
35-39	0.5304		0.8835		0.8608	
40-44	0.5208		0.2652		0.2901	
45-49	0.7169		0.0311		0.0312	
50 or Older	0.4204		0.8946		0.4377	
50-54	0.8600		0.9279		0.6896	
55-59	0.6078		0.6729		0.1386	
60-64	0.9939		0.6876		0.2471	
65 or Older	0.3628		0.6103		0.5584	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.5C Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2017 and 2018

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	789	851	400	429	305	317
12-20	131	132	105	104	74	70
21 or Older	1,047	1,108	411	436	303	311
12-17	58	53	50	44	33	31
12-13	13	13	13	9	6	4
14-15	29	28	24	23	14	14
16-17	49	46	42	38	28	28
16-25	246	264	166	171	115	107
18 or Older	784	836	397	423	302	315
18-25	168	172	132	132	98	94
18-20	114	117	91	91	64	61
21-25	199	210	124	122	86	79
26 or Older	759	793	367	390	283	294
26-49	435	451	255	261	200	195
26-29	257	247	140	141	96	89
30-34	260	262	129	129	91	96
35-39	276	267	130	124	92	98
40-44	239	240	113	98	79	78
45-49	231	230	103	93	83	70
50 or Older	616	627	258	295	209	227
50-54	332	349	135	167	100	114
55-59	318	329	146	145	118	103
60-64	308	359	110	134	90	109
65 or Older	392	392	156	159	124	129

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.5D Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2017 and 2018

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	0.29	0.31	0.15	0.16	0.11	0.12
12-20	0.30	0.31	0.25	0.25	0.19	0.18
21 or Older	0.33	0.35	0.17	0.18	0.13	0.13
12-17	0.23	0.21	0.20	0.18	0.13	0.13
12-13	0.17	0.16	0.16	0.11	0.07	0.06
14-15	0.34	0.33	0.28	0.27	0.17	0.17
16-17	0.52	0.50	0.46	0.42	0.32	0.32
16-25	0.42	0.44	0.32	0.33	0.24	0.23
18 or Older	0.32	0.34	0.16	0.17	0.12	0.13
18-25	0.49	0.50	0.38	0.39	0.29	0.27
18-20	0.68	0.69	0.60	0.57	0.47	0.42
21-25	0.64	0.67	0.48	0.49	0.36	0.35
26 or Older	0.36	0.37	0.17	0.18	0.13	0.14
26-49	0.43	0.45	0.25	0.26	0.20	0.19
26-29	0.99	0.95	0.66	0.70	0.50	0.47
30-34	0.85	0.85	0.55	0.54	0.41	0.42
35-39	0.92	0.93	0.59	0.54	0.43	0.44
40-44	0.95	0.92	0.54	0.49	0.39	0.39
45-49	0.89	0.94	0.49	0.47	0.40	0.36
50 or Older	0.55	0.55	0.23	0.26	0.19	0.20
50-54	1.31	1.37	0.62	0.78	0.47	0.55
55-59	1.19	1.26	0.65	0.65	0.53	0.47
60-64	1.28	1.39	0.54	0.63	0.44	0.52
65 or Older	0.79	0.77	0.31	0.31	0.25	0.25

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.5P Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	0.7302		0.2549		0.3569	
12-20	0.0099		0.0159		0.1634	
21 or Older	0.9856		0.5699		0.5378	
12-17	0.0005		0.0023		0.1432	
12-13	0.4733		0.1013		0.6303	
14-15	0.0777		0.1488		0.4125	
16-17	0.0025		0.0148		0.2377	
16-25	0.0628		0.0351		0.0964	
18 or Older	0.8825		0.4313		0.4343	
18-25	0.2415		0.1310		0.1583	
18-20	0.1645		0.2031		0.3264	
21-25	0.7278		0.3245		0.2894	
26 or Older	0.9196		0.8301		0.7696	
26-49	0.3270		0.5793		0.9656	
26-29	0.7814		0.7413		0.5151	
30-34	0.2357		0.7653		0.9449	
35-39	0.9557		0.8269		0.8806	
40-44	0.3979		0.7971		0.2377	
45-49	0.9169		0.6301		0.4363	
50 or Older	0.6152		0.7605		0.6834	
50-54	0.8970		0.2468		0.5949	
55-59	0.4621		0.3957		0.1841	
60-64	0.8917		0.2740		0.8150	
65 or Older	0.9627		0.6431		0.9542	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.6C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2017 and 2018

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	700	711	918	954	911	1,005
12-20	300	262	280	246	210	189
21 or Older	1,886	1,881	1,679	1,703	1,445	1,532
12-17	113	111	108	105	76	72
12-13	40	39	33	29	19	12
14-15	70	75	63	68	40	39
16-17	106	104	98	93	66	66
16-25	515	464	493	443	402	383
18 or Older	641	651	881	926	901	979
18-25	152	146	177	161	206	194
18-20	259	215	241	205	193	168
21-25	362	354	351	338	305	307
26 or Older	613	623	845	892	857	924
26-49	291	288	389	382	451	436
26-29	394	395	360	377	328	332
30-34	397	397	378	375	333	332
35-39	408	401	374	367	339	315
40-44	371	374	338	344	312	310
45-49	372	362	341	328	308	295
50 or Older	510	528	710	754	704	773
50-54	569	551	504	504	441	460
55-59	556	565	501	493	443	425
60-64	507	552	451	485	400	436
65 or Older	373	375	505	512	488	521

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.6D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: Standard Errors of Percentages, 2017 and 2018

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	0.26	0.26	0.34	0.35	0.33	0.37
12-20	0.54	0.48	0.54	0.48	0.47	0.42
21 or Older	0.26	0.27	0.37	0.39	0.37	0.40
12-17	0.45	0.45	0.43	0.42	0.30	0.29
12-13	0.49	0.48	0.41	0.36	0.23	0.15
14-15	0.71	0.75	0.66	0.71	0.45	0.44
16-17	0.85	0.82	0.87	0.80	0.69	0.67
16-25	0.45	0.42	0.51	0.46	0.56	0.52
18 or Older	0.26	0.26	0.36	0.37	0.36	0.39
18-25	0.44	0.43	0.52	0.47	0.60	0.57
18-20	0.88	0.80	0.93	0.84	0.96	0.87
21-25	0.45	0.43	0.53	0.49	0.68	0.66
26 or Older	0.29	0.29	0.40	0.42	0.40	0.43
26-49	0.29	0.29	0.39	0.38	0.45	0.43
26-29	0.58	0.56	0.76	0.75	0.94	0.95
30-34	0.54	0.57	0.75	0.74	0.89	0.82
35-39	0.61	0.57	0.80	0.76	0.89	0.84
40-44	0.68	0.65	0.86	0.88	0.98	1.00
45-49	0.63	0.64	0.88	0.90	0.95	1.00
50 or Older	0.45	0.46	0.63	0.66	0.63	0.68
50-54	0.95	1.00	1.20	1.29	1.27	1.43
55-59	0.81	0.93	1.23	1.29	1.30	1.35
60-64	0.99	1.01	1.29	1.36	1.38	1.43
65 or Older	0.75	0.73	1.02	1.00	0.98	1.02

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.6P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Age Category	Lifetime (2017)	Lifetime (2018)	Past Year (2017)	Past Year (2018)	Past Month (2017)	Past Month (2018)
TOTAL	0.8530		0.6611		0.1885	
12-20	0.0807		0.1183		0.1521	
21 or Older	0.7782		0.8891		0.2657	
12-17	0.2019		0.0706		0.0301	
12-13	0.8356		0.1126		0.0280	
14-15	0.5398		0.5591		0.3841	
16-17	0.0257		0.0193		0.1299	
16-25	0.0026		0.0337		0.0506	
18 or Older	0.9145		0.7567		0.2242	
18-25	0.0133		0.1532		0.0987	
18-20	0.0319		0.2156		0.4098	
21-25	0.4038		0.7069		0.2538	
26 or Older	0.6750		0.9777		0.3676	
26-49	0.3031		0.8230		0.4573	
26-29	0.6356		0.6093		0.2680	
30-34	0.6481		0.0852		0.6503	
35-39	0.1187		0.1412		0.8900	
40-44	0.5345		0.7856		0.7861	
45-49	0.8417		0.9295		0.6223	
50 or Older	0.9501		0.9127		0.5689	
50-54	0.5550		0.1698		0.6928	
55-59	0.0496		0.3770		0.1815	
60-64	0.9747		0.9354		0.7753	
65 or Older	0.4968		0.8982		0.8099	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 2.7C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in Past Month among Persons Aged 12 or Older, by Detailed Age Category:
Standard Errors of Numbers in Thousands, 2017 and 2018**

Age Category	Alcohol Use (2017)	Alcohol Use (2018)	Binge Alcohol Use (2017)	Binge Alcohol Use (2018)	Heavy Alcohol Use (2017)	Heavy Alcohol Use (2018)
TOTAL	911	1,005	729	703	366	394
12-20	210	189	159	141	69	63
21 or Older	1,445	1,532	854	839	377	411
12-17	76	72	55	55	19	17
12-13	19	12	11	7	1	3
14-15	40	39	27	28	6	6
16-17	66	66	47	50	19	16
16-25	402	383	303	272	133	134
18 or Older	901	979	724	696	364	391
18-25	206	194	195	175	116	115
18-20	193	168	145	127	66	60
21-25	305	307	235	226	110	108
26 or Older	857	924	678	670	337	369
26-49	451	436	433	390	215	218
26-29	328	332	239	241	106	103
30-34	333	332	242	236	103	109
35-39	339	315	234	213	104	116
40-44	312	310	210	216	97	96
45-49	308	295	222	200	101	90
50 or Older	704	773	521	523	268	297
50-54	441	460	276	310	147	148
55-59	443	425	263	299	151	156
60-64	400	436	240	276	118	139
65 or Older	488	521	297	286	145	136

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

**Table 2.7D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in Past Month among Persons Aged 12 or Older, by Detailed Age Category:
Standard Errors of Percentages, 2017 and 2018**

Age Category	Alcohol Use (2017)	Alcohol Use (2018)	Binge Alcohol Use (2017)	Binge Alcohol Use (2018)	Heavy Alcohol Use (2017)	Heavy Alcohol Use (2018)
TOTAL	0.33	0.37	0.27	0.26	0.13	0.14
12-20	0.47	0.42	0.37	0.33	0.18	0.16
21 or Older	0.37	0.40	0.30	0.29	0.15	0.16
12-17	0.30	0.29	0.22	0.22	0.08	0.07
12-13	0.23	0.15	0.14	0.09	0.02	0.03
14-15	0.45	0.44	0.31	0.32	0.07	0.07
16-17	0.69	0.67	0.51	0.53	0.21	0.19
16-25	0.56	0.52	0.50	0.44	0.28	0.28
18 or Older	0.36	0.39	0.29	0.28	0.15	0.16
18-25	0.60	0.57	0.57	0.51	0.34	0.34
18-20	0.96	0.87	0.81	0.76	0.47	0.42
21-25	0.68	0.66	0.70	0.66	0.45	0.44
26 or Older	0.40	0.43	0.32	0.31	0.16	0.17
26-49	0.45	0.43	0.43	0.39	0.21	0.22
26-29	0.94	0.95	0.96	1.01	0.54	0.55
30-34	0.89	0.82	0.87	0.79	0.44	0.46
35-39	0.89	0.84	0.88	0.78	0.47	0.51
40-44	0.98	1.00	0.87	0.89	0.46	0.47
45-49	0.95	1.00	0.90	0.88	0.48	0.45
50 or Older	0.63	0.68	0.46	0.46	0.24	0.26
50-54	1.27	1.43	1.14	1.29	0.68	0.69
55-59	1.30	1.35	1.07	1.20	0.68	0.69
60-64	1.38	1.43	1.06	1.19	0.57	0.66
65 or Older	0.98	1.02	0.60	0.56	0.29	0.26

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 2.7P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in Past Month among Persons Aged 12 or Older, by Detailed Age Category:
***P* Values from Tests of Differences of Percentages, 2018 Versus 2017**

Age Category	Alcohol Use (2017)	Alcohol Use (2018)	Binge Alcohol Use (2017)	Binge Alcohol Use (2018)	Heavy Alcohol Use (2017)	Heavy Alcohol Use (2018)
TOTAL	0.1885		0.9846		0.6226	
12-20	0.1521		0.2497		0.4172	
21 or Older	0.2657		0.8222		0.7187	
12-17	0.0301		0.0757		0.0941	
12-13	0.0280		0.0473		0.3227	
14-15	0.3841		0.7298		0.9667	
16-17	0.1299		0.1254		0.0621	
16-25	0.0506		0.0030		0.1245	
18 or Older	0.2242		0.9028		0.6645	
18-25	0.0987		0.0063		0.1993	
18-20	0.4098		0.4956		0.6416	
21-25	0.2538		0.0061		0.2461	
26 or Older	0.3676		0.3489		0.9914	
26-49	0.4573		0.3945		0.8291	
26-29	0.2680		0.9841		0.2024	
30-34	0.6503		0.5641		0.2038	
35-39	0.8900		0.9557		0.3749	
40-44	0.7861		0.1564		0.9008	
45-49	0.6223		0.2871		0.3908	
50 or Older	0.5689		0.5749		0.9029	
50-54	0.6928		0.1139		0.8882	
55-59	0.1815		0.4735		0.8571	
60-64	0.7753		0.6081		0.2596	
65 or Older	0.8099		0.2908		0.4910	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.