

Table 5.36A Classified as Needing Alcohol Use Treatment and Receipt of Alcohol Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2017 and 2018

Demographic Characteristic	Classified as Needing Treatment (Tx) (2017)	Classified as Needing Treatment (Tx) (2018)	Classified as Needing Tx and Received Tx at a Specialty Facility (2017)	Classified as Needing Tx and Received Tx at a Specialty Facility (2018)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2017)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)
TOTAL	15,254	15,519	1,362	1,387	13,892	14,132	8.9	8.9	91.1	91.1
AGE GROUP										
12-17	469	423	39	26	429	396	8.4	6.2	91.6	93.8
18 or Older	14,785	15,096	1,323	1,361	13,462	13,736	8.9	9.0	91.1	91.0
18-25	3,522	3,501	214	180	3,308	3,322	6.1	5.1	93.9	94.9
26 or Older	11,263	11,595	1,109	1,181	10,154	10,414	9.8	10.2	90.2	89.8
GENDER										
Male	9,658	9,774	874	908	8,784	8,867	9.1	9.3	90.9	90.7
Female	5,596	5,744	488	479	5,108	5,265	8.7	8.3	91.3	91.7
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	12,940	12,988	1,201	1,212	11,739	11,775	9.3	9.3	90.7	90.7
White	10,263	10,296	848	1,000	9,415	9,297	8.3	9.7	91.7	90.3
Black or African American	1,666	1,543	279 ^a	119	1,387	1,424	16.7 ^a	7.7	83.3 ^a	92.3
AIAN	143	161	28	*	116	108	*	*	*	*
NHOPI	42	83	3	*	39	75	*	*	*	*
Asian	468	591	11	2	457	589	2.3	*	97.7	*
Two or More Races	358	314	33	32	325	283	9.2	*	90.8	*
Hispanic or Latino	2,314	2,531	161	174	2,153	2,356	7.0	6.9	93.0	93.1

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.36B Classified as Needing Alcohol Use Treatment and Receipt of Alcohol Use Treatment at a Specialty Facility in Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2017 and 2018

Demographic Characteristic	Classified as Needing Treatment (Tx) (2017)	Classified as Needing Treatment (Tx) (2018)	Classified as Needing Tx and Received Tx at a Specialty Facility (2017)	Classified as Needing Tx and Received Tx at a Specialty Facility (2018)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2017)	Classified as Needing Tx but Did Not Receive Tx at a Specialty Facility (2018)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)	% Who Received Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2017)	% Who Did Not Receive Tx at a Specialty Facility among Persons Classified as Needing Tx (2018)
TOTAL	5.6	5.7	0.5	0.5	5.1	5.2	8.9	8.9	91.1	91.1
AGE GROUP										
12-17	1.9	1.7	0.2	0.1	1.7	1.6	8.4	6.2	91.6	93.8
18 or Older	6.0	6.1	0.5	0.5	5.4	5.5	8.9	9.0	91.1	91.0
18-25	10.3	10.3	0.6	0.5	9.6	9.8	6.1	5.1	93.9	94.9
26 or Older	5.3	5.4	0.5	0.5	4.8	4.8	9.8	10.2	90.2	89.8
GENDER										
Male	7.3	7.4	0.7	0.7	6.7	6.7	9.1	9.3	90.9	90.7
Female	4.0	4.1	0.3	0.3	3.6	3.7	8.7	8.3	91.3	91.7
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	5.7	5.7	0.5	0.5	5.2	5.2	9.3	9.3	90.7	90.7
White	6.0	6.0	0.5	0.6	5.5	5.4	8.3	9.7	91.7	90.3
Black or African American	5.1	4.7	0.8 ^a	0.4	4.2	4.3	16.7 ^a	7.7	83.3 ^a	92.3
AIAN	9.8	9.6	1.9	*	8.0	6.5	*	*	*	*
NHOPI	3.8	8.0	0.3	*	3.6	7.2	*	*	*	*
Asian	3.1	3.8	0.1	0.0	3.0	3.8	2.3	*	97.7	*
Two or More Races	7.1	6.1	0.7	0.6	6.5	5.5	9.2	*	90.8	*
Hispanic or Latino	5.1	5.4	0.4	0.4	4.7	5.1	7.0	6.9	93.0	93.1

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Respondents were classified as needing alcohol use treatment if they met the DSM-IV criteria for an alcohol use disorder or received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a The difference between this estimate and the 2018 estimate is statistically significant at the .05 level. Rounding may make the estimates appear identical.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.