

Table 5.6C Illicit Drug Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	213	266	38	39	210	263	92	92	186	236
GEOGRAPHIC REGION										
Northeast	95	122	17	13	93	120	32	38	81	107
Midwest	91	102	14	20	90	102	39	42	74	89
South	132	148	26	23	129	145	60	53	111	135
West	119	151	21	21	116	150	49	53	106	132
COUNTY TYPE										
Large Metro	167	221	32	33	164	217	84	80	143	199
Small Metro	110	151	22	20	106	150	52	62	94	129
Nonmetro	80	78	13	11	78	76	30	29	69	66
Urbanized	56	52	7	7	55	51	25	23	45	40
Less Urbanized	56	55	11	8	53	54	17	17	48	49
Completely Rural	26	12	4	4	25	11	4	4	24	10
POVERTY LEVEL¹										
Less Than 100%	114	139	20	16	111	137	51	55	99	124
100-199%	98	125	20	19	95	124	46	46	83	113
200% or More	146	186	29	31	144	181	62	65	129	166
HEALTH INSURANCE²										
Private	143	178	29	29	140	173	75	83	117	146
Medicaid/CHIP	123	142	29	24	117	140	44	43	109	132
Other ³	81	104	9	9	80	104	28	20	75	102
No Coverage	99	96	10	10	98	95	34	34	90	88

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.6D Illicit Drug Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.08	0.10	0.15	0.16	0.08	0.11	0.27	0.27	0.09	0.11
GEOGRAPHIC REGION										
Northeast	0.20	0.26	0.43	0.33	0.21	0.27	0.54	0.65	0.21	0.28
Midwest	0.16	0.18	0.26	0.37	0.17	0.20	0.53	0.58	0.17	0.20
South	0.13	0.14	0.27	0.24	0.14	0.15	0.47	0.42	0.14	0.17
West	0.18	0.23	0.36	0.35	0.20	0.25	0.59	0.65	0.21	0.26
COUNTY TYPE										
Large Metro	0.11	0.14	0.21	0.23	0.12	0.15	0.38	0.38	0.12	0.16
Small Metro	0.14	0.18	0.30	0.27	0.15	0.19	0.44	0.51	0.15	0.20
Nonmetro	0.19	0.18	0.35	0.30	0.21	0.20	0.61	0.58	0.21	0.20
Urbanized	0.31	0.27	0.44	0.48	0.33	0.29	1.04	1.02	0.32	0.27
Less Urbanized	0.27	0.28	0.56	0.44	0.29	0.31	0.75	0.73	0.30	0.34
Completely Rural	0.67	0.32	1.28	0.89	0.72	0.34	1.30	1.09	0.79	0.33
POVERTY LEVEL¹										
Less Than 100%	0.27	0.33	0.36	0.29	0.31	0.38	0.51	0.57	0.38	0.46
100-199%	0.18	0.23	0.36	0.36	0.19	0.25	0.53	0.53	0.21	0.27
200% or More	0.08	0.10	0.20	0.21	0.09	0.11	0.36	0.37	0.09	0.11
HEALTH INSURANCE²										
Private	0.08	0.10	0.19	0.20	0.08	0.10	0.33	0.36	0.08	0.10
Medicaid/CHIP	0.26	0.30	0.30	0.25	0.32	0.38	0.58	0.55	0.37	0.44
Other ³	0.12	0.15	0.83	0.72	0.12	0.15	1.00	0.80	0.11	0.15
No Coverage	0.39	0.37	0.86	0.90	0.41	0.38	0.69	0.68	0.47	0.44

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.6P Illicit Drug Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.1510		0.2939		0.1055		0.4055		0.1208	
GEOGRAPHIC REGION										
Northeast	0.4515		0.0421		0.2873		0.1444		0.4676	
Midwest	0.3665		0.0010		0.7343		0.1920		0.8491	
South	0.7837		0.2748		0.9333		0.0771		0.4405	
West	0.1079		0.0743		0.0579		0.1306		0.1233	
COUNTY TYPE										
Large Metro	0.1803		0.4760		0.1366		0.7005		0.1203	
Small Metro	0.1606		0.5047		0.1267		0.2615		0.2224	
Nonmetro	0.2428		0.6417		0.2683		0.7351		0.2689	
Urbanized	0.4351		0.3708		0.3645		0.9881		0.3681	
Less Urbanized	0.8135		0.3689		0.9330		0.7667		0.9496	
Completely Rural	0.0837		0.3108		0.1083		0.5814		0.1202	
POVERTY LEVEL¹										
Less Than 100%	0.6047		0.1247		0.4470		0.2132		0.7142	
100-199%	0.3484		0.4108		0.2750		0.9625		0.2143	
200% or More	0.2867		0.9655		0.2840		0.8187		0.2454	
HEALTH INSURANCE²										
Private	0.0696		0.5596		0.0498		0.4079		0.0472	
Medicaid/CHIP	0.8903		0.2140		0.6992		0.9572		0.6515	
Other ³	0.7489		0.5829		0.7231		0.2532		0.5157	
No Coverage	0.7641		0.4911		0.7054		0.5747		0.5561	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.7C Alcohol Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)	Aged 12-20 (2017)	Aged 12-20 (2018)	Aged 21+ (2017)	Aged 21+ (2018)
TOTAL	326	353	31	34	324	352	106	104	303	333	71	73	340	366
GEOGRAPHIC REGION														
Northeast	131	151	10	12	130	150	42	47	127	144	33	35	135	153
Midwest	151	151	14	13	150	150	53	45	131	138	33	33	154	157
South	195	202	20	18	191	202	53	59	180	190	37	39	202	208
West	189	196	16	22	189	197	57	57	178	185	38	38	199	203
COUNTY TYPE														
Large Metro	287	306	26	28	285	305	93	88	265	289	54	49	281	301
Small Metro	173	194	16	14	173	194	69	76	158	171	42	45	168	185
Nonmetro	109	110	9	11	108	110	40	34	98	106	20	26	104	108
Urbanized	74	82	5	5	73	82	33	25	62	77	15	16	68	80
Less Urbanized	79	73	7	10	78	72	21	25	73	67	12	20	77	70
Completely Rural	41	31	4	2	40	31	5	6	38	31	5	5	40	31
POVERTY LEVEL¹														
Less Than 100%	119	148	10	15	119	146	56	60	103	131	32	36	114	140
100-199%	144	145	14	14	143	144	57	47	130	132	32	30	139	139
200% or More	289	306	27	26	286	305	77	79	274	292	50	47	283	304
HEALTH INSURANCE²														
Private	291	307	26	28	289	307	99	101	270	287	61	57	287	301
Medicaid/CHIP	132	152	17	18	132	150	41	44	125	144	30	33	130	149
Other ³	157	144	6	6	157	144	31	29	152	142	13	16	156	143
No Coverage	110	110	2	6	110	110	40	34	102	107	20	17	107	108

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.7D Alcohol Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)	Aged 12-20 (2017)	Aged 12-20 (2018)	Aged 21+ (2017)	Aged 21+ (2018)
TOTAL	0.12	0.13	0.12	0.14	0.13	0.14	0.31	0.31	0.14	0.16	0.18	0.19	0.14	0.15
GEOGRAPHIC REGION														
Northeast	0.27	0.32	0.24	0.30	0.29	0.34	0.70	0.80	0.33	0.38	0.50	0.53	0.30	0.36
Midwest	0.27	0.26	0.27	0.24	0.29	0.29	0.73	0.62	0.30	0.31	0.39	0.38	0.30	0.30
South	0.19	0.20	0.20	0.19	0.21	0.22	0.41	0.46	0.22	0.23	0.24	0.26	0.22	0.22
West	0.29	0.30	0.27	0.36	0.32	0.33	0.70	0.69	0.35	0.36	0.41	0.41	0.34	0.35
COUNTY TYPE														
Large Metro	0.17	0.18	0.17	0.20	0.19	0.20	0.41	0.41	0.21	0.23	0.24	0.22	0.20	0.21
Small Metro	0.20	0.23	0.23	0.19	0.22	0.25	0.56	0.59	0.24	0.26	0.35	0.36	0.23	0.25
Nonmetro	0.26	0.25	0.25	0.31	0.28	0.28	0.81	0.68	0.29	0.31	0.36	0.47	0.29	0.29
Urbanized	0.39	0.41	0.34	0.36	0.42	0.45	1.37	1.08	0.42	0.49	0.63	0.70	0.42	0.46
Less Urbanized	0.39	0.36	0.37	0.53	0.43	0.39	0.91	1.00	0.46	0.44	0.44	0.73	0.44	0.41
Completely Rural	0.88	0.78	1.25	0.62	0.95	0.86	1.96	1.78	1.01	0.94	1.16	1.09	0.96	0.89
POVERTY LEVEL¹														
Less Than 100%	0.29	0.36	0.19	0.27	0.33	0.41	0.57	0.61	0.39	0.49	0.34	0.39	0.36	0.44
100-199%	0.26	0.26	0.25	0.27	0.28	0.29	0.64	0.53	0.31	0.32	0.38	0.36	0.29	0.30
200% or More	0.15	0.16	0.19	0.18	0.16	0.17	0.43	0.44	0.18	0.19	0.24	0.23	0.17	0.18
HEALTH INSURANCE²														
Private	0.15	0.16	0.18	0.19	0.17	0.18	0.42	0.42	0.18	0.19	0.26	0.26	0.17	0.18
Medicaid/CHIP	0.28	0.32	0.18	0.19	0.35	0.40	0.53	0.56	0.42	0.48	0.23	0.25	0.38	0.44
Other ³	0.22	0.21	0.54	0.47	0.23	0.21	1.09	1.08	0.23	0.22	0.65	0.72	0.23	0.21
No Coverage	0.43	0.42	0.19	0.57	0.45	0.44	0.79	0.69	0.51	0.53	0.71	0.58	0.46	0.47

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.7P Alcohol Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)	Aged 12-20 (2017)	Aged 12-20 (2018)	Aged 21+ (2017)	Aged 21+ (2018)
TOTAL	0.6363		0.3662		0.5865		0.9607		0.5445		0.5660		0.5530	
GEOGRAPHIC REGION														
Northeast	0.9654		0.6961		1.0000		0.6422		0.8980		0.7803		0.9019	
Midwest	0.2331		0.5325		0.2498		0.1535		0.4668		0.1449		0.3645	
South	0.8748		0.2284		0.9596		0.9810		0.9711		0.9341		0.8630	
West	0.0600		0.9135		0.0596		0.3413		0.0954		0.7248		0.0695	
COUNTY TYPE														
Large Metro	0.1073		0.7157		0.1095		0.6378		0.0690		0.3582		0.0789	
Small Metro	0.0981		0.0565		0.1462		0.9419		0.1117		0.4797		0.1281	
Nonmetro	0.7102		0.4019		0.7893		0.2572		0.9353		0.1484		0.9662	
Urbanized	0.3533		0.8095		0.3776		0.2236		0.4934		0.7337		0.3257	
Less Urbanized	0.6659		0.0671		0.8256		0.3642		0.9116		0.0084		0.8799	
Completely Rural	0.0214		0.0501		0.0405		0.1880		0.0627		0.3124		0.0303	
POVERTY LEVEL¹														
Less Than 100%	0.1428		0.3699		0.1609		0.9883		0.1148		0.5602		0.1667	
100-199%	0.7095		0.5323		0.7207		0.1834		0.8842		0.6159		0.7683	
200% or More	0.9802		0.2290		0.8934		0.4849		0.9920		0.1739		0.7990	
HEALTH INSURANCE²														
Private	0.4734		0.2516		0.5234		0.6494		0.4610		0.5573		0.5394	
Medicaid/CHIP	0.0288		0.5422		0.0235		0.9956		0.0186		0.8427		0.0263	
Other ³	0.3941		0.9930		0.3986		0.6338		0.4414		0.5817		0.3571	
No Coverage	0.3175		0.0302		0.3787		0.6171		0.2636		0.7106		0.2689	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.8C Substance Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Numbers in Thousands, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	374	409	45	47	373	407	123	122	344	385
GEOGRAPHIC REGION										
Northeast	157	183	19	17	156	181	48	56	148	174
Midwest	171	167	17	21	168	166	56	52	146	150
South	223	236	31	27	219	235	71	75	199	221
West	213	228	23	27	215	230	65	70	205	213
COUNTY TYPE										
Large Metro	330	369	37	40	328	366	119	111	300	346
Small Metro	194	234	27	23	192	233	83	95	173	203
Nonmetro	139	134	16	14	136	132	45	43	120	124
Urbanized	97	96	8	8	95	96	38	33	79	86
Less Urbanized	99	91	12	12	96	89	27	29	86	83
Completely Rural	50	34	6	4	49	33	8	7	46	32
POVERTY LEVEL¹										
Less Than 100%	160	184	22	20	159	181	76	80	137	163
100-199%	167	178	22	22	164	177	67	59	146	164
200% or More	318	350	37	38	314	345	90	94	299	331
HEALTH INSURANCE²										
Private	322	347	35	37	320	345	118	123	292	317
Medicaid/CHIP	177	189	31	27	174	187	56	58	163	178
Other ³	173	176	11	9	172	175	38	32	166	174
No Coverage	139	138	10	11	138	137	46	45	128	131

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.8D Substance Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: Standard Errors of Percentages, 2017 and 2018

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.14	0.15	0.18	0.19	0.15	0.16	0.36	0.36	0.16	0.18
GEOGRAPHIC REGION										
Northeast	0.33	0.38	0.47	0.42	0.35	0.41	0.79	0.95	0.39	0.46
Midwest	0.30	0.29	0.33	0.40	0.33	0.32	0.76	0.72	0.33	0.34
South	0.22	0.23	0.33	0.28	0.24	0.25	0.56	0.59	0.25	0.27
West	0.33	0.35	0.39	0.45	0.37	0.39	0.79	0.86	0.41	0.42
COUNTY TYPE										
Large Metro	0.20	0.22	0.24	0.28	0.22	0.24	0.49	0.49	0.24	0.27
Small Metro	0.23	0.26	0.37	0.30	0.25	0.29	0.62	0.69	0.26	0.30
Nonmetro	0.32	0.29	0.42	0.39	0.34	0.32	0.87	0.80	0.35	0.35
Urbanized	0.49	0.47	0.51	0.52	0.53	0.51	1.45	1.29	0.53	0.54
Less Urbanized	0.46	0.42	0.66	0.63	0.49	0.47	1.07	1.10	0.52	0.53
Completely Rural	1.06	0.82	1.88	0.91	1.15	0.90	2.69	2.04	1.21	0.97
POVERTY LEVEL¹										
Less Than 100%	0.37	0.43	0.39	0.36	0.43	0.49	0.67	0.74	0.51	0.59
100-199%	0.30	0.32	0.39	0.42	0.32	0.35	0.73	0.64	0.35	0.39
200% or More	0.17	0.18	0.25	0.26	0.18	0.19	0.50	0.50	0.19	0.21
HEALTH INSURANCE²										
Private	0.17	0.18	0.24	0.25	0.18	0.19	0.48	0.48	0.19	0.21
Medicaid/CHIP	0.36	0.40	0.32	0.28	0.45	0.50	0.71	0.71	0.54	0.59
Other ³	0.24	0.25	1.07	0.75	0.25	0.26	1.26	1.18	0.25	0.26
No Coverage	0.53	0.53	0.87	0.94	0.55	0.55	0.89	0.89	0.64	0.65

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.

Table 5.8P Substance Use Disorder in Past Year among Persons Aged 12 or Older, by Age Group and Geographic and Socioeconomic Characteristics: *P* Values from Tests of Differences of Percentages, 2018 Versus 2017

Geographic/Socioeconomic Characteristic	Aged 12+ (2017)	Aged 12+ (2018)	Aged 12-17 (2017)	Aged 12-17 (2018)	Aged 18+ (2017)	Aged 18+ (2018)	Aged 18-25 (2017)	Aged 18-25 (2018)	Aged 26+ (2017)	Aged 26+ (2018)
TOTAL	0.4350		0.2587		0.3690		0.6244		0.3841	
GEOGRAPHIC REGION										
Northeast	0.6365		0.1769		0.5358		0.3241		0.7044	
Midwest	0.3491		0.0138		0.2146		0.5975		0.2454	
South	0.8116		0.0913		0.9790		0.3385		0.7431	
West	0.0541		0.3072		0.0447		0.1173		0.0986	
COUNTY TYPE										
Large Metro	0.1034		0.6341		0.0990		0.9892		0.0789	
Small Metro	0.4573		0.1459		0.5952		0.5073		0.4196	
Nonmetro	0.6979		0.9969		0.6852		0.8289		0.6437	
Urbanized	0.9950		0.5316		0.9111		0.5107		0.9125	
Less Urbanized	0.7464		0.7271		0.7754		0.8736		0.8651	
Completely Rural	0.0183		0.0458		0.0380		0.2011		0.0552	
POVERTY LEVEL¹										
Less Than 100%	0.4922		0.2022		0.3829		0.5235		0.4435	
100-199%	0.9757		0.3513		0.9046		0.2971		0.5716	
200% or More	0.5704		0.8522		0.5563		0.3958		0.6605	
HEALTH INSURANCE²										
Private	0.8950		0.6807		0.8763		0.5387		0.9517	
Medicaid/CHIP	0.3666		0.1783		0.2615		0.7404		0.1761	
Other ³	0.8783		0.2624		0.9304		0.5643		0.9924	
No Coverage	0.6500		0.3639		0.7163		0.6605		0.7986	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

¹ Respondents aged 18 to 22 who were living in a college dormitory were excluded.

² Respondents could indicate multiple types of health insurance; thus, these response categories are not mutually exclusive.

³ Other Health Insurance is defined as having Medicare, military-related health care, or any other type of health insurance.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2017 and 2018.