

Table 7.17D Average Number of Days Used Specific Substances in Past Year among Past Year Users of Specific Substances Aged 12 or Older: Standard Errors, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Marijuana	1.90	1.92	2.04	2.13	1.96	2.21	2.19	2.11	2.20	2.33	2.17	2.36	1.90	1.93	1.90	1.95	1.80
Cocaine	2.84	2.77	2.91	3.19	3.70	3.01	2.73	2.60	3.13	2.99	3.54	4.32	2.30	2.83	2.74	2.85	2.92
Crack	5.52	7.66	8.60	8.34	6.20	7.83	7.24	7.51	8.94	10.56	9.99	13.24	9.26	10.74	9.42	11.22	11.01
Heroin	20.23	20.82	16.36	9.23	23.92	16.36	14.82	13.04	10.54	14.77	15.69	12.86	9.59	10.75	11.84	11.36	11.84
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	1.41	1.08	1.55	1.26
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	3.95	2.35	2.81	3.17
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	7.07	8.69	8.54	7.58
Alcohol	1.02	0.98	1.03	0.99	1.00	0.97	1.02	1.05	0.91	0.94	0.98	0.91	0.77	0.80	0.82	0.80	0.80

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.17P Average Number of Days Used Specific Substances in Past Year among Past Year Users of Specific Substances Aged 12 or Older: *P* Values from Tests of Differences, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0051	0.0030	0.1253	0.0765	0.2977	0.8187	
Cocaine	0.0506	0.3640	0.0310	0.0008	0.0018	0.0288	0.0591	0.5670	0.8723	0.7299	0.0999	0.3421	0.8314	0.5941	0.8977	0.4842	
Crack	0.2370	0.1939	0.6474	0.5543	0.1816	0.4598	0.1627	0.3292	0.4013	0.3318	0.4473	0.4063	0.7032	0.7318	0.8936	0.9934	
Heroin	0.4472	0.3147	0.4578	0.0015	0.1169	0.3782	0.9475	0.0293	0.0885	0.8995	0.1693	0.9203	0.6720	0.9949	0.4888	0.2676	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.6596	0.8381	0.4854	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.0966	0.9380	0.9902	
Methamphetamine	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.1813	0.9620	0.9576	
Alcohol	0.0086	0.0077	0.0541	0.0047	0.0143	0.0504	0.3797	0.5320	0.1918	0.0934	0.1398	0.5344	0.2941	0.5828	0.4284	0.0722	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.18D Average Number of Days Used Specific Substances in Past Month among Past Month Users of Specific Substances Aged 12 or Older: Standard Errors, 2002-2018

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Marijuana	0.22	0.24	0.24	0.24	0.24	0.26	0.25	0.24	0.27	0.26	0.25	0.27	0.20	0.20	0.19	0.20	0.20
Cocaine	0.33	0.34	0.48	0.43	0.64	0.48	0.50	0.54	0.60	0.48	0.66	0.82	0.44	0.49	0.47	0.48	0.40
Crack	0.76	1.06	1.13	0.85	1.64	1.13	1.27	1.22	1.22	1.64	1.25	1.55	1.31	1.42	1.53	1.06	1.14
Heroin	2.74	2.38	2.66	1.62	2.38	2.59	2.16	2.23	1.88	1.90	1.74	1.63	1.22	1.61	1.67	1.32	1.39
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.34	0.18	0.26	0.27
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.48	0.52	0.54	0.69
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.91	1.05	1.07	1.05
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.35	0.38	0.38	0.48
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.40	0.40	0.40	0.35
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.35	0.41	0.33	0.48
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.93	1.38	1.09	0.72
Cigarettes	0.14	0.15	0.14	0.14	0.14	0.15	0.15	0.14	0.16	0.15	0.15	0.16	0.13	0.14	0.14	0.15	0.16
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.33	0.34	0.33	0.35
Cigars	0.22	0.27	0.25	0.25	0.26	0.25	0.27	0.27	0.28	0.28	0.32	0.29	0.23	0.27	0.27	0.26	0.28
Alcohol	0.10	0.10	0.10	0.09	0.10	0.09	0.10	0.10	0.09	0.10	0.09	0.09	0.08	0.08	0.08	0.07	0.08
Binge Alcohol Use ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.06	0.07	0.06	0.07

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Estimates of binge alcohol use include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.

Table 7.18P Average Number of Days Used Specific Substances in Past Month among Past Month Users of Specific Substances Aged 12 or Older: *P* Values from Tests of Differences, 2018 Versus 2002-2017

Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Marijuana	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0033	0.0002	0.0088	0.0318	0.0693	0.0503	0.0165	0.0759	
Cocaine	0.2595	0.8000	0.0016	0.0529	0.0172	0.0574	0.0846	0.2213	0.4215	0.4580	0.0505	0.1716	0.3779	0.3207	0.5796	0.7248	
Crack	0.7443	0.8191	0.0681	0.7812	0.8393	0.7188	0.3727	0.9453	0.5626	0.6355	0.2421	0.3205	0.5306	0.7485	0.4527	0.8389	
Heroin	0.0458	0.3980	0.1978	0.3948	0.2734	0.4205	0.7357	0.4397	0.4339	0.0196	0.1962	0.3034	0.5640	0.4420	0.3600	0.6210	
Hallucinogens	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.7877	0.1978	0.6614	
Inhalants	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.9858	0.6717	0.8287	
Methamphetamine	--	--	--	--	--	--	--	--	--	--	--	--	--	0.1162	0.8885	0.4731	
Misuse of Pain Relievers ¹	--	--	--	--	--	--	--	--	--	--	--	--	--	0.9770	0.8825	0.8115	
Misuse of Stimulants	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6241	0.5966	0.5448	
Misuse of Tranquilizers	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7199	0.5816	0.5253	
Misuse of Sedatives	--	--	--	--	--	--	--	--	--	--	--	--	--	0.7887	0.2558	0.2489	
Cigarettes	0.0000	0.0000	0.0000	0.0000	0.0000	0.0013	0.0011	0.0017	0.0594	0.0063	0.0038	0.0367	0.4733	0.6822	0.6984	0.3011	
Smokeless Tobacco	--	--	--	--	--	--	--	--	--	--	--	--	--	0.6886	0.4242	0.4669	
Cigars	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0027	0.0001	0.0103	0.0001	0.0000	0.0552	0.3945	0.3273	
Alcohol	0.1749	0.1554	0.0996	0.3549	0.2918	0.4571	0.0222	0.0114	0.3473	0.4009	0.1833	0.5905	0.0132	0.7622	0.6257	0.7690	
Binge Alcohol Use ²	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	nc	0.8244	0.9743	0.8872	

* = low precision; -- = not available; da = does not apply; nc = not comparable due to methodological changes; nr = not reported due to measurement issues.

NOTE: Some 2006 to 2010 estimates that are used in the comparisons may differ from previously published estimates due to updates (see Section 3.3.5 in Chapter 3 of the *2018 National Survey on Drug Use and Health: Methodological Summary and Definitions*).

¹ Prescription psychotherapeutic subtypes were revised in 2016; one effect was the comparability of codeine products between 2015 and 2016.

² Estimates of binge alcohol use that are used in the comparisons include use by those who were heavy alcohol users.

Definitions: Measures and terms are defined in Appendix A.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2018.